Appendix D

RF Test Data for B1-B3WIFI(Conducted Measurement)

Product Name: Mini PC

Trade Mark: Blackview

Test Model: MP60

Environmental Conditions

Temperature:	25.9℃
Relative Humidity:	52.2%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

Contents

Page

COVER PAGE

1 Duty Cycle 3
1.1 Test Result 3
1.2 Test Graphs 4
2 Maximum Conducted Output Power 11
2.1 Test Result 11
3 -26dB Bandwidth 12
3.1 Test Result 12
3.2 Test Graphs 13
4 Occupied Channel Bandwidth 20
4.1 Test Result 20
4.2 Test Graphs 21
5 Maximum Power Spectral Density Level 28
5.1 Test Result 28
5.2 Test Graphs 29
6 Frequency Stability 36
6.1 Test Result 36
7 Conducted RF Spurious Emission 40
7.1 Test Result 40
7.2 Test Graphs 41
8 Restrict Band 48
8.1 Test Result 48
8.2 Test Graphs 50

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T(KHz)
a	5180	Ant2	100	0	0.01
a	5200	Ant2	100	0	0.01
a	5240	Ant2	100	0	0.01
n20	5180	Ant2	100	0	0.01
n20	5200	Ant2	100	0	0.01
n20	5240	Ant2	100	0	0.01
n40	5190	Ant2	100	0	0.01
n40	5230	Ant2	100	0	0.01
ac20	5180	Ant2	100	0	0.01
ac20	5200	Ant2	100	0	0.01
ac20	5240	Ant2	100	0	0.01
ac40	5190	Ant2	100	0	0.01
ac40	5230	Ant2	100	0	0.01
ac80	5210	Ant2	100	0	0.01

1.2 Test Graphs

Test Graphs
Duty Cyclea 5180MHz Ant2



Duty Cycle a 5200MHz Ant2



Duty Cyclea 5240MHz Ant2



Duty Cycle n20 5180MHz Ant2



Duty Cycle n20 5200MHz Ant2



Duty Cycle n20 5240MHz Ant2



Duty Cyclen40 5190MHz Ant2



Duty Cyclen40 5230MHz Ant2



Duty Cycle ac20 5180MHz Ant2



Duty Cycle ac20 5200MHz Ant2



Duty Cycle ac20 5240MHz Ant2



Duty Cycleac40 5190MHz Ant2



Duty Cycleac40 5230MHz Ant2



Duty Cycleac80 5210MHz Ant2



2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant2	11.2	24	Pass
a	5200	Ant2	11.32	24	Pass
a	5240	Ant2	11.24	24	Pass
n20	5180	Ant2	10.78	24	Pass
n20	5200	Ant2	10.92	24	Pass
n20	5240	Ant2	11.09	24	Pass
n40	5190	Ant2	10.64	24	Pass
n40	5230	Ant2	10.53	24	Pass
ac20	5180	Ant2	10.85	24	Pass
ac20	5200	Ant2	10.88	24	Pass
ac20	5240	Ant2	11.04	24	Pass
ac40	5190	Ant2	10.52	24	Pass
ac40	5230	Ant2	12.3	24	Pass
ac80	5210	Ant2	9.96	24	Pass

3 -26dB Bandwidth

3.1 Test Result

Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant2	20.544	0.5	Pass
a	5200	Ant2	20.52	0.5	Pass
a	5240	Ant2	19.725	0.5	Pass
n20	5180	Ant2	21.246	0.5	Pass
n20	5200	Ant2	21.36	0.5	Pass
n20	5240	Ant2	20.865	0.5	Pass
n40	5190	Ant2	40.422	0.5	Pass
n40	5230	Ant2	39.828	0.5	Pass
ac20	5180	Ant2	21.291	0.5	Pass
ac20	5200	Ant2	20.943	0.5	Pass
ac20	5240	Ant2	21.336	0.5	Pass
ac40	5190	Ant2	40.356	0.5	Pass
ac40	5230	Ant2	40.53	0.5	Pass
ac80	5210	Ant2	79.404	0.5	Pass

3.2 Test Graphs

Test Graphs

-26dB Bandwidtha 5180MHz Ant2



-26dB Bandwidtha 5200MHz Ant2



-26dB Bandwidtha 5240MHz Ant2



-26dB Bandwidth n20 5180MHz Ant2



-26dB Bandwidth n20 5200MHz Ant2



-26dB Bandwidth n20 5240MHz Ant2



-26dB Bandwidthn40 5190MHz Ant2



-26dB Bandwidthn40 5230MHz Ant2



-26dB Bandwidth ac20 5180MHz Ant2



-26dB Bandwidth ac20 5200MHz Ant2



-26dB Bandwidth ac20 5240MHz Ant2



-26dB Bandwidthac40 5190MHz Ant2



-26dB Bandwidthac40 5230MHz Ant2



-26dB Bandwidthac80 5210MHz Ant2



4 Occupied Channel Bandwidth

4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant2	16.471
a	5200	Ant2	16.489
a	5240	Ant2	16.423
n20	5180	Ant2	17.641
n20	5200	Ant2	17.614
n20	5240	Ant2	17.662
n40	5190	Ant2	36.188
n40	5230	Ant2	36.248
ac20	5180	Ant2	17.65
ac20	5200	Ant2	17.713
ac20	5240	Ant2	17.728
ac40	5190	Ant2	36.182
ac40	5230	Ant2	36.206
ac80	5210	Ant2	75.436

4.2 Test Graphs

Test Graphs
OBWa 5180MHz Ant2



OBWa 5200MHz Ant2



OBWa 5240MHz Ant2



OBW n20 5180MHz Ant2



OBW n20 5200MHz Ant2



OBW n20 5240MHz Ant2



OBWn40 5190MHz Ant2



OBWn40 5230MHz Ant2



OBW ac20 5180MHz Ant2



OBW ac20 5200MHz Ant2



OBW ac20 5240MHz Ant2



OBWac40 5190MHz Ant2



OBWac40 5230MHz Ant2



OBWac80 5210MHz Ant2



5 Maximum Power Spectral Density Level

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant2	-2.99	0	-2.99	11	Pass
a	5200	Ant2	-2.37	0	-2.37	11	Pass
a	5240	Ant2	-2.5	0	-2.5	11	Pass
n20	5180	Ant2	-3.66	0	-3.66	11	Pass
n20	5200	Ant2	-3.93	0	-3.93	11	Pass
n20	5240	Ant2	-3.53	0	-3.53	11	Pass
n40	5190	Ant2	-6.54	0	-6.54	11	Pass
n40	5230	Ant2	-6.92	0	-6.92	11	Pass
ac20	5180	Ant2	-3.82	0	-3.82	11	Pass
ac20	5200	Ant2	-3.35	0	-3.35	11	Pass
ac20	5240	Ant2	-2.98	0	-2.98	11	Pass
ac40	5190	Ant2	-7.06	0	-7.06	11	Pass
ac40	5230	Ant2	-5.09	0	-5.09	11	Pass
ac80	5210	Ant2	-9.43	0	-9.43	11	Pass

5.2 Test Graphs

Test Graphs
PSDa 5180MHz Ant2

PSD a 5200MHz Ant2



PSDa 5240MHz Ant2



PSD n20 5180MHz Ant2

PSD n20 5200MHz Ant2



PSD n20 5240MHz Ant2



PSDn40 5190MHz Ant2



PSDn40 5230MHz Ant2



PSD ac20 5180MHz Ant2



PSD ac20 5200MHz Ant2



PSD ac20 5240MHz Ant2



PSDac40 5190MHz Ant2



PSDac40 5230MHz Ant2



PSDac80 5210MHz Ant2



6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 120V	a	5180	Ant2	5180	0	0	25	Pass
20C 138V	a	5180	Ant2	5180	0	0	25	Pass
-20C 120V	a	5180	Ant2	5180	0	0	25	Pass
-10C 120V	a	5180	Ant2	5180	0	0	25	Pass
0C 120V	a	5180	Ant2	5180	0	0	25	Pass
10C 120V	a	5180	Ant2	5180.02	20000	3.86	25	Pass
30C 120V	a	5180	Ant2	5180	0	0	25	Pass
40C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	a	5180	Ant2	5180	0	0	25	Pass
20C 102V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 120V	a	5200	Ant2	5200	0	0	25	Pass
20C 138V	a	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-20C 120V	a	5200	Ant2	5200	0	0	25	Pass
-10C 120V	a	5200	Ant2	5200	0	0	25	Pass
0C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
10C 120V	a	5200	Ant2	5200.02	20000	3.85	25	Pass
30C 120V	a	5200	Ant2	5200	0	0	25	Pass
40C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	a	5240	Ant2	5240	0	0	25	Pass
20C 120V	a	5240	Ant2	5240	0	0	25	Pass
20C 138V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant2	5240	0	0	25	Pass
-10C 120V	a	5240	Ant2	5240	0	0	25	Pass
0C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant2	5240	0	0	25	Pass
30C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
40C 120V	a	5240	Ant2	5240	0	0	25	Pass
50C 120V	a	5240	Ant2	5240	0	0	25	Pass
20C 102V	n20	5180	Ant2	5180	0	0	25	Pass
20C 120V	n20	5180	Ant2	5180	0	0	25	Pass
20C 138V	n20	5180	Ant2	5180	0	0	25	Pass
-20C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass

-10C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	n20	5180	Ant2	5180.02	20000	3.86	25	Pass
10C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
30C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
40C 120V	n20	5180	Ant2	5180	0	0	25	Pass
50C 120V	n20	5180	Ant2	5180.02	20000	3.86	25	Pass
20C 102V	n20	5200	Ant2	5200	0	0	25	Pass
20C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 138V	n20	5200	Ant2	5200	0	0	25	Pass
-20C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
-10C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
0C 120V	n20	5200	Ant2	5200	0	0	25	Pass
10C 120V	n20	5200	Ant2	5200	0	0	25	Pass
30C 120V	n20	5200	Ant2	5200.02	20000	3.85	25	Pass
40C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
50C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 120V	n20	5240	Ant2	5240	0	0	25	Pass
20C 138V	n20	5240	Ant2	5240	0	0	25	Pass
-20C 120V	n20	5240	Ant2	5240	0	0	25	Pass
-10C 120V	n20	5240	Ant2	5240	0	0	25	Pass
0C 120V	n20	5240	Ant2	5240	0	0	25	Pass
10C 120V	n20	5240	Ant2	5240	0	0	25	Pass
30C 120V	n20	5240	Ant2	5240	0	0	25	Pass
40C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
50C 120V	n20	5240	Ant2	5240	0	0	25	Pass
20C 102V	n40	5190	Ant2	5190	0	0	25	Pass
20C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	n40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	n40	5190	Ant2	5190	0	0	25	Pass
-10C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
0C 120V	n40	5190	Ant2	5190	0	0	25	Pass
10C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
30C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
40C 120V	n40	5190	Ant2	5190	0	0	25	Pass
50C 120V	n40	5190	Ant2	5190	0	0	25	Pass
20C 102V	n40	5230	Ant2	5230	0	0	25	Pass
20C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 138V	n40	5230	Ant2	5230	0	0	25	Pass
-20C 120V	n40	5230	Ant2	5230	0	0	25	Pass
-10C 120V	n40	5230	Ant2	5230.04	40000	7.65	25	Pass
0C 120V	n40	5230	Ant2	5230	0	0	25	Pass
10C 120V	n40	5230	Ant2	5230.04	40000	7.65	25	Pass

30C 120V	n40	5230	Ant2	5230	0	0	25	Pass
40C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
50C 120V	n40	5230	Ant2	5230	0	0	25	Pass
20C 102V	ac20	5180	Ant2	5180	0	0	25	Pass
20C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-20C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
-10C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
10C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
30C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
40C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
20C 102V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 138V	ac20	5200	Ant2	5200	0	0	25	Pass
-20C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
-10C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
0C 120V	ac20	5200	Ant2	5200	0	0	25	Pass
10C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
30C 120V	ac20	5200	Ant2	5200	0	0	25	Pass
40C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
50C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	ac20	5240	Ant2	5240	0	0	25	Pass
20C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 138V	ac20	5240	Ant2	5240	0	0	25	Pass
-20C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-10C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
0C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
10C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
30C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
40C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
50C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	ac40	5190	Ant2	5190	0	0	25	Pass
20C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	ac40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
-10C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
0C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
10C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
30C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
40C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
50C 120V	ac40	5190	Ant2	5190	0	0	25	Pass

20C 102V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 138V	ac40	5230	Ant2	5230.04	40000	7.65	25	Pass
-20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
-10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
0C 120V	ac40	5230	Ant2	5230.04	40000	7.65	25	Pass
10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
40C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 102V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant2	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant2	5210	0	0	25	Pass

7 Conducted RF Spurious Emission

7.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5180	Ant2	-31.44	-27	Pass
a	5200	Ant2	-31.63	-27	Pass
a	5240	Ant2	-31.63	-27	Pass
n20	5180	Ant2	-31.68	-27	Pass
n20	5200	Ant2	-30.94	-27	Pass
n20	5240	Ant2	-31.24	-27	Pass
n40	5190	Ant2	-31.59	-27	Pass
n40	5230	Ant2	-30.79	-27	Pass
ac20	5180	Ant2	-31.01	-27	Pass
ac20	5200	Ant2	-31.6	-27	Pass
ac20	5240	Ant2	-31.45	-27	Pass
ac40	5190	Ant2	-31.38	-27	Pass
ac40	5230	Ant2	-31.85	-27	Pass
ac80	5210	Ant2	-31.3	-27	Pass

7.2 Test Graphs

Test Graphs
Tx. Spuriousa 5180MHz Ant2



Tx. Spuriousa 5200MHz Ant2



Tx. Spuriousa 5240MHz Ant2



Tx. Spurious n20 5180MHz Ant2



Tx. Spurious n20 5200MHz Ant2



Tx. Spurious n20 5240MHz Ant2



Tx. Spuriousn40 5190MHz Ant2



Tx. Spuriousn40 5230MHz Ant2



Tx. Spurious ac20 5180MHz Ant2



Tx. Spurious ac20 5200MHz Ant2



Tx. Spurious ac20 5240MHz Ant2



Tx. Spuriousac40 5190MHz Ant2



Tx. Spuriousac40 5230MHz Ant2



Tx. Spuriousac80 5210MHz Ant2



8 Restrict Band

8.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5180	Ant2	4500	-40.49	2.82	57.56	Peak	68.2	Pass
a	5180	Ant2	4500	-50.43	2.82	47.62	Average	54	Pass
a	5180	Ant2	5146.1	-36.88	2.82	61.17	Peak	68.2	Pass
a	5180	Ant2	4963.4	-47.41	2.82	50.64	Average	54	Pass
a	5180	Ant2	5150	-39.04	2.82	59.01	Peak	68.2	Pass
a	5180	Ant2	5150	-49.55	2.82	48.5	Average	54	Pass
a	5240	Ant2	5350	-41.38	2.82	56.67	Peak	68.2	Pass
a	5240	Ant2	5350	-49.64	2.82	48.41	Average	54	Pass
a	5240	Ant2	5452.08	-35.89	2.82	62.16	Peak	68.2	Pass
a	5240	Ant2	5447.76	-47.42	2.82	50.63	Average	54	Pass
a	5240	Ant2	5460	-40.71	2.82	57.34	Peak	68.2	Pass
a	5240	Ant2	5460	-49.08	2.82	48.97	Average	54	Pass
n20	5180	Ant2	4500	-40.28	2.82	57.77	Peak	68.2	Pass
n20	5180	Ant2	4500	-50.39	2.82	47.66	Average	54	Pass
n20	5180	Ant2	4576.3	-36.18	2.82	61.87	Peak	68.2	Pass
n20	5180	Ant2	4962.7	-47.41	2.82	50.64	Average	54	Pass
n20	5180	Ant2	5150	-40.22	2.82	57.83	Peak	68.2	Pass
n20	5180	Ant2	5150	-49.53	2.82	48.52	Average	54	Pass
n20	5240	Ant2	5350	-41.39	2.82	56.66	Peak	68.2	Pass
n20	5240	Ant2	5350	-49.62	2.82	48.43	Average	54	Pass
n20	5240	Ant2	5447.52	-36.64	2.82	61.41	Peak	68.2	Pass
n20	5240	Ant2	5446.8	-47.44	2.82	50.61	Average	54	Pass
n20	5240	Ant2	5460	-38.67	2.82	59.38	Peak	68.2	Pass
n20	5240	Ant2	5460	-49.09	2.82	48.96	Average	54	Pass
n40	5190	Ant2	4500	-39.4	2.82	58.65	Peak	68.2	Pass
n40	5190	Ant2	4500	-49.75	2.82	48.3	Average	54	Pass
n40	5190	Ant2	4927.78	-35.71	2.82	62.34	Peak	68.2	Pass
n40	5190	Ant2	4965.01	-46.38	2.82	51.67	Average	54	Pass
n40	5190	Ant2	5150	-37.24	2.82	60.81	Peak	68.2	Pass
n40	5190	Ant2	5150	-48.32	2.82	49.73	Average	54	Pass
n40	5230	Ant2	5350	-38.31	2.82	59.74	Peak	68.2	Pass
n40	5230	Ant2	5350	-49.08	2.82	48.97	Average	54	Pass
n40	5230	Ant2	5452.71	-36.85	2.82	61.2	Peak	68.2	Pass
n40	5230	Ant2	5448.39	-46.45	2.82	51.6	Average	54	Pass

n40	5230	Ant2	5460	-41.15	2.82	56.9	Peak	68.2	Pass
n40	5230	Ant2	5460	-48.53	2.82	49.52	Average	54	Pass
ac20	5180	Ant2	4500	-39.43	2.82	58.62	Peak	68.2	Pass
ac20	5180	Ant2	4500	-50.41	2.82	47.64	Average	54	Pass
ac20	5180	Ant2	4921.4	-37.01	2.82	61.04	Peak	68.2	Pass
ac20	5180	Ant2	4962.7	-47.41	2.82	50.64	Average	54	Pass
ac20	5180	Ant2	5150	-38.62	2.82	59.43	Peak	68.2	Pass
ac20	5180	Ant2	5150	-49.55	2.82	48.5	Average	54	Pass
ac20	5240	Ant2	5350	-38.95	2.82	59.1	Peak	68.2	Pass
ac20	5240	Ant2	5350	-49.65	2.82	48.4	Average	54	Pass
ac20	5240	Ant2	5448.24	-36.11	2.82	61.94	Peak	68.2	Pass
ac20	5240	Ant2	5446.8	-47.43	2.82	50.62	Average	54	Pass
ac20	5240	Ant2	5460	-40.71	2.82	57.34	Peak	68.2	Pass
ac20	5240	Ant2	5460	-49.11	2.82	48.94	Average	54	Pass
ac40	5190	Ant2	4500	-39.63	2.82	58.42	Peak	68.2	Pass
ac40	5190	Ant2	4500	-49.89	2.82	48.16	Average	54	Pass
ac40	5190	Ant2	5148.97	-36.16	2.82	61.89	Peak	68.2	Pass
ac40	5190	Ant2	4966.47	-46.66	2.82	51.39	Average	54	Pass
ac40	5190	Ant2	5150	-39.19	2.82	58.86	Peak	68.2	Pass
ac40	5190	Ant2	5150	-48.2	2.82	49.85	Average	54	Pass
ac40	5230	Ant2	5350	-41.55	2.82	56.5	Peak	68.2	Pass
ac40	5230	Ant2	5350	-49.31	2.82	48.74	Average	54	Pass
ac40	5230	Ant2	5452.98	-36.64	2.82	61.41	Peak	68.2	Pass
ac40	5230	Ant2	5447.58	-46.79	2.82	51.26	Average	54	Pass
ac40	5230	Ant2	5460	-40.18	2.82	57.87	Peak	68.2	Pass
ac40	5230	Ant2	5460	-48.24	2.82	49.81	Average	54	Pass
ac80	5210	Ant2	4500	-39.8	2.82	58.25	Peak	68.2	Pass
ac80	5210	Ant2	4500	-49.12	2.82	48.93	Average	54	Pass
ac80	5210	Ant2	5135.16	-35.93	2.82	62.12	Peak	68.2	Pass
ac80	5210	Ant2	4966.89	-46.34	2.82	51.71	Average	54	Pass
ac80	5210	Ant2	5150	-38.37	2.82	59.68	Peak	68.2	Pass
ac80	5210	Ant2	5150	-47.33	2.82	50.72	Average	54	Pass

8.2 Test Graphs

Test Graphs

Restrict Banda 5180MHz Ant2 Peak



Restrict Band a 5180MHz Ant2 Average



Restrict Banda 5240MHz Ant2 Peak



Restrict Band a 5240MHz Ant2 Average



Restrict Bandn20 5180MHz Ant2 Peak



Restrict Band n20 5180MHz Ant2 Average



Restrict Bandn20 5240MHz Ant2 Peak



Restrict Band n20 5240MHz Ant2 Average



Restrict Bandn40 5190MHz Ant2 Peak



Restrict Band n40 5190MHz Ant2 Average



Restrict Bandn40 5230MHz Ant2 Peak



Restrict Band n40 5230MHz Ant2 Average



Restrict Bandac20 5180MHz Ant2 Peak



Restrict Band ac20 5180MHz Ant2 Average



Restrict Bandac20 5240MHz Ant2 Peak



Restrict Band ac20 5240MHz Ant2 Average



Restrict Bandac40 5190MHz Ant2 Peak



Restrict Band ac40 5190MHz Ant2 Average



Restrict Bandac40 5230MHz Ant2 Peak



Restrict Band ac40 5230MHz Ant2 Average



Restrict Bandac80 5210MHz Ant2 Peak



Restrict Band ac80 5210MHz Ant2 Average