



EXHIBIT 4 - TEST SETUP PHOTOGRAPHS

Conducted Emission Test Setup	 A photograph showing a conducted emission test setup. On the left, a wooden workbench holds a spectrum analyzer. A red cable runs from the analyzer to a power supply unit on the floor. The power supply is connected to a wall outlet. To the right is another wooden workbench.
Radiation Emission Test Setup (Below 30MHz)	 A photograph of a radiation emission test chamber. The walls are covered with white, square-shaped electromagnetic interference (EMI) absorbers. In the center, a white table holds a test device. A metal frame stands in the foreground, and yellow and black striped caution tape is on the floor.

Radiation Emission Test Setup (30MHz to 1GHz)	 A photograph of a radiation emission test setup for the 30MHz to 1GHz range. The test chamber is lined with white, square-shaped anechoic absorbers. A white, rectangular test table is positioned in the center. A small electronic device is placed on the table, with a black cable extending from it. To the right, a metal frame structure is visible.
Radiation Emission Test Setup (1GHz to 18GHz)	 A photograph of a radiation emission test setup for the 1GHz to 18GHz range. The test chamber is lined with white, square-shaped anechoic absorbers. A white, rectangular test table is positioned in the center. A small electronic device is placed on the table, with a black cable extending from it. To the right, a red and black antenna is visible, mounted on a metal frame structure. The floor of the chamber is covered with a blue, pointed absorber material.

**Radiation Emission Test
Setup (Above 18GHz)**



***** END OF REPORT *****