


Annex C. Conducted Spurious Emission

1. 802.11a_20M_Band4_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	828.982	-59.63	-27	Pass	9700
1000	5650	1	Peak	5609.991	-45.75	-27	Pass	4650
5650	5700	1	Peak	5650.583	-45.51	-26.57	Pass	601
5700	5720	1	Peak	5718.6	-23.64	15.21	Pass	601
5720	5725	1	Peak	5720.008	-24.29	15.62	Pass	601
5725	5850	1	Peak	5743.542	9.32	30	Pass	601
5850	5855	1	Peak	5854.9	-45.38	15.83	Pass	601
5855	5875	1	Peak	5873.5	-45.25	10.42	Pass	601
5875	5925	1	Peak	5924.917	-47.3	-26.94	Pass	601
5925	25000	1	Peak	24782.989	-37.14	-27	Pass	19075



2. 802.11a_20M_Band4_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	827.982	-58.97	-27	Pass	9700
1000	5650	1	Peak	3428.522	-45.01	-27	Pass	4650
5650	5700	1	Peak	5650.25	-46.6	-26.82	Pass	601
5700	5720	1	Peak	5704.4	-42.86	11.23	Pass	601
5720	5725	1	Peak	5720.117	-39.52	15.87	Pass	601
5725	5850	1	Peak	5786.458	9.48	30	Pass	601
5850	5855	1	Peak	5854.808	-42.66	16.04	Pass	601
5855	5875	1	Peak	5874.8	-44.11	10.06	Pass	601
5875	5925	1	Peak	5924.083	-45.66	-26.32	Pass	601
5925	25000	1	Peak	24766.988	-37.41	-27	Pass	19075



3. 802.11a_20M_Band4_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	836.183	-58.33	-27	Pass	9700
1000	5650	1	Peak	3036.438	-45.41	-27	Pass	4650
5650	5700	1	Peak	5652.25	-46.64	-25.34	Pass	601
5700	5720	1	Peak	5702.6	-45.15	10.73	Pass	601
5720	5725	1	Peak	5720.183	-45.35	16.02	Pass	601
5725	5850	1	Peak	5825.833	8.18	30	Pass	601
5850	5855	1	Peak	5854.992	-31.66	15.62	Pass	601
5855	5875	1	Peak	5856.067	-30.74	15.3	Pass	601
5875	5925	1	Peak	5925	-45.91	-27	Pass	601
5925	25000	1	Peak	24694.984	-37.06	-27	Pass	19075



4. 802.11n_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	889.089	-58.24	-27	Pass	9700
1000	5650	1	Peak	5623.994	-44.41	-27	Pass	4650
5650	5700	1	Peak	5650.5	-45.55	-26.63	Pass	601
5700	5720	1	Peak	5718.367	-24.24	15.14	Pass	601
5720	5725	1	Peak	5720.033	-23.96	15.68	Pass	601
5725	5850	1	Peak	5746.25	9.95	30	Pass	601
5850	5855	1	Peak	5854.975	-45.37	15.66	Pass	601
5855	5875	1	Peak	5873.833	-45.6	10.33	Pass	601
5875	5925	1	Peak	5925	-46.51	-27	Pass	601
5925	25000	1	Peak	24782.989	-36.33	-27	Pass	19075



5. 802.11n_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	869.887	-58.54	-27	Pass	9700
1000	5650	1	Peak	5632.996	-45.85	-27	Pass	4650
5650	5700	1	Peak	5650.25	-46.4	-26.82	Pass	601
5700	5720	1	Peak	5706.1	-43.45	11.71	Pass	601
5720	5725	1	Peak	5720	-42.01	15.6	Pass	601
5725	5850	1	Peak	5786.25	9.03	30	Pass	601
5850	5855	1	Peak	5854.692	-44.74	16.3	Pass	601
5855	5875	1	Peak	5874.833	-45.21	10.05	Pass	601
5875	5925	1	Peak	5924.75	-44.9	-26.82	Pass	601
5925	25000	1	Peak	24819.991	-36.63	-27	Pass	19075



6. 802.11n_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	858.585	-58.46	-27	Pass	9700
1000	5650	1	Peak	5618.993	-46.02	-27	Pass	4650
5650	5700	1	Peak	5650.167	-47.53	-26.88	Pass	601
5700	5720	1	Peak	5700.3	-46.31	10.08	Pass	601
5720	5725	1	Peak	5720.067	-45.73	15.75	Pass	601
5725	5850	1	Peak	5826.25	8.26	30	Pass	601
5850	5855	1	Peak	5854.275	-28.92	17.25	Pass	601
5855	5875	1	Peak	5857.667	-31.09	14.85	Pass	601
5875	5925	1	Peak	5924.833	-46.08	-26.88	Pass	601
5925	25000	1	Peak	24722.985	-36.2	-27	Pass	19075



7. 802.11n_40M_Band4_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	427.741	-59.42	-27	Pass	9700
1000	5650	1	Peak	5617.993	-45.44	-27	Pass	4650
5650	5700	1	Peak	5650.25	-43.45	-26.82	Pass	601
5700	5720	1	Peak	5720	-19.35	15.6	Pass	601
5720	5725	1	Peak	5720.242	-18.48	16.15	Pass	601
5725	5850	1	Peak	5757.708	6.63	30	Pass	601
5850	5855	1	Peak	5854.417	-40.73	16.93	Pass	601
5855	5875	1	Peak	5864.8	-40.58	12.86	Pass	601
5875	5925	1	Peak	5923.167	-45.62	-25.64	Pass	601
5925	25000	1	Peak	24774.988	-36.28	-27	Pass	19075



8. 802.11n_40M_Band4_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	704.67	-57.82	-27	Pass	9700
1000	5650	1	Peak	5606.991	-45.29	-27	Pass	4650
5650	5700	1	Peak	5650.25	-47.22	-26.82	Pass	601
5700	5720	1	Peak	5710.467	-37.31	12.93	Pass	601
5720	5725	1	Peak	5720	-37	15.6	Pass	601
5725	5850	1	Peak	5797.917	4.85	30	Pass	601
5850	5855	1	Peak	5853.958	-32.14	17.98	Pass	601
5855	5875	1	Peak	5872	-36.89	10.84	Pass	601
5875	5925	1	Peak	5925	-45.49	-27	Pass	601
5925	25000	1	Peak	24728.986	-36.64	-27	Pass	19075



9. 802.11ac_20M_Band4_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	825.182	-59.02	-27	Pass	9700
1000	5650	1	Peak	3187.47	-45.77	-27	Pass	4650
5650	5700	1	Peak	5650	-46.79	-27	Pass	601
5700	5720	1	Peak	5718.2	-23.79	15.1	Pass	601
5720	5725	1	Peak	5720.025	-24.51	15.66	Pass	601
5725	5850	1	Peak	5746.25	10.22	30	Pass	601
5850	5855	1	Peak	5854.825	-45.67	16	Pass	601
5855	5875	1	Peak	5873.4	-45.55	10.45	Pass	601
5875	5925	1	Peak	5924.083	-46.77	-26.32	Pass	601
5925	25000	1	Peak	24730.986	-36.52	-27	Pass	19075



10. 802.11ac_20M_Band4_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	689.568	-59.24	-27	Pass	9700
1000	5650	1	Peak	3120.456	-46.13	-27	Pass	4650
5650	5700	1	Peak	5650.25	-47.83	-26.82	Pass	601
5700	5720	1	Peak	5700.3	-45.3	10.08	Pass	601
5720	5725	1	Peak	5720.183	-44.66	16.02	Pass	601
5725	5850	1	Peak	5786.25	8.76	30	Pass	601
5850	5855	1	Peak	5854.958	-44.99	15.7	Pass	601
5855	5875	1	Peak	5872.867	-44.16	10.6	Pass	601
5875	5925	1	Peak	5924.833	-46.59	-26.88	Pass	601
5925	25000	1	Peak	24649.982	-37.2	-27	Pass	19075



11. 802.11ac_20M_Band4_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	969.297	-58.51	-27	Pass	9700
1000	5650	1	Peak	2709.368	-45.52	-27	Pass	4650
5650	5700	1	Peak	5650.917	-47.13	-26.32	Pass	601
5700	5720	1	Peak	5700.067	-46.4	10.02	Pass	601
5720	5725	1	Peak	5720.1	-45.6	15.83	Pass	601
5725	5850	1	Peak	5826.458	8.1	30	Pass	601
5850	5855	1	Peak	5854.933	-31.53	15.75	Pass	601
5855	5875	1	Peak	5855.433	-32.05	15.48	Pass	601
5875	5925	1	Peak	5924.667	-45.93	-26.75	Pass	601
5925	25000	1	Peak	24716.985	-36.58	-27	Pass	19075



12. 802.11ac_40M_Band4_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.392	-58.96	-27	Pass	9700
1000	5650	1	Peak	5649	-45.1	-27	Pass	4650
5650	5700	1	Peak	5650.583	-43.23	-26.57	Pass	601
5700	5720	1	Peak	5720	-18.48	15.6	Pass	601
5720	5725	1	Peak	5720.858	-15.59	17.56	Pass	601
5725	5850	1	Peak	5747.5	7.1	30	Pass	601
5850	5855	1	Peak	5854.733	-41.19	16.21	Pass	601
5855	5875	1	Peak	5869.867	-41.98	11.44	Pass	601
5875	5925	1	Peak	5924.833	-46.9	-26.88	Pass	601
5925	25000	1	Peak	24797.989	-36.62	-27	Pass	19075



13. 802.11ac_40M_Band4_H

13.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	902.29	-58.85	-27	Pass	9700
1000	5650	1	Peak	5622.994	-45.95	-27	Pass	4650
5650	5700	1	Peak	5650.333	-47.27	-26.75	Pass	601
5700	5720	1	Peak	5701.1	-40.79	10.31	Pass	601
5720	5725	1	Peak	5721.15	-34	18.22	Pass	601
5725	5850	1	Peak	5787.5	5.39	30	Pass	601
5850	5855	1	Peak	5854.983	-32.47	15.64	Pass	601
5855	5875	1	Peak	5860.967	-33.4	13.93	Pass	601
5875	5925	1	Peak	5924.917	-45.64	-26.94	Pass	601
5925	25000	1	Peak	24748.987	-36.73	-27	Pass	19075



14. 802.11ac_80M_Band4_M

14.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	783.478	-58.11	-27	Pass	9700
1000	5650	1	Peak	5645.999	-36.94	-27	Pass	4650
5650	5700	1	Peak	5651	-33.9	-26.26	Pass	601
5700	5720	1	Peak	5703.467	-22.18	10.97	Pass	601
5720	5725	1	Peak	5720.008	-18.53	15.62	Pass	601
5725	5850	1	Peak	5787.5	1.79	30	Pass	601
5850	5855	1	Peak	5854.708	-21.89	16.27	Pass	601
5855	5875	1	Peak	5873.833	-25.23	10.33	Pass	601
5875	5925	1	Peak	5924.917	-34.42	-26.94	Pass	601
5925	25000	1	Peak	24721.985	-37.09	-27	Pass	19075

