


Customer	
Manufacturer	思讯（Cicent）
Address	深圳市宝安区创业二路东联大厦 A 座 505-506
Antenna model	LDS Antenna
Antenna type	PIFA Antenna (Planar Inverted F-shaped Antenna)
Antenna polarization	线极化天线 (Line polarized antenna)

BT Antenna


频点 MHz	效率 (dB)	增益 (dBi)	效率%
2400	-6.5	-2.8	22.6
2410	-6.4	-2.7	22.9
2420	-6.3	-2.7	23.2
2430	-6.4	-3.0	22.8
2440	-6.5	-3.1	22.3
2450	-6.2	-2.8	23.7
2460	-6.2	-2.7	24.1
2470	-5.8	-2.2	26.6
2480	-5.3	-1.7	29.6
2490	-5.3	-1.8	29.8
2500	-5.1	-1.6	30.8
平均值	-6.0	-2.4	25.3

Antenna Gain (dBi)		
Frequency (MHz)	V Polarization	H Polarization
2400	-4.1	-3.5
2450	-4.4	-3.7
2500	-3.6	-2.4

2D Pattern:



3D Pattern:



Antenna bracket dimensions:24.49mm*5.71mm*5.79mm

Antenna circuit dimensions:9.76mm*5.71mm*4.87mm

Antenna peak gain (maximum gain): -1.7dBi@2480MH