


Test Data:

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11b	Chain 0	2412	10.290	≥0.5	Pass
		2442	10.250	≥0.5	Pass
		2472	10.290	≥0.5	Pass
	Chain 1	2412	10.290	≥0.5	Pass
		2442	10.250	≥0.5	Pass
		2472	10.250	≥0.5	Pass
802.11g	Chain 0	2412	16.336	≥0.5	Pass
		2442	16.336	≥0.5	Pass
		2472	16.416	≥0.5	Pass
	Chain 1	2412	16.096	≥0.5	Pass
		2442	16.416	≥0.5	Pass
		2472	16.416	≥0.5	Pass
802.11n20	Chain 0	2412	17.297	≥0.5	Pass
		2442	17.297	≥0.5	Pass
		2472	17.658	≥0.5	Pass
	Chain 1	2412	17.297	≥0.5	Pass
		2442	17.377	≥0.5	Pass
		2472	17.658	≥0.5	Pass
802.11n40	Chain 0	2422	36.196	≥0.5	Pass
		2442	36.196	≥0.5	Pass
		2462	36.196	≥0.5	Pass
	Chain 1	2422	36.276	≥0.5	Pass
		2442	36.436	≥0.5	Pass
		2462	36.276	≥0.5	Pass


2412~2472

802.11b_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:10:20

802.11b_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:14:32

802.11b_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:16:45

802.11b_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:02:44

802.11b_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:05:53

802.11b_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:08:48

802.11g_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:24:09

802.11g_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:29:24

802.11g_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:36:41

802.11g_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:11:39

802.11g_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:14:30

802.11g_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:16:51

802.11n20_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:37:30

802.11n20_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:39:03

802.11n20_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:40:31

802.11n20_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:20:07

802.11n20_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:21:56

802.11n20_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:23:34

802.11n40_2422MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:41:52

802.11n40_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:43:58

802.11n40_2462MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:46:00

802.11n40_2422MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:25:19

802.11n40_2442MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:27:31

802.11n40_2462MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:29:30

99% Occupied Bandwidth

Test Information:

Sample No.:	30OX-1	Test Date:	2025/05/06
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	/

Environmental Conditions:


Temperature: (°C)	25.1	Relative Humidity: (%)	64	ATM Pressure: (kPa)	100.2
----------------------	------	------------------------------	----	------------------------	-------

Test Data:

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11b	Chain 0	2412	14.680
		2442	14.680
		2472	14.640
	Chain 1	2412	14.680
		2442	14.720
		2472	14.720
802.11g	Chain 0	2412	16.400
		2442	16.440
		2472	16.360
	Chain 1	2412	16.400
		2442	16.400
		2472	16.360
802.11n20	Chain 0	2412	17.600
		2442	17.600
		2472	17.520
	Chain 1	2412	18.040
		2442	17.600
		2472	17.520
802.11n40	Chain 0	2422	36.240
		2442	36.240
		2462	36.160
	Chain 1	2422	36.240
		2442	36.160
		2462	36.240


2412~2472

802.11b_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:09:20

802.11b_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:13:44

802.11b_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:15:59

802.11b_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:01:50

802.11b_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:04:56

802.11b_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:07:46


802.11g_2412MHz_Chain 0




802.11g_2442MHz_Chain 0




802.11g_2472MHz_Chain 0




802.11g_2412MHz_Chain 1




802.11g_2442MHz_Chain 1




802.11g_2472MHz_Chain 1




802.11n20_2412MHz_Chain 0




802.11n20_2442MHz_Chain 0




802.11n20_2472MHz_Chain 0




802.11n20_2412MHz_Chain 1




802.11n20_2442MHz_Chain 1



802.11n20_2472MHz_Chain 1




802.11n40_2422MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:41:44

802.11n40_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:43:51

802.11n40_2462MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:45:52

802.11n40_2422MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:25:12

802.11n40_2442MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:27:24

802.11n40_2462MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:29:23

Maximum Conducted Output Power

Test Information:

Sample No.:	30OX-1	Test Date:	2025/04/07
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.8	Relative Humidity: (%)	61	ATM Pressure: (kPa)	101.3
----------------------	------	------------------------------	----	------------------------	-------

Test Data:

Mode	Antenna	Test Frequency (MHz)	Peak Output Power(dBm)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11b	Chain 0	2412	11.87	9.74	30	Pass
		2442	11.07	8.92	30	Pass
		2472	11.27	9.12	30	Pass
	Chain 1	2412	7.47	5.29	30	Pass
		2442	7.25	5.03	30	Pass
		2472	6.91	4.68	30	Pass
802.11g	Chain 0	2412	22.32	11.14	30	Pass
		2442	21.02	10.62	30	Pass
		2472	20.36	10.19	30	Pass
	Chain 1	2412	18.91	8.39	30	Pass
		2442	18.13	7.89	30	Pass
		2472	18.09	7.57	30	Pass
802.11n20	Chain 0	2412	21.53	10.75	30	Pass
		2442	21.09	10.48	30	Pass
		2472	21.02	10.71	30	Pass
	Chain 1	2412	18.42	8.22	30	Pass
		2442	17.81	7.70	30	Pass
		2472	19.46	7.84	30	Pass
	Chain 0+Chain 1	2412	23.26	12.68	28.17	Pass
		2442	22.76	12.32	28.17	Pass
		2472	23.32	12.52	28.17	Pass
802.11n40	Chain 0	2422	21.11	9.93	30	Pass
		2442	19.95	9.42	30	Pass
		2462	20.46	9.19	30	Pass
	Chain 1	2422	18.17	6.89	30	Pass
		2442	17.67	6.49	30	Pass
		2462	17.45	6.24	30	Pass
	Chain 0+Chain 1	2422	22.90	11.68	28.17	Pass
		2442	21.97	11.21	28.17	Pass
		2462	22.22	10.97	28.17	Pass

Note:

Array Gain=10 log(N_{ANT}/N_{SS}) dB.

Directional gain=4.83dBi+3dBi=7.83dBi

The limit for MIMO mode was calculated with the gain of Beamforming mode 7.83dBi.

Power Spectral Density

Test Information:

Sample No.:	30OX-1	Test Date:	2025/05/06
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.1	Relative Humidity: (%)	64	ATM Pressure: (kPa)	100.2
----------------------	------	------------------------------	----	------------------------	-------


Test Data:

Mode	Antenna	Test Frequency (MHz)	Result (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
802.11b	Chain 0	2412	-15.07	8	Pass
		2442	-14.76	8	Pass
		2472	-14.47	8	Pass
	Chain 1	2412	-17.83	8	Pass
		2442	-18.15	8	Pass
		2472	-18.64	8	Pass
802.11g	Chain 0	2412	-14.26	8	Pass
		2442	-15.38	8	Pass
		2472	-13.86	8	Pass
	Chain 1	2412	-16.61	8	Pass
		2442	-15.75	8	Pass
		2472	-17.22	8	Pass
802.11n20	Chain 0	2412	-14.22	8	Pass
		2442	-15.51	8	Pass
		2472	-15.53	8	Pass
	Chain 1	2412	-17.40	8	Pass
		2442	-18.07	8	Pass
		2472	-17.15	8	Pass
	Chain 0+Chain 1	2412	-12.51	6.17	Pass
		2442	-13.59	6.17	Pass
		2472	-13.25	6.17	Pass
802.11n40	Chain 0	2422	-19.00	8	Pass
		2442	-18.61	8	Pass
		2462	-20.02	8	Pass
	Chain 1	2422	-21.81	8	Pass
		2442	-20.78	8	Pass
		2462	-21.99	8	Pass
	Chain 0+Chain 1	2422	-17.17	6.17	Pass
		2442	-16.55	6.17	Pass
		2462	-17.88	6.17	Pass

Note: The limit for MIMO mode was calculated with the gain of Beamforming mode 7.83dBi.


2412~2472

802.11b_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:13:00

802.11b_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:15:21

802.11b_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:18:07

802.11b_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:04:07

802.11b_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:06:37

802.11b_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:10:02

802.11g_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:25:54

802.11g_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:30:31

802.11g_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:45:17

802.11g_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:13:01

802.11g_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:15:29

802.11g_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:18:18


802.11n20_2412MHz_Chain 0




802.11n20_2442MHz_Chain 0




802.11n20_2472MHz_Chain 0




802.11n20_2412MHz_Chain 1




802.11n20_2442MHz_Chain 1



802.11n20_2472MHz_Chain 1




802.11n40_2422MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:43:39

802.11n40_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:45:37

802.11n40_2462MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:47:48

802.11n40_2422MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:27:07

802.11n40_2442MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:29:09

802.11n40_2462MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:31:18

100 kHz Bandwidth of Frequency Band Edge

Test Information:

Sample No.:	30OX-1	Test Date:	2025/05/06
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.1	Relative Humidity: (%)	64	ATM Pressure: (kPa)	100.2
----------------------	------	------------------------------	----	------------------------	-------

Test Data:

Mode	Antenna	Test Frequency (MHz)	Result (dB)	Limit (dB)	Verdict
802.11b	Chain 0	2412	45.73	20	Pass
		2472	44.35	20	Pass
	Chain 1	2412	42.71	20	Pass
		2472	42.36	20	Pass
802.11g	Chain 0	2412	38.60	20	Pass
		2472	40.94	20	Pass
	Chain 1	2412	38.50	20	Pass
		2472	43.22	20	Pass
802.11n20	Chain 0	2412	37.73	20	Pass
		2472	41.08	20	Pass
	Chain 1	2412	36.59	20	Pass
		2472	42.89	20	Pass
802.11n40	Chain 0	2422	36.63	20	Pass
		2462	36.53	20	Pass
	Chain 1	2422	37.96	20	Pass
		2462	34.91	20	Pass


2412~2472

802.11b_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:12:10

802.11b_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:17:18

802.11b_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:03:24

802.11b_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:09:22

802.11g_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:24:43

802.11g_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 11:40:06

802.11g_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:12:05

802.11g_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:17:22

802.11n20_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:37:40

802.11n20_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:40:42

802.11n20_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:20:22

802.11n20_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:23:44

802.11n40_2422MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:42:02

802.11n40_2462MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:46:11

802.11n40_2422MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:29:28

802.11n40_2462MHz_Chain 1



ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 6.MAY.2025 15:29:40

Duty Cycle

Test Information:

Sample No.:	30OX-1	Test Date:	2025/03/31
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	18.6	Relative Humidity: (%)	61	ATM Pressure: (kPa)	100.4
----------------------	------	------------------------------	----	------------------------	-------


Test Data:

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11b	Chain 0	2412	12.399	12.815	96.75	0.14	81	0.1
		2442	12.399	12.883	96.24	0.17	81	0.1
		2472	12.393	12.818	96.68	0.15	81	0.1
	Chain 1	2412	12.393	12.798	96.84	0.14	81	0.1
		2442	12.396	12.809	96.78	0.14	81	0.1
		2472	12.390	12.873	96.25	0.17	81	0.1
802.11g	Chain 0	2412	2.051	2.203	93.10	0.31	488	0.5
		2442	2.048	2.163	94.68	0.24	488	0.5
		2472	2.055	2.152	95.49	0.20	487	0.5
	Chain 1	2412	2.051	2.238	91.64	0.38	488	0.5
		2442	2.049	2.245	91.27	0.40	488	0.5
		2472	2.059	2.166	95.06	0.22	486	0.5
802.11n20	Chain 0	2412	1.917	2.069	92.65	0.33	522	1
		2442	1.918	2.079	92.26	0.35	521	1
		2472	1.918	2.096	91.51	0.39	521	1
	Chain 1	2412	1.911	2.135	89.51	0.48	523	1
		2442	1.915	2.014	95.08	0.22	522	1
		2472	1.915	2.022	94.71	0.24	522	1
802.11n40	Chain 0	2422	0.931	1.072	86.85	0.61	1074	3
		2442	0.936	1.131	82.76	0.82	1068	3
		2462	0.938	1.142	82.14	0.85	1066	3
	Chain 1	2422	0.937	1.168	80.22	0.96	1067	3
		2442	0.938	1.107	84.73	0.72	1066	3
		2462	0.933	1.145	81.48	0.89	1072	3

Duty Cycle = Ton/(Ton+Toff)*100%


2412~2472

802.11b_2412MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 11:27:34

802.11b_2442MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 11:32:01

802.11b_2472MHz_Chain 0




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 11:35:07

802.11b_2412MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 13:37:57

802.11b_2442MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 13:41:03

802.11b_2472MHz_Chain 1




ProjectNo.:2504R28083E-RF Tester:Cayde Hou
Date: 31.MAR.2025 13:44:10


802.11g_2412MHz_Chain 0




802.11g_2442MHz_Chain 0




802.11g_2472MHz_Chain 0




802.11g_2412MHz_Chain 1




802.11g_2442MHz_Chain 1




802.11g_2472MHz_Chain 1




802.11n20_2412MHz_Chain 0




802.11n20_2442MHz_Chain 0




802.11n20_2472MHz_Chain 0




802.11n20_2412MHz_Chain 1




802.11n20_2442MHz_Chain 1




802.11n20_2472MHz_Chain 1




802.11n40_2422MHz_Chain 0




802.11n40_2442MHz_Chain 0




802.11n40_2462MHz_Chain 0



802.11n40_2422MHz_Chain 1



802.11n40_2442MHz_Chain 1



802.11n40_2462MHz_Chain 1




EXHIBIT A-EUT PHOTOGRAPHS

Please refer to the Attachment: 2504R28083E-RF EUT EXTERNAL PHOTOGRAPHS and 2504R28083E-RF EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B-TEST SETUP PHOTOGRAPHS

Please refer to the Attachment: 2504R28083E-RF-00C TEST SETUP PHOTOGRAPHS.

***** END OF REPORT *****