




EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a black, circular external unit (EUT) connected to a black cable that ends in a USB-A connector. The device is placed on a blue textured surface next to a black L-shaped ruler. The ruler has white markings in centimeters and millimeters. The circular device is approximately 50mm in diameter. The cable is coiled and is about 100mm long.
EUT View 2	 A photograph showing the same black, circular external unit (EUT) and cable assembly as in View 1, but from a slightly different angle. The device is placed on the same blue textured surface next to the same black L-shaped ruler. The circular device is approximately 50mm in diameter. The cable is coiled and is about 100mm long.

EUT View 3	 A black circular device with a coiled cable, viewed from above, next to a ruler. The device is positioned above the ruler, which shows markings from 0 to 100 mm. The cable is coiled and extends upwards from the device.
EUT View 4	 A black circular device with a coiled cable, viewed from the side, next to a ruler. The device is positioned above the ruler, which shows markings from 0 to 100 mm. The cable is coiled and extends to the right from the device.

EUT View 5	 A black circular device with a USB cable attached. The cable is coiled and ends in a standard USB-A connector. A black ruler with white markings is placed below the device for scale. The background is a blue textured surface.
EUT View 6	 A black circular device with a USB cable attached. The cable is coiled and ends in a standard USB-A connector. A black ruler with white markings is placed below the device for scale. The background is a blue textured surface.