


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.09	-13	Pass	2985
30	814	0.1	RMS	796.398	-55.32	-13	Pass	7840
814	860	0.1	RMS	824.273	20.94	60	Pass	601
860	1000	0.1	RMS	997.698	-56.75	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.42	-13	Pass	2000
3000	10000	1	RMS	6863.552	-49.1	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.2	-13	Pass	2985
30	814	0.1	RMS	765.494	-55.58	-13	Pass	7840
814	860	0.1	RMS	825.117	20.64	60	Pass	601
860	1000	0.1	RMS	985.59	-56.6	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.36	-13	Pass	2000
3000	10000	1	RMS	6863.552	-49.03	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2985
30	814	0.1	RMS	811.2	-55.46	-13	Pass	7840
814	860	0.1	RMS	824.273	19.92	60	Pass	601
860	1000	0.1	RMS	896.426	-56.79	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.47	-13	Pass	2000
3000	10000	1	RMS	6903.558	-49.06	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2985
30	814	0.1	RMS	811.4	-55.73	-13	Pass	7840
814	860	0.1	RMS	825.117	19.99	60	Pass	601
860	1000	0.1	RMS	997.698	-56.9	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.41	-13	Pass	2000
3000	10000	1	RMS	6862.552	-49.03	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2985
30	814	0.1	RMS	767.394	-55.63	-13	Pass	7840
814	860	0.1	RMS	836.08	20.88	60	Pass	601
860	1000	0.1	RMS	877.112	-56.83	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.41	-13	Pass	2000
3000	10000	1	RMS	6852.55	-49.02	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.46	-13	Pass	2985
30	814	0.1	RMS	808.899	-55.58	-13	Pass	7840
814	860	0.1	RMS	836.923	20.9	60	Pass	601
860	1000	0.1	RMS	899.528	-56.76	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.42	-13	Pass	2000
3000	10000	1	RMS	6874.554	-49.03	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.81	-13	Pass	2985
30	814	0.1	RMS	781.096	-55.64	-13	Pass	7840
814	860	0.1	RMS	836.08	20.35	60	Pass	601
860	1000	0.1	RMS	999.6	-56.82	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.31	-13	Pass	2000
3000	10000	1	RMS	6862.552	-49.03	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.73	-13	Pass	2985
30	814	0.1	RMS	799.498	-55.67	-13	Pass	7840
814	860	0.1	RMS	836.923	20.52	60	Pass	601
860	1000	0.1	RMS	913.438	-56.72	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.37	-13	Pass	2000
3000	10000	1	RMS	6806.544	-49.1	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.62	-13	Pass	2985
30	814	0.1	RMS	798.798	-55.46	-13	Pass	7840
814	860	0.1	RMS	847.887	20.9	60	Pass	601
860	1000	0.1	RMS	914.739	-56.82	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.39	-13	Pass	2000
3000	10000	1	RMS	6820.546	-48.95	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.78	-13	Pass	2985
30	814	0.1	RMS	808.199	-55.59	-13	Pass	7840
814	860	0.1	RMS	848.73	21.07	60	Pass	601
860	1000	0.1	RMS	906.133	-56.72	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.43	-13	Pass	2000
3000	10000	1	RMS	6856.551	-49.13	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.97	-13	Pass	2985
30	814	0.1	RMS	809.999	-55.56	-13	Pass	7840
814	860	0.1	RMS	847.887	19.6	60	Pass	601
860	1000	0.1	RMS	999.6	-56.79	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.42	-13	Pass	2000
3000	10000	1	RMS	6881.555	-49.04	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2985
30	814	0.1	RMS	809.699	-55.29	-13	Pass	7840
814	860	0.1	RMS	848.73	19.83	60	Pass	601
860	1000	0.1	RMS	970.779	-56.7	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.43	-13	Pass	2000
3000	10000	1	RMS	6850.55	-49.1	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.42	-13	Pass	2985
30	814	0.1	RMS	766.694	-55.71	-13	Pass	7840
814	860	0.1	RMS	824.273	20.84	60	Pass	601
860	1000	0.1	RMS	990.693	-56.8	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.48	-13	Pass	2000
3000	10000	1	RMS	6874.554	-49	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.5	-13	Pass	2985
30	814	0.1	RMS	795.198	-55.48	-13	Pass	7840
814	860	0.1	RMS	826.727	20.76	60	Pass	601
860	1000	0.1	RMS	963.074	-56.8	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.44	-13	Pass	2000
3000	10000	1	RMS	6858.551	-49.09	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.83	-13	Pass	2985
30	814	0.1	RMS	806.799	-55.5	-13	Pass	7840
814	860	0.1	RMS	824.273	19.56	60	Pass	601
860	1000	0.1	RMS	989.893	-56.87	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.48	-13	Pass	2000
3000	10000	1	RMS	6847.55	-49.16	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.09	-13	Pass	2985
30	814	0.1	RMS	811.7	-55.65	-13	Pass	7840
814	860	0.1	RMS	826.727	19.38	60	Pass	601
860	1000	0.1	RMS	990.093	-56.81	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.41	-13	Pass	2000
3000	10000	1	RMS	6858.551	-49.03	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.93	-13	Pass	2985
30	814	0.1	RMS	795.798	-55.4	-13	Pass	7840
814	860	0.1	RMS	835.237	21.19	60	Pass	601
860	1000	0.1	RMS	999.099	-56.84	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.38	-13	Pass	2000
3000	10000	1	RMS	6887.555	-49.07	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2985
30	814	0.1	RMS	799.898	-55.38	-13	Pass	7840
814	860	0.1	RMS	837.767	21.43	60	Pass	601
860	1000	0.1	RMS	992.395	-56.8	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.38	-13	Pass	2000
3000	10000	1	RMS	6860.552	-49.04	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.58	-13	Pass	2985
30	814	0.1	RMS	798.898	-55.43	-13	Pass	7840
814	860	0.1	RMS	835.237	20.81	60	Pass	601
860	1000	0.1	RMS	996.197	-56.76	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.4	-13	Pass	2000
3000	10000	1	RMS	6895.557	-49.09	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.21	-13	Pass	2985
30	814	0.1	RMS	792.797	-55.2	-13	Pass	7840
814	860	0.1	RMS	837.767	20.9	60	Pass	601
860	1000	0.1	RMS	990.994	-56.73	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.39	-13	Pass	2000
3000	10000	1	RMS	5420.346	-45.53	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.8	-13	Pass	2985
30	814	0.1	RMS	756.193	-55.53	-13	Pass	7840
814	860	0.1	RMS	846.2	20.91	60	Pass	601
860	1000	0.1	RMS	889.221	-56.86	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.46	-13	Pass	2000
3000	10000	1	RMS	6895.557	-49.09	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2985
30	814	0.1	RMS	809.799	-55.59	-13	Pass	7840
814	860	0.1	RMS	848.73	20.89	60	Pass	601
860	1000	0.1	RMS	997.798	-56.81	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.34	-13	Pass	2000
3000	10000	1	RMS	6856.551	-49	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.9	-13	Pass	2985
30	814	0.1	RMS	791.497	-55.42	-13	Pass	7840
814	860	0.1	RMS	846.277	19.45	60	Pass	601
860	1000	0.1	RMS	905.633	-56.76	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.38	-13	Pass	2000
3000	10000	1	RMS	6803.543	-49.08	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2985
30	814	0.1	RMS	798.198	-55.49	-13	Pass	7840
814	860	0.1	RMS	848.73	19.68	60	Pass	601
860	1000	0.1	RMS	914.939	-56.84	-13	Pass	1400
1000	3000	1	RMS	2655.828	-38.51	-13	Pass	2000
3000	10000	1	RMS	6862.552	-49.06	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.29	-13	Pass	2985
30	814	0.1	RMS	799.798	-55.54	-13	Pass	7840
814	860	0.1	RMS	824.35	20.67	60	Pass	601
860	1000	0.1	RMS	997.498	-56.72	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.34	-13	Pass	2000
3000	10000	1	RMS	6866.552	-49.11	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.72	-13	Pass	2985
30	814	0.1	RMS	813.8	-55.6	-13	Pass	7840
814	860	0.1	RMS	828.643	20.92	60	Pass	601
860	1000	0.1	RMS	996.097	-56.75	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.43	-13	Pass	2000
3000	10000	1	RMS	6888.556	-48.99	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2985
30	814	0.1	RMS	790.697	-55.54	-13	Pass	7840
814	860	0.1	RMS	824.35	19.57	60	Pass	601
860	1000	0.1	RMS	899.728	-56.86	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.45	-13	Pass	2000
3000	10000	1	RMS	6808.544	-49.09	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.77	-13	Pass	2985
30	814	0.1	RMS	794.398	-55.45	-13	Pass	7840
814	860	0.1	RMS	828.643	19.64	60	Pass	601
860	1000	0.1	RMS	998.099	-56.87	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.38	-13	Pass	2000
3000	10000	1	RMS	6883.555	-49.06	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.63	-13	Pass	2985
30	814	0.1	RMS	800.498	-55.34	-13	Pass	7840
814	860	0.1	RMS	834.317	20.88	60	Pass	601
860	1000	0.1	RMS	898.227	-56.75	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.31	-13	Pass	2000
3000	10000	1	RMS	6868.553	-49.09	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2985
30	814	0.1	RMS	811.9	-55.34	-13	Pass	7840
814	860	0.1	RMS	838.687	20.91	60	Pass	601
860	1000	0.1	RMS	884.317	-56.79	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.4	-13	Pass	2000
3000	10000	1	RMS	6893.556	-49.08	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.68	-13	Pass	2985
30	814	0.1	RMS	789.197	-55.55	-13	Pass	7840
814	860	0.1	RMS	834.317	20.3	60	Pass	601
860	1000	0.1	RMS	987.591	-56.81	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.43	-13	Pass	2000
3000	10000	1	RMS	6887.555	-49.07	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.17	-13	Pass	2985
30	814	0.1	RMS	770.094	-55.23	-13	Pass	7840
814	860	0.1	RMS	838.687	20.02	60	Pass	601
860	1000	0.1	RMS	966.876	-56.66	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.38	-13	Pass	2000
3000	10000	1	RMS	6819.546	-49.09	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.43	-13	Pass	2985
30	814	0.1	RMS	807.999	-55.48	-13	Pass	7840
814	860	0.1	RMS	844.36	20.92	60	Pass	601
860	1000	0.1	RMS	915.64	-56.78	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.43	-13	Pass	2000
3000	10000	1	RMS	6848.55	-49.07	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.37	-13	Pass	2985
30	814	0.1	RMS	812	-55.45	-13	Pass	7840
814	860	0.1	RMS	848.653	20.96	60	Pass	601
860	1000	0.1	RMS	967.477	-56.83	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.41	-13	Pass	2000
3000	10000	1	RMS	6852.55	-49.12	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.15	-13	Pass	2985
30	814	0.1	RMS	807.399	-55.57	-13	Pass	7840
814	860	0.1	RMS	844.36	20.08	60	Pass	601
860	1000	0.1	RMS	901.43	-56.82	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.35	-13	Pass	2000
3000	10000	1	RMS	6860.552	-49.07	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.89	-13	Pass	2985
30	814	0.1	RMS	810.7	-55.3	-13	Pass	7840
814	860	0.1	RMS	848.653	20.03	60	Pass	601
860	1000	0.1	RMS	906.133	-56.67	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.39	-13	Pass	2000
3000	10000	1	RMS	6801.543	-49.05	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.37	-13	Pass	2985
30	814	0.1	RMS	796.598	-55.37	-13	Pass	7840
814	860	0.1	RMS	824.58	21.08	60	Pass	601
860	1000	0.1	RMS	995.697	-56.79	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.45	-13	Pass	2000
3000	10000	1	RMS	6879.554	-49.07	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.4	-13	Pass	2985
30	814	0.1	RMS	779.696	-55.58	-13	Pass	7840
814	860	0.1	RMS	833.397	21.16	60	Pass	601
860	1000	0.1	RMS	996.297	-56.69	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.45	-13	Pass	2000
3000	10000	1	RMS	6896.557	-49.05	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.5	-13	Pass	2985
30	814	0.1	RMS	809.399	-55.26	-13	Pass	7840
814	860	0.1	RMS	824.58	19.84	60	Pass	601
860	1000	0.1	RMS	999.7	-56.78	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.35	-13	Pass	2000
3000	10000	1	RMS	6821.546	-49.13	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.82	-13	Pass	2985
30	814	0.1	RMS	809.599	-55.49	-13	Pass	7840
814	860	0.1	RMS	833.397	19.95	60	Pass	601
860	1000	0.1	RMS	895.726	-56.85	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.47	-13	Pass	2000
3000	10000	1	RMS	6892.556	-48.95	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.71	-13	Pass	2985
30	814	0.1	RMS	795.298	-55.49	-13	Pass	7840
814	860	0.1	RMS	832.093	21.1	60	Pass	601
860	1000	0.1	RMS	916.741	-56.83	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.44	-13	Pass	2000
3000	10000	1	RMS	6851.55	-49	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.16	-13	Pass	2985
30	814	0.1	RMS	795.898	-55.59	-13	Pass	7840
814	860	0.1	RMS	840.91	21.22	60	Pass	601
860	1000	0.1	RMS	995.797	-56.83	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.35	-13	Pass	2000
3000	10000	1	RMS	6872.553	-49.12	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.89	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.35	-13	Pass	2985
30	814	0.1	RMS	809.899	-55.46	-13	Pass	7840
814	860	0.1	RMS	832.093	20.63	60	Pass	601
860	1000	0.1	RMS	999.4	-56.82	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.5	-13	Pass	2000
3000	10000	1	RMS	6867.553	-49.05	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.12	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.88	-13	Pass	2985
30	814	0.1	RMS	808.199	-55.08	-13	Pass	7840
814	860	0.1	RMS	840.91	20.62	60	Pass	601
860	1000	0.1	RMS	900.029	-56.79	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.41	-13	Pass	2000
3000	10000	1	RMS	6888.556	-49.05	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.26	-13	Pass	2985
30	814	0.1	RMS	792.697	-55.52	-13	Pass	7840
814	860	0.1	RMS	839.607	21.24	60	Pass	601
860	1000	0.1	RMS	921.444	-56.76	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.4	-13	Pass	2000
3000	10000	1	RMS	6904.558	-49.15	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.07	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.82	-13	Pass	2985
30	814	0.1	RMS	810.5	-55.62	-13	Pass	7840
814	860	0.1	RMS	848.423	21.36	60	Pass	601
860	1000	0.1	RMS	987.091	-56.86	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.36	-13	Pass	2000
3000	10000	1	RMS	6877.554	-49.02	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2985
30	814	0.1	RMS	806.499	-55.26	-13	Pass	7840
814	860	0.1	RMS	839.607	19.95	60	Pass	601
860	1000	0.1	RMS	886.819	-56.83	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.48	-13	Pass	2000
3000	10000	1	RMS	6870.553	-49.04	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.15	-13	Pass	2985
30	814	0.1	RMS	786.797	-55.6	-13	Pass	7840
814	860	0.1	RMS	848.423	19.87	60	Pass	601
860	1000	0.1	RMS	916.841	-56.67	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.28	-13	Pass	2000
3000	10000	1	RMS	6857.551	-48.99	-13	Pass	7000



END