


Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2708.5883	17.24	35.12	52.36	74.00	21.64	PASS	Horizontal	PK
2	3881.2352	20.81	31.97	52.78	74.00	21.22	PASS	Horizontal	PK
3	5581.9033	26.78	32.82	59.60	68.20	8.60	PASS	Horizontal	PK
4	6414.1966	28.25	33.21	61.46	68.20	6.74	PASS	Horizontal	PK
5	10280.8140	1.96	45.43	47.39	68.20	20.81	PASS	Horizontal	PK
6	17640.0320	14.29	40.68	54.97	68.20	13.23	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1925.5770	14.84	35.23	50.07	68.20	18.13	PASS	Vertical	PK
2	3325.7130	18.69	33.63	52.32	68.20	15.88	PASS	Vertical	PK
3	5523.8210	26.80	32.96	59.76	68.20	8.44	PASS	Vertical	PK
4	6482.8393	28.66	32.23	60.89	68.20	7.31	PASS	Vertical	PK
5	11395.7948	2.43	45.79	48.22	74.00	25.78	PASS	Vertical	PK
6	17669.3585	14.81	41.32	56.13	68.20	12.07	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19099.1640	-26.17	60.70	34.53	74.00	39.47	PASS	Horizontal	PK
2	21843.1137	-25.59	58.37	32.78	68.20	35.42	PASS	Horizontal	PK
3	25509.3404	-21.04	55.08	34.04	68.20	34.16	PASS	Horizontal	PK
4	29646.3859	-20.69	54.28	33.59	68.20	34.61	PASS	Horizontal	PK
5	35685.1874	-16.41	48.79	32.38	68.20	35.82	PASS	Horizontal	PK
6	38054.2422	-14.78	45.90	31.12	68.20	37.08	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19916.7167	-24.88	58.20	33.32	74.00	40.68	PASS	Vertical	PK
2	22554.1822	-25.03	57.71	32.68	74.00	41.32	PASS	Vertical	PK
3	25840.2336	-20.83	54.89	34.06	68.20	34.14	PASS	Vertical	PK
4	27991.9197	-21.19	55.64	34.45	68.20	33.75	PASS	Vertical	PK
5	33289.7316	-18.19	50.59	32.40	68.20	35.80	PASS	Vertical	PK
6	36561.7025	-15.94	47.98	32.04	68.20	36.16	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2043.2817	14.85	33.69	48.54	68.20	19.66	PASS	Horizontal	PK
2	2822.9929	17.35	33.78	51.13	74.00	22.87	PASS	Horizontal	PK
3	5326.4731	27.85	32.29	60.14	68.20	8.06	PASS	Horizontal	PK
4	5877.8151	27.40	31.77	59.17	68.20	9.03	PASS	Horizontal	PK
5	10583.2792	2.04	45.63	47.67	68.20	20.53	PASS	Horizontal	PK
6	17576.2038	14.01	41.14	55.15	68.20	13.05	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2679.9872	17.29	34.83	52.12	68.20	16.08	PASS	Vertical	PK
2	3699.5080	20.17	32.33	52.50	74.00	21.50	PASS	Vertical	PK
3	5970.2188	27.45	33.34	60.79	68.20	7.41	PASS	Vertical	PK
4	7980.1240	-1.29	49.30	48.01	68.20	20.19	PASS	Vertical	PK
5	11284.2392	2.41	46.19	48.60	74.00	25.40	PASS	Vertical	PK
6	16511.8256	10.80	43.67	54.47	68.20	13.73	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20371.6949	-25.48	60.43	34.95	74.00	39.05	PASS	Horizontal	PK
2	22618.4247	-25.01	57.31	32.30	74.00	41.70	PASS	Horizontal	PK
3	25131.8053	-21.41	55.13	33.72	68.20	34.48	PASS	Horizontal	PK
4	27878.3951	-21.12	55.91	34.79	68.20	33.41	PASS	Horizontal	PK
5	31458.3783	-19.70	52.59	32.89	74.00	41.11	PASS	Horizontal	PK
6	36066.2427	-17.09	49.05	31.96	68.20	36.24	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20060.1624	-24.89	59.08	34.19	74.00	39.81	PASS	Vertical	PK
2	23827.5931	-22.28	57.06	34.78	74.00	39.22	PASS	Vertical	PK
3	27243.8898	-21.85	55.82	33.97	68.20	34.23	PASS	Vertical	PK
4	28930.9172	-21.36	55.10	33.74	68.20	34.46	PASS	Vertical	PK
5	32345.4538	-18.39	53.08	34.69	68.20	33.51	PASS	Vertical	PK
6	36584.5834	-15.83	47.98	32.15	68.20	36.05	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2389.3556	16.08	35.35	51.43	74.00	22.57	PASS	Horizontal	PK
2	3490.2796	19.31	33.54	52.85	68.20	15.35	PASS	Horizontal	PK
3	5005.0402	25.09	33.81	58.90	74.00	15.10	PASS	Horizontal	PK
4	5008.7804	25.18	10.65	35.83	54.00	18.17	PASS	Horizontal	AV
5	6492.5197	28.54	32.78	61.32	68.20	6.88	PASS	Horizontal	PK
6	11270.4385	2.42	45.72	48.14	74.00	25.86	PASS	Horizontal	PK
7	17653.8327	14.42	41.21	55.63	68.20	12.57	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1576.4231	13.67	34.01	47.68	74.00	26.32	PASS	Vertical	PK
2	3073.3629	18.30	34.55	52.85	68.20	15.35	PASS	Vertical	PK
3	5539.6616	26.97	33.58	60.55	68.20	7.65	PASS	Vertical	PK
4	7017.5259	-3.37	49.26	45.89	68.20	22.31	PASS	Vertical	PK
5	10230.7865	1.83	46.07	47.90	68.20	20.30	PASS	Vertical	PK
6	17106.4053	12.29	43.45	55.74	68.20	12.46	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20821.3929	-25.69	58.99	33.30	74.00	40.70	PASS	Horizontal	PK
2	23719.3488	-22.62	56.00	33.38	74.00	40.62	PASS	Horizontal	PK
3	26029.4412	-20.97	55.31	34.34	68.20	33.86	PASS	Horizontal	PK
4	30447.2179	-20.39	53.90	33.51	68.20	34.69	PASS	Horizontal	PK
5	35048.0419	-16.05	48.55	32.50	68.20	35.70	PASS	Horizontal	PK
6	38664.9866	-13.75	45.92	32.17	68.20	36.03	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20228.2491	-25.51	58.67	33.16	74.00	40.84	PASS	Vertical	PK
2	24015.9206	-21.99	55.02	33.03	68.20	35.17	PASS	Vertical	PK
3	26677.1471	-21.28	55.84	34.56	68.20	33.64	PASS	Vertical	PK
4	29247.7299	-21.44	55.58	34.14	68.20	34.06	PASS	Vertical	PK
5	34048.3219	-17.77	50.34	32.57	68.20	35.63	PASS	Vertical	PK
6	37235.8094	-16.17	47.35	31.18	68.20	37.02	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2687.9075	17.41	35.75	53.16	68.20	15.04	PASS	Horizontal	PK
2	3592.1437	19.78	33.18	52.96	68.20	15.24	PASS	Horizontal	PK
3	5518.3207	26.79	32.93	59.72	68.20	8.48	PASS	Horizontal	PK
4	6479.3192	28.64	32.75	61.39	68.20	6.81	PASS	Horizontal	PK
5	11271.0136	2.42	46.35	48.77	74.00	25.23	PASS	Horizontal	PK
6	17573.9037	13.99	42.16	56.15	68.20	12.05	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1951.9781	14.92	34.42	49.34	68.20	18.86	PASS	Vertical	PK
2	3195.2478	18.44	34.18	52.62	68.20	15.58	PASS	Vertical	PK
3	6488.7796	28.62	32.93	61.55	68.20	6.65	PASS	Vertical	PK
4	9770.7635	1.12	46.61	47.73	68.20	20.47	PASS	Vertical	PK
5	13256.5878	6.17	43.06	49.23	74.00	24.77	PASS	Vertical	PK
6	17084.5542	12.28	42.88	55.16	68.20	13.04	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19518.9408	-25.61	59.01	33.40	74.00	40.60	PASS	Horizontal	PK
2	23171.0868	-24.47	56.36	31.89	68.20	36.31	PASS	Horizontal	PK
3	27012.4405	-21.84	56.26	34.42	68.20	33.78	PASS	Horizontal	PK
4	29626.1450	-20.65	54.59	33.94	68.20	34.26	PASS	Horizontal	PK
5	33371.5749	-18.15	51.54	33.39	68.20	34.81	PASS	Horizontal	PK
6	36276.5711	-16.73	49.49	32.76	68.20	35.44	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20120.0048	-25.15	58.33	33.18	74.00	40.82	PASS	Vertical	PK
2	22352.6541	-25.17	57.80	32.63	74.00	41.37	PASS	Vertical	PK
3	25784.7914	-20.81	54.80	33.99	68.20	34.21	PASS	Vertical	PK
4	28871.9549	-21.41	55.38	33.97	68.20	34.23	PASS	Vertical	PK
5	32414.9766	-18.10	52.11	34.01	68.20	34.19	PASS	Vertical	PK
6	34366.8947	-17.24	49.28	32.04	68.20	36.16	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2703.0881	17.21	34.55	51.76	74.00	22.24	PASS	Horizontal	PK
2	3793.2317	20.48	32.95	53.43	74.00	20.57	PASS	Horizontal	PK
3	6491.1996	28.58	33.05	61.63	68.20	6.57	PASS	Horizontal	PK
4	7962.8731	-1.41	47.77	46.36	68.20	21.84	PASS	Horizontal	PK
5	10384.8942	1.86	45.76	47.62	68.20	20.58	PASS	Horizontal	PK
6	17045.4523	12.38	43.19	55.57	68.20	12.63	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2712.3285	17.24	34.68	51.92	74.00	22.08	PASS	Vertical	PK
2	3920.1768	21.05	33.12	54.17	74.00	19.83	PASS	Vertical	PK
3	5366.5147	27.93	32.30	60.23	74.00	13.77	PASS	Vertical	PK
4	6497.5799	28.38	32.83	61.21	68.20	6.99	PASS	Vertical	PK
5	9130.1815	0.13	46.34	46.47	74.00	27.53	PASS	Vertical	PK
6	17732.6116	15.80	39.60	55.40	74.00	18.60	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20384.0154	-25.48	58.95	33.47	74.00	40.53	PASS	Horizontal	PK
2	22255.8502	-25.32	58.87	33.55	74.00	40.45	PASS	Horizontal	PK
3	24373.2149	-21.80	56.97	35.17	68.20	33.03	PASS	Horizontal	PK
4	27369.7348	-21.68	56.18	34.50	68.20	33.70	PASS	Horizontal	PK
5	31861.4345	-20.11	52.75	32.64	68.20	35.56	PASS	Horizontal	PK
6	37147.8059	-16.50	47.88	31.38	68.20	36.82	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19587.5835	-25.59	59.77	34.18	74.00	39.82	PASS	Vertical	PK
2	23148.2059	-24.63	58.12	33.49	68.20	34.71	PASS	Vertical	PK
3	26047.0419	-21.01	55.51	34.50	68.20	33.70	PASS	Vertical	PK
4	29536.3815	-20.83	54.66	33.83	68.20	34.37	PASS	Vertical	PK
5	32648.1859	-18.89	51.83	32.94	68.20	35.26	PASS	Vertical	PK
6	37530.6212	-15.18	46.45	31.27	68.20	36.93	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2291.4517	15.77	34.11	49.88	74.00	24.12	PASS	Horizontal	PK
2	3101.9641	18.12	34.45	52.57	68.20	15.63	PASS	Horizontal	PK
3	6003.4401	27.34	32.73	60.07	68.20	8.13	PASS	Horizontal	PK
4	7609.8055	-1.67	47.42	45.75	74.00	28.25	PASS	Horizontal	PK
5	11138.1819	2.19	45.95	48.14	74.00	25.86	PASS	Horizontal	PK
6	17572.7536	13.99	25.55	39.54	54.00	14.46	PASS	Horizontal	AV
7	17719.9610	15.71	40.31	56.02	74.00	17.98	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1772.2309	14.50	34.81	49.31	68.20	18.89	PASS	Vertical	PK
2	2441.7177	16.46	34.55	51.01	68.20	17.19	PASS	Vertical	PK
3	5194.6878	27.59	32.04	59.63	68.20	8.57	PASS	Vertical	PK
4	7984.7242	-1.26	50.51	49.25	68.20	18.95	PASS	Vertical	PK
5	10216.4108	1.74	46.10	47.84	68.20	20.36	PASS	Vertical	PK
6	17584.2542	14.04	41.77	55.81	68.20	12.39	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19955.4382	-24.76	58.10	33.34	74.00	40.66	PASS	Horizontal	PK
2	23933.1973	-22.07	55.67	33.60	74.00	40.40	PASS	Horizontal	PK
3	27000.1200	-21.83	56.03	34.20	68.20	34.00	PASS	Horizontal	PK
4	29204.6082	-21.48	54.98	33.50	68.20	34.70	PASS	Horizontal	PK
5	32414.9766	-18.10	51.41	33.31	68.20	34.89	PASS	Horizontal	PK
6	37799.0320	-15.30	46.32	31.02	68.20	37.18	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/6/07

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19749.5100	-25.32	59.52	34.20	74.00	39.80	PASS	Vertical	PK
2	23820.5528	-22.29	56.80	34.51	74.00	39.49	PASS	Vertical	PK
3	26031.2012	-20.98	55.64	34.66	68.20	33.54	PASS	Vertical	PK
4	29691.2677	-20.78	55.28	34.50	68.20	33.70	PASS	Vertical	PK
5	32412.3365	-18.08	51.61	33.53	68.20	34.67	PASS	Vertical	PK
6	37242.8497	-16.16	47.62	31.46	68.20	36.74	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5755MHz
-----------	-------------------------------	----------------	---------

Remark:	/	Test_Date	2026/6/07
---------	---	-----------	-----------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1442.4377	13.13	34.95	48.08	74.00	25.92	PASS	Horizontal	PK
2	2709.6884	17.25	34.93	52.18	74.00	21.82	PASS	Horizontal	PK
3	5242.6497	27.69	32.26	59.95	68.20	8.25	PASS	Horizontal	PK
4	6500.0000	28.30	34.06	62.36	68.20	5.84	PASS	Horizontal	PK
5	9273.3637	0.88	45.77	46.65	68.20	21.55	PASS	Horizontal	PK
6	17089.7295	12.27	42.96	55.23	68.20	12.97	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1659.1464	13.85	35.32	49.17	68.20	19.03	PASS	Vertical	PK
2	3935.7974	21.53	32.24	53.77	74.00	20.23	PASS	Vertical	PK
3	5367.8347	27.94	32.07	60.01	74.00	13.99	PASS	Vertical	PK
4	6449.8380	28.36	33.12	61.48	68.20	6.72	PASS	Vertical	PK
5	11288.2644	2.40	46.32	48.72	74.00	25.28	PASS	Vertical	PK
6	17579.6540	14.02	25.50	39.52	54.00	14.48	PASS	Vertical	AV
7	17729.1615	15.78	40.11	55.89	74.00	18.11	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20050.4820	-24.84	58.25	33.41	74.00	40.59	PASS	Horizontal	PK
2	22973.0789	-25.60	56.95	31.35	74.00	42.65	PASS	Horizontal	PK
3	26144.7258	-21.23	54.00	32.77	68.20	35.43	PASS	Horizontal	PK
4	29967.5987	-21.06	54.05	32.99	68.20	35.21	PASS	Horizontal	PK
5	34372.1749	-17.23	49.26	32.03	68.20	36.17	PASS	Horizontal	PK
6	38744.1898	-13.45	45.60	32.15	68.20	36.05	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20033.7614	-24.77	57.73	32.96	74.00	41.04	PASS	Vertical	PK
2	22856.0342	-25.23	57.41	32.18	74.00	41.82	PASS	Vertical	PK
3	26380.5752	-21.19	53.88	32.69	68.20	35.51	PASS	Vertical	PK
4	29722.0689	-20.83	54.23	33.40	68.20	34.80	PASS	Vertical	PK
5	32950.0380	-18.76	50.54	31.78	68.20	36.42	PASS	Vertical	PK
6	37553.5021	-15.07	45.60	30.53	68.20	37.67	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2074.0830	15.06	31.19	46.25	68.20	18.66	PASS	Horizontal	PK
2	3498.4199	19.25	34.02	53.27	68.20	14.93	PASS	Horizontal	PK
3	6441.6977	28.26	34.08	62.34	68.20	5.86	PASS	Horizontal	PK
4	7376.9188	-3.02	49.19	46.17	74.00	27.83	PASS	Horizontal	PK
5	10365.3433	1.91	46.90	48.81	68.20	14.39	PASS	Horizontal	PK
6	15533.1267	10.00	42.39	52.39	74.00	19.28	PASS	Horizontal	PK
7	15541.7521	9.99	34.44	44.43	54.00	9.57	PASS	Horizontal	AV

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2099.3840	15.27	32.40	47.67	68.20	17.89	PASS	Vertical	PK
2	3817.4327	20.78	29.27	50.05	74.00	21.17	PASS	Vertical	PK
3	5951.5181	27.19	32.66	59.85	68.20	8.35	PASS	Vertical	PK
4	6973.8237	-3.08	46.64	43.56	68.20	22.73	PASS	Vertical	PK
5	10369.9435	1.89	45.22	47.11	68.20	16.89	PASS	Vertical	PK
6	15537.7269	10.00	43.13	53.13	74.00	18.24	PASS	Vertical	PK
7	15540.0270	10.00	34.74	44.74	54.00	9.26	PASS	Vertical	AV

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19987.9995	-24.65	57.39	32.74	74.00	41.26	PASS	Horizontal	PK
2	21995.3598	-25.80	57.25	31.45	68.20	36.75	PASS	Horizontal	PK
3	25198.6879	-21.05	54.71	33.66	68.20	34.54	PASS	Horizontal	PK
4	28632.5853	-21.86	54.51	32.65	68.20	35.55	PASS	Horizontal	PK
5	32375.3750	-18.19	50.96	32.77	68.20	35.43	PASS	Horizontal	PK
6	36775.5510	-16.75	47.05	30.30	68.20	37.90	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT40)Transmitting	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19918.4767	-24.87	57.97	33.10	74.00	40.90	PASS	Vertical	PK
2	21968.0787	-25.77	57.26	31.49	68.20	36.71	PASS	Vertical	PK
3	23934.9574	-22.07	55.07	33.00	74.00	41.00	PASS	Vertical	PK
4	26405.2162	-21.17	53.54	32.37	68.20	35.83	PASS	Vertical	PK
5	29514.3806	-20.90	53.94	33.04	68.20	35.16	PASS	Vertical	PK
6	34226.0890	-17.36	48.60	31.24	68.20	36.96	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5210MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1989.1596	14.68	31.47	46.15	68.20	19.38	PASS	Horizontal	PK
2	3052.4621	18.23	35.42	53.65	68.20	14.55	PASS	Horizontal	PK
3	6073.6229	27.66	32.73	60.39	68.20	7.81	PASS	Horizontal	PK
4	6935.8718	-2.96	46.77	43.81	68.20	22.33	PASS	Horizontal	PK
5	10479.1990	2.11	46.34	48.45	68.20	18.69	PASS	Horizontal	PK
6	15718.8609	10.29	31.22	41.51	54.00	12.49	PASS	Horizontal	AV
7	15726.3363	10.26	43.82	54.08	74.00	19.92	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5210MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1249.2700	11.76	33.19	44.95	68.20	21.78	PASS	Vertical	PK
2	1849.8940	14.54	32.15	46.69	68.20	20.19	PASS	Vertical	PK
3	2839.0536	17.56	31.61	49.17	74.00	22.36	PASS	Vertical	PK
4	7061.2281	-3.19	46.18	42.99	68.20	22.59	PASS	Vertical	PK
5	10482.0741	2.11	51.53	53.64	68.20	14.56	PASS	Vertical	PK
6	15718.8609	10.29	44.23	54.52	74.00	19.48	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5210MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20016.1606	-24.69	58.12	33.43	74.00	40.57	PASS	Horizontal	PK
2	23727.2691	-22.60	56.65	34.05	74.00	39.95	PASS	Horizontal	PK
3	27402.2961	-21.64	54.67	33.03	68.20	35.17	PASS	Horizontal	PK
4	30930.3572	-19.43	52.83	33.40	68.20	34.80	PASS	Horizontal	PK
5	34568.4227	-16.27	48.62	32.35	68.20	35.85	PASS	Horizontal	PK
6	38603.3841	-13.99	44.93	30.94	68.20	37.26	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5210MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19989.7596	-24.65	59.18	34.53	74.00	39.47	PASS	Vertical	PK
2	22404.5762	-25.10	58.16	33.06	74.00	40.94	PASS	Vertical	PK
3	25282.2913	-21.20	55.69	34.49	68.20	33.71	PASS	Vertical	PK
4	28766.3507	-21.56	54.95	33.39	68.20	34.81	PASS	Vertical	PK
5	32383.2953	-18.14	51.35	33.21	68.20	34.99	PASS	Vertical	PK
6	36544.9818	-16.02	46.90	30.88	68.20	37.32	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1410.3164	13.09	35.29	48.38	74.00	25.62	PASS	Horizontal	PK
2	2338.3135	15.95	35.75	51.70	74.00	22.30	PASS	Horizontal	PK
3	3530.5412	19.37	33.42	52.79	68.20	15.41	PASS	Horizontal	PK
4	6923.2212	-3.11	46.45	43.34	68.20	23.19	PASS	Horizontal	PK
5	10362.4681	1.92	48.64	50.56	68.20	17.64	PASS	Horizontal	PK
6	14998.3499	9.62	41.65	51.27	68.20	16.93	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2327.7531	15.93	35.69	51.62	74.00	22.38	PASS	Vertical	PK
2	3952.2981	21.56	32.66	54.22	74.00	19.78	PASS	Vertical	PK
3	6232.0293	28.82	31.52	60.34	68.20	7.86	PASS	Vertical	PK
4	7756.4378	-1.90	47.64	45.74	68.20	22.46	PASS	Vertical	PK
5	10359.5930	1.92	48.78	50.70	68.20	17.50	PASS	Vertical	PK
6	15543.4772	9.99	43.86	53.85	74.00	20.15	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20056.6423	-24.87	57.83	32.96	74.00	41.04	PASS	Horizontal	PK
2	23282.8513	-23.98	56.69	32.71	68.20	35.49	PASS	Horizontal	PK
3	27398.7760	-21.64	54.79	33.15	68.20	35.05	PASS	Horizontal	PK
4	30475.3790	-20.43	53.79	33.36	68.20	34.84	PASS	Horizontal	PK
5	34320.2528	-17.28	49.01	31.73	68.20	36.47	PASS	Horizontal	PK
6	38692.2677	-13.65	45.03	31.38	68.20	36.82	PASS	Horizontal	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/6/07


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20112.0845	-25.12	57.79	32.67	74.00	41.33	PASS	Vertical	PK
2	22579.7032	-25.01	57.54	32.53	74.00	41.47	PASS	Vertical	PK
3	25282.2913	-21.20	54.35	33.15	68.20	35.05	PASS	Vertical	PK
4	29480.9392	-21.02	53.79	32.77	68.20	35.43	PASS	Vertical	PK
5	33672.5469	-17.49	50.63	33.14	68.20	35.06	PASS	Vertical	PK
6	38694.0278	-13.64	46.56	32.92	68.20	35.28	PASS	Vertical	PK

Test_Mode	802.11 ac (VHT80)Transmitting	Test_Frequency	5775MHz
Remark:	/	Test_Date	2026/6/07

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2423.2369	16.35	34.54	50.89	68.20	17.31	PASS	Horizontal	PK
2	3800.2720	20.57	33.03	53.60	74.00	20.40	PASS	Horizontal	PK
3	6452.6981	28.33	33.59	61.92	68.20	6.28	PASS	Horizontal	PK
4	9182.5091	0.20	46.44	46.64	74.00	27.36	PASS	Horizontal	PK
5	12642.4571	3.88	45.38	49.26	74.00	24.74	PASS	Horizontal	PK
6	17010.9505	12.61	42.45	55.06	68.20	13.14	PASS	Horizontal	PK