


CLEANFORCE

better air, better life

Air Purifier



USER MANUAL

CP-Nama150

■ Contents

• Important Safety Instructions - - - - -	02
• FCC Warning - - - - -	03
• Product Instructions - - - - -	04
• Specifications - - - - -	06
• Operating Instruction - - - - -	07
• Smart App - - - - -	11
• Air Filter Instructions - - - - -	12
• Care and Maintenance - - - - -	15
• Troubleshooting - - - - -	16
• Warranty Policy - - - - -	17
• Warranty Card - - - - -	18

— — — — —

Thank you very much for choosing the CleanForce air purifier. Before using the product, please take a few minutes to read the user manual carefully. This will help you to better understand the product functions and simple operation mode.

Important Safety Instructions

Read all instructions before using this air purifier to reduce any risk of fire, electric shock, or injury. To ensure safety, store these instructions for future use and make them accessible to other users. Make sure to include these instructions when handing over the air purifier to third parties.


- This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.
- This air purifier is intended for household and commercial use, not for industrial use. Do not use this air purifier as sole protection against harmful pollutants.
- Do not use this air purifier if you have restricted physical, sensory, or mental skills, or a lack of experience or knowledge unless supervised or instructed by a person who is familiar with the device.
- Children should not touch or operate the device and should be supervised at all times, when the purifier is in use.
- Do not use the air purifier in an area with toxic/explosive vapors/ liquids, oxygen tanks or near flammable, combustible materials.
- Place purifier in a location whereby air can circulate freely in, out and around the unit. Do not block the air inlets and outlets of the air purifier.
- Ensure the air purifier is positioned on a flat, stable, solid surface. Completely unravel the power cord prior to use. Never overstretch the power cord. Do not place air purifiers near heat sources such as stove tops, ovens.
- Do not place the air purifier near wet areas, like bathroom.
- To ensure safety with the power cord. Power cord should not run under rugs, runners or carpets as it can be a trip hazard. Don't pull, carry or trap the power cord under doors or sharp edges. Do not unplug the air purifier by pulling on the power cord.
- Don't handle the plug or air purifier with wet hands.
- Don't use the air purifier with incorrect voltage as this may result in damage or injury to the user. The correct voltage is listed on the rating label.
- Before disconnecting or connecting the power cord, ensure the unit are switched off.
- Always switch off and unplug the air purifier before performing maintenance or troubleshooting checks.

- Always unplug the power cord before adding or removing parts and before cleaning.
- Don't use the air purifier if the power cord or plug is damaged. Please contact our Customer Service.
- Only specialist personnel may perform repairs on electrical devices. Improper repairs may subject users to considerable danger. In the case of repairs, please contact our customer service.

|| FCC Warning ▲

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.
- If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body. Use only the supplied antenna.


Product Introduction




Product Description

- Ⓐ Control Panel Ⓑ Outlet Filter Ⓒ Air Quality Indicator Ⓓ Inlet Filter Ⓔ Power line
Ⓖ Bottom Cover Ⓗ Sensor

Accessories



LED Display



Control Buttons

- ① Circular running lights ② Show PM2.5 ③ Filter Reset ④ Wind speed adjustment
⑤ Switch ⑥ Timing Button ⑦ WiFi Button
⑧ Wind speed converter, smart, sleep function indicators ⑨ Light indicator

■ Specifications

Air Purifier Part No.: CP-Nama150

Composite Air Filter Part No.: CF-Nama150

Clean Air Delivery:	Smoke	Dust	Pollen	
Rate(CADR)	85	85	85	ft ³ /min
	150	150	150	m ³ /h

Power: 24W

Noise Level (Low to High): 30-49dB

Noise Level (Sleep Mode): 28dB

Motor Type: DC 12V

Voltage: AC120V 60Hz

Filter service life: 3000 hours

Dimensions: Diameter: 8.2 inches (209 mm)

Height: 12.6 inches (320mm)

Weight: 5.5 lbs (2.5 kg)


Operating Instructions

Read all instructions before using your CleanForce air purifier.

Unpack and remove all packing material. Remove your CleanForce air purifier from the plastic bag.

Completely unravel the power cord and place your CleanForce air purifier on a flat, dry, stable surface. Be sure to place your CleanForce air purifier at least 12 inches(30cm) away from the wall on ALL sides. The air output vent should face towards the room - failure to do so may reduce unit efficiency. Inspect the power cord for signs of damage before use.


DO NOT USE IF THE CORD IS DAMAGED




Note: To ensure the normal operation of the air purifier, please remove the plastic bag from the internal filter before starting the machine!

The steps are as follows:


- ① Press the key to shut down, cut off the power.




- ② Turn the bottom cover clockwise to open the lock.




- ③ Take out the composite filter.




- ④ Remove the plastic bag of the new composite filter.



- ⑤ Replace the air filter with the bag removed.



- ⑥ Replace the bottom shell according to the original position, rotate to the right to align the lock arrow, then the machine can be used normally.



Power switch

Turn the power on and touch the on/off switch to turn the purifier on or off.

Turn on the air quality detection sensor system of the purifier, the digital tube frame of the operation panel flashes for about 5S, the air quality detection sensor system completes the detection. Inform the indoor air quality status through show the digital on the display panel and the air quality indicator lights "green, blue、yellow、red and purple.

Digital Display	Colour	Air Quality
0-35	Bule	Better
36-75	Green	Good
76-115	Yellow	Moderate
>115	Red	Poor

Timing function

When the purifier is working, press the button to select the required working time (1-12h), the purifier will stop working automatically after reaching the set time. After opening the timer function, press and hold the button 3S to cancel the timer function.

Wind speed adjustment

In this mode, you can touch the air speed adjustment key to select the purification speed and operation mode in order.

✖ 1st gear: At this time, the purification wind speed is small, and the outer ring marquee flashes slowly.

✖ ✖ 2nd gear: At this time, the purification wind speed is slightly increased, which is suitable for slightly better air quality. The outer ring marquee flashes at medium speed.

✖ ✖ ✖ 3rd gear: At this time, the purification wind speed is large, suitable for most polluted indoor situations, and the outer ring marquee flashes at high speed.

☾ Sleep mode: At this time, the purifier runs at 1st speed. Except for the sleep indicator and the wind speed key, which are half-lit, all the lights are off.

Ⓐ Auto mode: The auto indicator lights up and the device will automatically adjust the wind speed based on the air quality data detected by the sensor, which is suitable for most application scenarios.

Filter Reset

After the filter is replaced, press this button for 5S to reset the filter life

The indicator will appear in three states

The first state: When the indicator keeps red, it means the filter needs to be replaced

The second state: When the indicator light flashes for a long time, it indicates that the filter life is within 48 hours

The third state: When the indicator flashes once, it means the filter reset button is touched

If you need to replace the filter midway, please follow the steps below:


1、 Press and hold the reset button for 5S to clear the remaining filter life, at the same time filter indicator light up red.

2、 In 15S, press and hold the filter reset button again for 5S to reset the filter, At this time, the indicator light flashes quickly and the buzzer sounds 3 times to complete the filter reset.

Note! If there is no long press of the filter reset button within 15 seconds, the filter life state before the first long press will be restored.

Lighting control

Press and hold the button 3S shown in the picture below at the same time, all the lights of the device will turn off or turn on.



When the light is off, all the lights are turned on by operating other buttons; the light will be off after the operation is completed 3S.

WiFi

Press this button 3s to connect with wifi.

Smart App

Scan the QR code to download and install the ClearForce or Smartlife App, register an account.



CleanForce



Smartlife

Link the air purifier to the network for the first time:

- 1、 Open the App, Click “+” button on the top-right, then click your model {or Small Home Appliances->Air Purifier(Wi-Fi)}, select your WiFi network and enter the password.
- 2、 Select the match mode on the top-right. The default mode is EZ mode.
- 3、 Mode1: EZ mode. Long press “WiFi” button for 3s to switch the match mode, make sure the indicator light flashes quickly.
Select "Finish network configuration" on the app and click "next".
Mode2: AP mode. Long press “WiFi” button for 3s to switch the match mode, make sure the indicator light flashes slowly.
Select "Finish network configuration" on the app and click "next".
Connecting the ‘SmartLife-XXXX’ hotspot, then return to the App.

The smart app starts finding the device and adding it to the device list.

After successfully linked to the network, the WiFi indicator stops flashing and stays ON.

If it fails to link to the network for a long time, the WiFi indicator goes out, and the device stops pairing the network.

If you want to relink the network, press the WiFi key again to repeat the network configuration operation.

After configuring the network and binding the device according to the instructions, you can use the smart app to control your device.

Link To Smart Home Hub

This device support DuSmart Speaker, Tmall Genie and Alexa Echo. The method is as follows:

After linking the device to the WiFi network through Smartlife App, do the following steps to connect the device to the smart speaker. Smart speaker Apps may change the actions, these are for reference only.

Alexa Echo:

If you want to work with Alexa, please download Smartlife App.


Completed the Alexa Echo’s configuration process first, then following the next steps:

Open Alexa App, tap on "Skills" in the Alexa app menu, then search for "Smart life". Tap "Enable" to enable the Skill. Enter the Smartlife App account and password, then tap “Link Now” to link your Smartlife account to enable the Skill. Now you can start your smart home journey.


Composite Air Filter Instruction

General information

CleanForce air purifier Contains 1 pcs of composite filter.



The composite air filter is composed of plastic pre-filter, Antibacterial cloth, Anti allergic HEPA filter, and activated carbon, it removes:




Hair




Pet Dander



Pollen



Lint



Dust



Dust Mites



Chemicals



PM2.5



PM10



Smoke



Smoke




VOCs




Cooking
Odor

Replace The Filter



When the indicator light of the filter service keeps red, the filters need to be replaced.




- ① Turn off the air purifier and unplug it.




- ② Turn the bottom cover clockwise to open the lock.
- ③ Take out the filter.




- ④ Remove the plastic bag of the new filter screen.




- ⑤ Replace the filter screen with the bag removed.



- ⑥ Replace the bottom shell according to the original position, rotate to the right to align the lock arrow, then the machine can be used normally.



- ⑦ Plug in the air purifier, Press the filter key more than 3 seconds




Note:

1. You should not miss this reset step or the air purifier may not operate normally.
2. The air purifier can not operate without the filter.
3. Please use original filters to ensure the purification effect.


Care and Maintenance

Please follow the steps below for regular maintenance for your air purifier to work at optimum capacity.

Before any maintenance operation, be sure to turn off the machine through the power key and unplug the device.



- **Fan**
Regularly clean the fan port with a vacuum cleaner. Do not wash with water or dismantle the fan.



- **Sensor**
Remove the filter cover and wipe the sensor surface regularly with a dry cotton rod.

Recommend to replace the Multi-Integrated filters every 6-12 months; Calculate based on the fan speed of medium grade, which uses 8 hours every day. The replacement frequency depends on the use duration and working environment. When the filter needs replacing, the filter indicator light will flash. Attention! When your air purifier stops working, please check the filters. When the filter life bar decreases to the last grid and flashes, indicating that the filters need replacing.

* **Note :**
Do not wash the composite filter with water.

Tips

If you are allergic or suffering from asthma, please avoid touching the used filter. Please wear gloves when replacing the filter, or wash hands after replacement. Put the used filter into a sealed bag to avoid the diffusion of pollutants.

■ Troubleshooting

Problem	Check	Solution
Unit does not turn on	• Power socket • Power cord • power failure • The cover at the bottom of the device.	• Check whether the power socket is damaged • Contact customer to change the power cord • Available after power supply is restored • If the filter cover do not install correctly, please reinstall it.
The air outlet does not produce air	• Plastic outer filter packaging has been removed • Whether air outlet at top of air purifier is blocked	• Make sure that all the plastic outer packages of the filter has been removed. • Clean the air outlet.
The unit does not work after replacing the filters.	• Follow the reset step after filter replacement	• Long-press the filter reset key more than 3 seconds until the flashing light goes out. • Reset the filter with CleanForce App.
Air purification capacity is decreasing	• Check whether the AllerSync MaxPure filter is blocked • Check air inlet or outlet is blocked	• Change the AllerSync MaxPure filter regularly. • Clean air inlet or outlet.
Auto function does not work	• Check that sensor is dust free	• Clean the dust from the sensor.

If the above methods do not solve the problem, or there are other problems with the unit, please unplug the unit and contact us.

■| Warranty Policy

Dear User,

If you encounter problems with your air purifier, or your expectations for your CleanForce product are not met, you can contact us using either of the following methods:

Call our service hotline: +1 213 289 3385

Or contact us by email: support@cleanforceair.com

Your CleanForce air purifier is guaranteed and warranted against defects in material and workmanship, under normal residential use, for up to 2-years from the date of purchase. (excluding filters).

Warranty Policy

- Proof-of-purchase and warranty card from CleanForce must be provided.
- Claims must be made within the warranty period.
- Cause of failure must not be a result of user error.

Not covered warranty

- Failure to operate, maintain or use product in accordance with the user manual.
- Lack of proof-of-purchase, warranty card.
- Warranty card model does not correspond with the machine.
- Product damage caused by force majeure.
- Damage caused by unstable voltage power and/or power source used does not comply with the national electric safety standards (AC 120V, 60HZ).
- Damage caused by improper transport, installation, use, maintenance or storage by users.

Warranty Card

Product Name/Model	CP-Nama150 Air Purifier	
Date of Purchase		
Where Purchased		
Order Number		
Customer Name		
Address		
Phone Number		
Email		
Maintenance record		



CleanForce Air

CleanForce Technology INC
1942 Broadway St., STE 314C
Boulder, CO 80302 US

Tel: +1 213 289 3385
Web: www.cleanforceair.com