

Bluetooth Speaker

Model: TG-418

User Manual

1. Master controller: AC6956C

2. Power amplifier: HT326A

3. Features: Bluetooth, AUX, USB, TF card, and LED lights

4. Key definition:

Turn on the key, previous track key, next track key, mode key, and light key

5. Turn on key:

In MP3 mode: Press and hold to pause, then press again to resume.

In FM mode: Press and hold to search for stations, then press and hold to stop.

6. Previous key:

In MP3 mode: Press and hold to switch to the previous song, press and hold to lower the volume.

In FM mode: Press and hold to lower volume, press and hold to switch to previous station.

7. Next track:

In MP3 mode: Press and hold to switch to the next song, press and hold to increase volume.

In FM mode: Press and hold volume up, long press to switch to the next station.

8. Mode switch key: Short press to switch modes, long press to enter TWS pairing.

9. Lighting keys: Press briefly to switch EQ mode, press long to switch lighting mode.

Double-tap to turn on/off LED lights and flashing lights.

(Flash lights can only be turned on by double-tapping. Long-press to switch lighting modes, with LED lights only on)

10. TF Card: Plays MP3, WAV, FLAC, WMA, and APE audio formats stored on the TF card.

11. U Disk: Plays MP3, WAV, FLAC, WMA, and APE audio files from the USB drive.

12. Battery power display: when the battery power is low, the color light flashes red all the time to indicate low power.

The core selling points of TG-418:

1. Bluetooth version 5.3, pairing with mobile phones is super easy, sound transmission is smooth, and compatibility is strong;
2. 102mm external magnetic speaker with 15W high power, delivering powerful bass and bright treble.
3. Equipped with a 7.4V/3000mAh battery, delivering up to 4 hours of extended playback time.
4. With beautiful voice reminder, it is convenient and fast to use
5. Supports TF card, AUX, USB, and other functions

Specifications

Peak power 15W, signal-to-noise ratio $\geq 70\text{dB}$ Peak power 15W, signal-to-noise ratio $\geq 70\text{dB}$

Peak power 15W, signal-to-noise ratio $\geq 70\text{dB}$ Peak power 15W, signal-to-noise ratio $\geq 70\text{dB}$

Sensitivity: 600mV, distortion: $\leq 10\%$ Sensitivity: 600mV, distortion: $\leq 10\%$ Sensitivity: 600mV, distortion: $\leq 10\%$

Impedance 4Ω Product Net Weight 1562G Impedance 4Ω Product Net Weight 1562G Impedance 4Ω Product Net Weight 1562G

Federal Communications Commission Notice

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.