

尺寸：51.2x85mm
材质：105g哑粉纸，双面印刷
印刷：4C，双面印刷
成型方式：胶装，86P
注：文件已预留4mm装胶位

此页不做印刷

打样文件，不可用于大货生产

Wireless

CHARGE

Magnetic wireless charger



Installation guide & legal manual

Table of contents

English	04
Read before use	04
Accessory list	07
Product overview	08
How to assemble	09
Install CHARGE	15
Charging anomaly prevention	16
FCC	17
Nederlands	20
Lees dit vóór gebruik	20
Accessoirelijst	23
Productoverzicht	24
Montage	25
CHARGE installeren	31
Voorkom laadproblemen	32
Deutsch	33
Vor dem Gebrauch lesen	33
Lieferumfang	36
Produktübersicht	37
Montageanleitung	38
CHARGE installieren	44
Ladeprobleme vermeiden	45

Français	46
À lire avant utilisation	46
Liste des accessoires	49
Aperçu du produit	50
Montage	51
Installer CHARGE	57
Éviter les problèmes de charge	58
Español	59
Léelo antes de usar	59
Lista de accesorios	62
Descripción del producto	63
Montaje	64
Instalar CHARGE	70
Evita problemas de carga	71
Italiano	72
Leggi prima dell'uso	72
Elenco degli accessori	75
Panoramica del prodotto	76
Montaggio	77
Installare CHARGE	83
Evitare problemi di ricarica	84

EN

Read before use

- ① Compatible with:
 - iPhone 12 and later with MagSafe
 - Google Pixel 10 and later with Pixelsnap
 - Qi-compatible phones with included magnetic adapter ring
- ② Ensure the charger is connected to power before charging your phone.
- ③ For optimal charging speed, it is recommended to use the included 12V adapter.
- ④ Do not leave the product in high temperatures or exposed to direct sunlight.
- ⑤ Do not clean with harmful chemicals or detergents.
- ⑥ Do not place metal objects in the charging area.
- ⑦ Coil location varies by phone model. Please confirm the position before attaching. The adhesive is single-use and misalignment may reduce or prevent charging.

- 8 If you are applying one of the supplied magnetic ring adapters, make sure it is attached securely; press firmly onto a clean, dry surface and let it cure before use.
- 9 Magnetic holding force varies with alignment, vehicle vibration, and temperature. Before every drive, place your phone on the mount and give it a gentle tug. If it shifts or comes loose, reposition it until it holds firmly.

Your phone needs a magnetic ring

Phones with MagSafe (iPhone 12 and later) or Qi2 / Pixelsnap have magnets built in and snap onto the mount straight away.

Does your phone not have built-in magnets, or are you using a case without them? Then the mount has nothing to hold on to. Also, wireless charging only works when the mount sits directly over your phone's charging coil. That coil is in a different spot on every model, and the ring's adhesive is single-use: once it is pressed down, you cannot reposition it. Placing it by eye is the most common reason charging is slow, intermittent or does not start at all.

Watch the tutorial

Scan the QR code. The video shows you how to find your coil in under a minute and how to attach the ring so it holds.




Accessory list



- ① Wireless magnetic mount
- ② Air-vent clamp
- ③ Adhesive base
- ④ USB-C to USB-C cable
- ⑤ Car charger
- ⑥ Magnetic ring adapters (2x)

Product overview



*Interchangeable with adhesive base (3)


Model No.:
AC1A

USB-C Input:
5.0V 3.0A; 9.0V 3.0A; 12.0V 3.0A; 15.0V 3.0A

Wireless Charging Output:
5.0W / 7.5W / 10.0W / 15.0W / 25.0W

Input Port:
USB-C


How to assemble




- ❶ Rotate the nut **counterclockwise** to detach it from the magnetic mount.
- ❷ Insert the ball head through the nut socket.
- ❸ Turn it **clockwise** to secure the base ball.

How to assemble the


Air-vent clamp




How to assemble




- 1 Insert the clamp hook into the vehicle air vent, aligning the clamp arms with the vent louvers.



- 2 Rotate the clamp knob **clockwise** to lock onto the vent louvers.




3 Attach the phone to the mount.




4 **Counter-rotate** the clamp knob to disengage the clamp hook, then lift vertically to remove the mount.

How to assemble the


Adhesive base



How to assemble




- ❶ Peel off the protective film of the adhesive base.
- ❷ Attach the base on the clean and flat surface.




- ❸ Let the adhesive cure for 24 hours.
- ❹ Attach the phone to the mount.

Install CHARGE



- 1 Ensure the mount is connected to the power source before wireless charging.



- 2 For optimal charging speed, it is recommended to use the included **12V adapter**.

Charging anomaly prevention

✗ No metal plates



✗ No finger ring buckle



✗ No cards/card holders



✗ No phone cases thicker than 2.5mm



FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- ① This device may not cause harmful interference.
- ② This device must accept any interference received, including interference that may cause undesired operation.

RF exposure statement:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF exposure statement:

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance between 20cm the radiator your.

NL

Lees dit vóór gebruik

- 1 Compatibel met:
 - iPhone 12 en nieuwer met MagSafe
 - Google Pixel 10 en nieuwer met Pixelsnap
 - Qi-compatibele telefoons met de meegeleverde magnetische adapterring
- 2 Zorg dat de oplader op een stroombron is aangesloten voordat je je telefoon oplaadt.
- 3 Gebruik voor de hoogste laadsnelheid de meegeleverde 12V-adapter.
- 4 Bewaar het product niet bij hoge temperaturen of in direct zonlicht.
- 5 Reinig het product niet met agressieve chemicaliën of schoonmaakmiddelen.
- 6 Plaats geen metalen voorwerpen in het oplaadvlak.
- 7 De positie van de laadspoel verschilt per telefoonmodel. Controleer de positie voordat je de ring bevestigt. De lijm is eenmalig te gebruiken en een verkeerde uitlijning kan het opladen vertragen of onmogelijk maken.

- 8 Als je een van de meegeleverde magnetische adapterringen bevestigt, zorg dan dat deze stevig vastzit: druk hem stevig op een schoon en droog oppervlak en laat de lijm uitharden voor gebruik.
- 9 De magnetische houdkracht is afhankelijk van de uitlijning, trillingen van het voertuig en de temperatuur. Plaats je telefoon voor elke rit op de houder en trek er voorzichtig aan. Verschuift hij of laat hij los, verplaats hem dan tot hij stevig vastzit.
- 10 Verwijder hoesjes zonder MagSafe voor beter draadloos opladen.

Je telefoon heeft een magneetring nodig

Telefoons met MagSafe (iPhone 12 en nieuwer), Qi2 of Pixelsnap klikken direct op de houder vast.

Heeft je telefoon geen ingebouwde magneten, of gebruik je een hoesje zonder? Dan heeft de houder niets om zich aan vast te houden. Bovendien werkt draadloos opladen alleen als de houder precies over je laadspoel zit, en die zit bij elk model ergens anders. De lijm van de ring is eenmalig, dus op het oog plakken is de meest voorkomende oorzaak van traag of mislukt opladen.

Bekijk de tutorial

Scan de QR-code en vind je laadspoel binnen een minuut.




Accessoirelijst



- ① Draagbare oplader
- ② Klem voor ventilatierooster
- ③ Plakvoet
- ④ USB-C-naar-USB-C-kabel
- ⑤ Autolader
- ⑥ Magnetische adapterringen (x2)

Productoverzicht



*Uitwisselbaar met de plakvoet (3)


Model Nor:
AC1A

USB-C Ingang:
5.0V 3.0A; 9.0V 3.0A; 12.0V 3.0A; 15.0V 3.0A

Draadloos laadvermogen:
5.0W / 7.5W / 10.0W / 15.0W / 25.0W

Ingang:
USB-C


Montage




- 1 Draai de moer **linksom** los van de magnetische houder.
- 2 Steek de kogelkop door de opening van de moer.
- 3 Draai de moer **rechtsom** vast om de kogelkop te vergrendelen.

Hoe te monteren


Ventilatie-rooster klem




Montage




- 1 Steek de klemhaak in het ventilatierooster van de auto en breng de klemarmen op één lijn met de lamellen.



- 2 Draai de klemknop **rechtsom** om de klem op de lamellen te vergrendelen.




3 Plaats de telefoon op de houder.




4 Draai de klemknop **tegen de klok in** om de klemhaak los te maken, til vervolgens de houder recht omhoog uit het rooster.

Het monteren van de


Plakvoet



Montage




- ❶ Trek de beschermfolie van de plakvoet.
- ❷ Bevestig de voet op een schoon en vlak oppervlak.




- ❸ Laat de voet 24 uur onaangeroerd uitharden.
- ❹ Plaats de telefoon op de houder.

CHARGE installeren



- 1 Zorg dat de houder op een stroombron is aangesloten voordat je draadloos oplaadt.



- 2 Gebruik voor de hoogste laadsnelheid de meegeleverde **12V-adapter**.

Voorkom laadproblemen

✗ Geen metalen plaatjes



✗ Geen vingerringhouder



✗ Geen pasjes of pasjeshouders



✗ Geen telefoonhoesjes dikker dan 2,5 mm



DE

Vor dem Gebrauch lesen

- 1 Kompatibel mit:
 - iPhone 12 und neuer mit MagSafe
 - Google Pixel 10 und neuer mit Pixelsnap
 - Qi-kompatible Telefone mit dem mitgelieferten magnetischen Adapterring
- 2 Stellen Sie sicher, dass das Ladegerät mit dem Stromnetz verbunden ist, bevor Sie Ihr Telefon laden.
- 4 Für die höchste Ladegeschwindigkeit empfehlen wir den mitgelieferten 12-V-Adapter.
- 5 Lagern Sie das Produkt nicht bei hohen Temperaturen oder direkter Sonneneinstrahlung.
- 6 Vermeiden Sie aggressive Chemikalien oder Reinigungsmittel zur Reinigung.
- 7 Legen Sie keine Metallgegenstände in den Ladebereich.