







Band5-4233-2-30~1000MHz-PASS



Band5-4233-4-30~1000MHz-PASS



Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-1000~10000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS



6: Frequency Stability

Test Result

Voltage(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-16.79	-0.020317	±2.5	PASS
Band5	4132	VL	NT	-17.22	-0.020837	±2.5	PASS
Band5	4132	VH	NT	-13.36	-0.016167	±2.5	PASS
Band5	4182	VN	NT	-9.00	-0.010760	±2.5	PASS
Band5	4182	VL	NT	-11.57	-0.013833	±2.5	PASS
Band5	4182	VH	NT	-10.52	-0.012578	±2.5	PASS
Band5	4233	VN	NT	-4.62	-0.005457	±2.5	PASS
Band5	4233	VL	NT	-8.86	-0.010465	±2.5	PASS
Band5	4233	VH	NT	-9.19	-0.010855	±2.5	PASS

Temperature(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-10.09	-0.012210	±2.5	PASS
Band5	4132	NV	-20	-15.41	-0.018647	±2.5	PASS
Band5	4132	NV	-10	-8.93	-0.010806	±2.5	PASS
Band5	4132	NV	0	-12.13	-0.014678	±2.5	PASS
Band5	4132	NV	10	-11.90	-0.014400	±2.5	PASS
Band5	4132	NV	20	-12.42	-0.015029	±2.5	PASS
Band5	4132	NV	30	-9.73	-0.011774	±2.5	PASS
Band5	4132	NV	40	-12.00	-0.014521	±2.5	PASS
Band5	4132	NV	50	-10.70	-0.012948	±2.5	PASS
Band5	4182	NV	-30	-14.08	-0.016834	±2.5	PASS
Band5	4182	NV	-20	-14.24	-0.017025	±2.5	PASS
Band5	4182	NV	-10	-11.76	-0.014060	±2.5	PASS
Band5	4182	NV	0	-16.09	-0.019237	±2.5	PASS
Band5	4182	NV	10	-14.38	-0.017193	±2.5	PASS
Band5	4182	NV	20	-9.75	-0.011657	±2.5	PASS
Band5	4182	NV	30	-5.60	-0.006695	±2.5	PASS
Band5	4182	NV	40	-11.30	-0.013510	±2.5	PASS
Band5	4182	NV	50	-7.72	-0.009230	±2.5	PASS
Band5	4233	NV	-30	-9.76	-0.011528	±2.5	PASS
Band5	4233	NV	-20	-4.66	-0.005504	±2.5	PASS
Band5	4233	NV	-10	-9.11	-0.010761	±2.5	PASS
Band5	4233	NV	0	-10.11	-0.011942	±2.5	PASS
Band5	4233	NV	10	-7.54	-0.008906	±2.5	PASS
Band5	4233	NV	20	-8.63	-0.010194	±2.5	PASS
Band5	4233	NV	30	-11.15	-0.013170	±2.5	PASS
Band5	4233	NV	40	-7.83	-0.009249	±2.5	PASS
Band5	4233	NV	50	-8.11	-0.009579	±2.5	PASS

Voltage(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-13.80	-0.016699	±2.5	PASS
Band5	4132	1	VL	NT	-14.09	-0.017050	±2.5	PASS
Band5	4132	1	VH	NT	-10.58	-0.012803	±2.5	PASS
Band5	4132	2	VN	NT	-14.27	-0.017268	±2.5	PASS
Band5	4132	2	VL	NT	-15.79	-0.019107	±2.5	PASS
Band5	4132	2	VH	NT	-10.62	-0.012851	±2.5	PASS
Band5	4132	3	VN	NT	-7.92	-0.009584	±2.5	PASS
Band5	4132	3	VL	NT	-8.11	-0.009814	±2.5	PASS
Band5	4132	3	VH	NT	-9.48	-0.011471	±2.5	PASS
Band5	4132	4	VN	NT	-12.18	-0.014739	±2.5	PASS
Band5	4132	4	VL	NT	-7.13	-0.008628	±2.5	PASS
Band5	4132	4	VH	NT	-11.54	-0.013964	±2.5	PASS
Band5	4182	1	VN	NT	-11.50	-0.013749	±2.5	PASS
Band5	4182	1	VL	NT	-8.12	-0.009708	±2.5	PASS
Band5	4182	1	VH	NT	-13.48	-0.016117	±2.5	PASS
Band5	4182	2	VN	NT	-11.90	-0.014228	±2.5	PASS
Band5	4182	2	VL	NT	-14.59	-0.017444	±2.5	PASS
Band5	4182	2	VH	NT	-10.20	-0.012195	±2.5	PASS
Band5	4182	3	VN	NT	-6.38	-0.007628	±2.5	PASS
Band5	4182	3	VL	NT	-7.97	-0.009529	±2.5	PASS
Band5	4182	3	VH	NT	-8.31	-0.009935	±2.5	PASS
Band5	4182	4	VN	NT	-11.95	-0.014287	±2.5	PASS
Band5	4182	4	VL	NT	-5.50	-0.006576	±2.5	PASS
Band5	4182	4	VH	NT	-6.81	-0.008142	±2.5	PASS
Band5	4233	1	VN	NT	-10.92	-0.012899	±2.5	PASS
Band5	4233	1	VL	NT	-6.99	-0.008257	±2.5	PASS
Band5	4233	1	VH	NT	-9.42	-0.011127	±2.5	PASS
Band5	4233	2	VN	NT	-12.62	-0.014907	±2.5	PASS
Band5	4233	2	VL	NT	-11.83	-0.013974	±2.5	PASS
Band5	4233	2	VH	NT	-7.31	-0.008635	±2.5	PASS
Band5	4233	3	VN	NT	-9.16	-0.010820	±2.5	PASS
Band5	4233	3	VL	NT	-7.24	-0.008552	±2.5	PASS
Band5	4233	3	VH	NT	-9.98	-0.011788	±2.5	PASS
Band5	4233	4	VN	NT	-9.07	-0.010713	±2.5	PASS
Band5	4233	4	VL	NT	-6.82	-0.008056	±2.5	PASS
Band5	4233	4	VH	NT	-13.15	-0.015533	±2.5	PASS

Temperature(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-11.63	-0.014073	±2.5	PASS
Band5	4132	1	NV	-20	-8.11	-0.009814	±2.5	PASS
Band5	4132	1	NV	-10	-11.31	-0.013686	±2.5	PASS
Band5	4132	1	NV	0	-9.34	-0.011302	±2.5	PASS
Band5	4132	1	NV	10	-11.46	-0.013867	±2.5	PASS
Band5	4132	1	NV	20	-9.36	-0.011326	±2.5	PASS
Band5	4132	1	NV	30	-9.78	-0.011834	±2.5	PASS
Band5	4132	1	NV	40	-14.30	-0.017304	±2.5	PASS
Band5	4132	1	NV	50	-6.75	-0.008168	±2.5	PASS
Band5	4132	2	NV	-30	-13.75	-0.016638	±2.5	PASS
Band5	4132	2	NV	-20	-8.81	-0.010661	±2.5	PASS
Band5	4132	2	NV	-10	-13.57	-0.016421	±2.5	PASS
Band5	4132	2	NV	0	-9.66	-0.011689	±2.5	PASS
Band5	4132	2	NV	10	-10.28	-0.012439	±2.5	PASS
Band5	4132	2	NV	20	-12.89	-0.015598	±2.5	PASS
Band5	4132	2	NV	30	-8.78	-0.010624	±2.5	PASS
Band5	4132	2	NV	40	-6.89	-0.008337	±2.5	PASS
Band5	4132	2	NV	50	-11.39	-0.013783	±2.5	PASS
Band5	4132	3	NV	-30	-8.00	-0.009681	±2.5	PASS
Band5	4132	3	NV	-20	-5.80	-0.007018	±2.5	PASS
Band5	4132	3	NV	-10	-14.90	-0.018030	±2.5	PASS
Band5	4132	3	NV	0	-10.90	-0.013190	±2.5	PASS
Band5	4132	3	NV	10	-8.38	-0.010140	±2.5	PASS
Band5	4132	3	NV	20	-7.33	-0.008870	±2.5	PASS
Band5	4132	3	NV	30	-8.20	-0.009923	±2.5	PASS
Band5	4132	3	NV	40	-6.57	-0.007950	±2.5	PASS
Band5	4132	3	NV	50	-6.04	-0.007309	±2.5	PASS
Band5	4132	4	NV	-30	-8.77	-0.010612	±2.5	PASS
Band5	4132	4	NV	-20	-8.26	-0.009995	±2.5	PASS
Band5	4132	4	NV	-10	-9.76	-0.011810	±2.5	PASS
Band5	4132	4	NV	0	-12.23	-0.014799	±2.5	PASS
Band5	4132	4	NV	10	-14.50	-0.017546	±2.5	PASS
Band5	4132	4	NV	20	-6.70	-0.008107	±2.5	PASS
Band5	4132	4	NV	30	-5.41	-0.006546	±2.5	PASS
Band5	4132	4	NV	40	-6.21	-0.007515	±2.5	PASS
Band5	4132	4	NV	50	-4.53	-0.005482	±2.5	PASS
Band5	4182	1	NV	-30	-12.65	-0.015124	±2.5	PASS
Band5	4182	1	NV	-20	-12.45	-0.014885	±2.5	PASS
Band5	4182	1	NV	-10	-10.18	-0.012171	±2.5	PASS
Band5	4182	1	NV	0	-13.24	-0.015830	±2.5	PASS
Band5	4182	1	NV	10	-11.87	-0.014192	±2.5	PASS

Band5	4182	1	NV	20	-10.06	-0.012028	±2.5	PASS
Band5	4182	1	NV	30	-12.89	-0.015411	±2.5	PASS
Band5	4182	1	NV	40	-9.95	-0.011896	±2.5	PASS
Band5	4182	1	NV	50	-12.55	-0.015005	±2.5	PASS
Band5	4182	2	NV	-30	-12.57	-0.015029	±2.5	PASS
Band5	4182	2	NV	-20	-8.58	-0.010258	±2.5	PASS
Band5	4182	2	NV	-10	-6.82	-0.008154	±2.5	PASS
Band5	4182	2	NV	0	-6.14	-0.007341	±2.5	PASS
Band5	4182	2	NV	10	-7.83	-0.009362	±2.5	PASS
Band5	4182	2	NV	20	-12.06	-0.014419	±2.5	PASS
Band5	4182	2	NV	30	-12.10	-0.014467	±2.5	PASS
Band5	4182	2	NV	40	-9.52	-0.011382	±2.5	PASS
Band5	4182	2	NV	50	-14.02	-0.016762	±2.5	PASS
Band5	4182	3	NV	-30	-9.58	-0.011454	±2.5	PASS
Band5	4182	3	NV	-20	-12.28	-0.014682	±2.5	PASS
Band5	4182	3	NV	-10	-6.07	-0.007257	±2.5	PASS
Band5	4182	3	NV	0	-12.07	-0.014431	±2.5	PASS
Band5	4182	3	NV	10	-11.72	-0.014012	±2.5	PASS
Band5	4182	3	NV	20	-11.96	-0.014299	±2.5	PASS
Band5	4182	3	NV	30	-12.99	-0.015531	±2.5	PASS
Band5	4182	3	NV	40	-9.11	-0.010892	±2.5	PASS
Band5	4182	3	NV	50	-12.89	-0.015411	±2.5	PASS
Band5	4182	4	NV	-30	-9.99	-0.011944	±2.5	PASS
Band5	4182	4	NV	-20	-8.03	-0.009601	±2.5	PASS
Band5	4182	4	NV	-10	-11.64	-0.013917	±2.5	PASS
Band5	4182	4	NV	0	-9.15	-0.010940	±2.5	PASS
Band5	4182	4	NV	10	-8.06	-0.009637	±2.5	PASS
Band5	4182	4	NV	20	-9.41	-0.011251	±2.5	PASS
Band5	4182	4	NV	30	-5.50	-0.006576	±2.5	PASS
Band5	4182	4	NV	40	-10.47	-0.012518	±2.5	PASS
Band5	4182	4	NV	50	-12.99	-0.015531	±2.5	PASS
Band5	4233	1	NV	-30	-6.65	-0.007855	±2.5	PASS
Band5	4233	1	NV	-20	-10.25	-0.012107	±2.5	PASS
Band5	4233	1	NV	-10	-12.54	-0.014812	±2.5	PASS
Band5	4233	1	NV	0	-12.72	-0.015025	±2.5	PASS
Band5	4233	1	NV	10	-8.10	-0.009568	±2.5	PASS
Band5	4233	1	NV	20	-6.17	-0.007288	±2.5	PASS
Band5	4233	1	NV	30	-12.81	-0.015131	±2.5	PASS
Band5	4233	1	NV	40	-9.79	-0.011564	±2.5	PASS
Band5	4233	1	NV	50	-12.36	-0.014600	±2.5	PASS
Band5	4233	2	NV	-30	-10.64	-0.012568	±2.5	PASS
Band5	4233	2	NV	-20	-11.50	-0.013584	±2.5	PASS
Band5	4233	2	NV	-10	-9.59	-0.011328	±2.5	PASS
Band5	4233	2	NV	0	-8.47	-0.010005	±2.5	PASS

Band5	4233	2	NV	10	-13.34	-0.015757	±2.5	PASS
Band5	4233	2	NV	20	-6.40	-0.007560	±2.5	PASS
Band5	4233	2	NV	30	-13.92	-0.016442	±2.5	PASS
Band5	4233	2	NV	40	-11.71	-0.013832	±2.5	PASS
Band5	4233	2	NV	50	-7.42	-0.008764	±2.5	PASS
Band5	4233	3	NV	-30	-8.77	-0.010359	±2.5	PASS
Band5	4233	3	NV	-20	-12.07	-0.014257	±2.5	PASS
Band5	4233	3	NV	-10	-10.34	-0.012214	±2.5	PASS
Band5	4233	3	NV	0	-10.92	-0.012899	±2.5	PASS
Band5	4233	3	NV	10	-7.11	-0.008398	±2.5	PASS
Band5	4233	3	NV	20	-12.28	-0.014505	±2.5	PASS
Band5	4233	3	NV	30	-12.78	-0.015096	±2.5	PASS
Band5	4233	3	NV	40	-10.47	-0.012367	±2.5	PASS
Band5	4233	3	NV	50	-5.01	-0.005918	±2.5	PASS
Band5	4233	4	NV	-30	-8.22	-0.009709	±2.5	PASS
Band5	4233	4	NV	-20	-6.62	-0.007820	±2.5	PASS
Band5	4233	4	NV	-10	-8.00	-0.009450	±2.5	PASS
Band5	4233	4	NV	0	-8.94	-0.010560	±2.5	PASS
Band5	4233	4	NV	10	-14.19	-0.016761	±2.5	PASS
Band5	4233	4	NV	20	-9.93	-0.011729	±2.5	PASS
Band5	4233	4	NV	30	-10.20	-0.012048	±2.5	PASS
Band5	4233	4	NV	40	-12.52	-0.014789	±2.5	PASS
Band5	4233	4	NV	50	-10.27	-0.012131	±2.5	PASS

Voltage(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-12.68	-0.015344	±2.5	PASS
Band5	4132	1	VL	NT	-10.65	-0.012887	±2.5	PASS
Band5	4132	1	VH	NT	-14.20	-0.017183	±2.5	PASS
Band5	4132	2	VN	NT	-17.75	-0.021479	±2.5	PASS
Band5	4132	2	VL	NT	-14.65	-0.017727	±2.5	PASS
Band5	4132	2	VH	NT	-15.34	-0.018562	±2.5	PASS
Band5	4132	3	VN	NT	-13.08	-0.015828	±2.5	PASS
Band5	4132	3	VL	NT	-18.06	-0.021854	±2.5	PASS
Band5	4132	3	VH	NT	-12.68	-0.015344	±2.5	PASS
Band5	4132	4	VN	NT	-11.56	-0.013988	±2.5	PASS
Band5	4132	4	VL	NT	-10.68	-0.012924	±2.5	PASS
Band5	4132	4	VH	NT	-13.09	-0.015840	±2.5	PASS
Band5	4132	5	VN	NT	-16.49	-0.019954	±2.5	PASS
Band5	4132	5	VL	NT	-11.58	-0.014013	±2.5	PASS
Band5	4132	5	VH	NT	-8.10	-0.009802	±2.5	PASS
Band5	4182	1	VN	NT	-15.43	-0.018448	±2.5	PASS
Band5	4182	1	VL	NT	-11.60	-0.013869	±2.5	PASS
Band5	4182	1	VH	NT	-15.58	-0.018627	±2.5	PASS
Band5	4182	2	VN	NT	-10.89	-0.013020	±2.5	PASS
Band5	4182	2	VL	NT	-13.90	-0.016619	±2.5	PASS
Band5	4182	2	VH	NT	-15.91	-0.019022	±2.5	PASS
Band5	4182	3	VN	NT	-10.27	-0.012279	±2.5	PASS
Band5	4182	3	VL	NT	-11.35	-0.013570	±2.5	PASS
Band5	4182	3	VH	NT	-14.76	-0.017647	±2.5	PASS
Band5	4182	4	VN	NT	-8.78	-0.010497	±2.5	PASS
Band5	4182	4	VL	NT	-9.20	-0.011000	±2.5	PASS
Band5	4182	4	VH	NT	-13.44	-0.016069	±2.5	PASS
Band5	4182	5	VN	NT	-14.40	-0.017217	±2.5	PASS
Band5	4182	5	VL	NT	-8.67	-0.010366	±2.5	PASS
Band5	4182	5	VH	NT	-14.07	-0.016822	±2.5	PASS
Band5	4233	1	VN	NT	-9.10	-0.010749	±2.5	PASS
Band5	4233	1	VL	NT	-13.50	-0.015946	±2.5	PASS
Band5	4233	1	VH	NT	-11.14	-0.013159	±2.5	PASS
Band5	4233	2	VN	NT	-8.06	-0.009520	±2.5	PASS
Band5	4233	2	VL	NT	-14.55	-0.017186	±2.5	PASS
Band5	4233	2	VH	NT	-13.90	-0.016419	±2.5	PASS
Band5	4233	3	VN	NT	-12.86	-0.015190	±2.5	PASS
Band5	4233	3	VL	NT	-13.98	-0.016513	±2.5	PASS
Band5	4233	3	VH	NT	-9.26	-0.010938	±2.5	PASS
Band5	4233	4	VN	NT	-11.36	-0.013418	±2.5	PASS
Band5	4233	4	VL	NT	-12.70	-0.015001	±2.5	PASS

Band5	4233	4	VH	NT	-15.58	-0.018403	±2.5	PASS
Band5	4233	5	VN	NT	-16.26	-0.019206	±2.5	PASS
Band5	4233	5	VL	NT	-14.24	-0.016820	±2.5	PASS
Band5	4233	5	VH	NT	-13.66	-0.016135	±2.5	PASS

Temperature(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-10.45	-0.012645	±2.5	PASS
Band5	4132	1	NV	-20	-9.26	-0.011205	±2.5	PASS
Band5	4132	1	NV	-10	-6.38	-0.007720	±2.5	PASS
Band5	4132	1	NV	0	-13.96	-0.016893	±2.5	PASS
Band5	4132	1	NV	10	-12.30	-0.014884	±2.5	PASS
Band5	4132	1	NV	20	-13.60	-0.016457	±2.5	PASS
Band5	4132	1	NV	30	-14.25	-0.017243	±2.5	PASS
Band5	4132	1	NV	40	-16.17	-0.019567	±2.5	PASS
Band5	4132	1	NV	50	-14.00	-0.016941	±2.5	PASS
Band5	4132	2	NV	-30	-7.38	-0.008930	±2.5	PASS
Band5	4132	2	NV	-20	-8.87	-0.010733	±2.5	PASS
Band5	4132	2	NV	-10	-15.29	-0.018502	±2.5	PASS
Band5	4132	2	NV	0	-9.67	-0.011701	±2.5	PASS
Band5	4132	2	NV	10	-11.48	-0.013892	±2.5	PASS
Band5	4132	2	NV	20	-10.19	-0.012331	±2.5	PASS
Band5	4132	2	NV	30	-13.92	-0.016844	±2.5	PASS
Band5	4132	2	NV	40	-12.18	-0.014739	±2.5	PASS
Band5	4132	2	NV	50	-6.42	-0.007769	±2.5	PASS
Band5	4132	3	NV	-30	-13.93	-0.016856	±2.5	PASS
Band5	4132	3	NV	-20	-15.07	-0.018236	±2.5	PASS
Band5	4132	3	NV	-10	-15.04	-0.018199	±2.5	PASS
Band5	4132	3	NV	0	-9.50	-0.011496	±2.5	PASS
Band5	4132	3	NV	10	-9.06	-0.010963	±2.5	PASS
Band5	4132	3	NV	20	-13.72	-0.016602	±2.5	PASS
Band5	4132	3	NV	30	-9.27	-0.011217	±2.5	PASS
Band5	4132	3	NV	40	-12.31	-0.014896	±2.5	PASS
Band5	4132	3	NV	50	-11.73	-0.014194	±2.5	PASS
Band5	4132	4	NV	-30	-8.26	-0.009995	±2.5	PASS
Band5	4132	4	NV	-20	-13.99	-0.016929	±2.5	PASS
Band5	4132	4	NV	-10	-5.23	-0.006329	±2.5	PASS
Band5	4132	4	NV	0	-5.54	-0.006704	±2.5	PASS
Band5	4132	4	NV	10	-12.85	-0.015549	±2.5	PASS
Band5	4132	4	NV	20	-9.09	-0.011000	±2.5	PASS
Band5	4132	4	NV	30	-13.81	-0.016711	±2.5	PASS
Band5	4132	4	NV	40	-7.78	-0.009414	±2.5	PASS
Band5	4132	4	NV	50	-8.19	-0.009910	±2.5	PASS
Band5	4132	5	NV	-30	-15.49	-0.018744	±2.5	PASS
Band5	4132	5	NV	-20	-13.13	-0.015888	±2.5	PASS
Band5	4132	5	NV	-10	-11.83	-0.014315	±2.5	PASS
Band5	4132	5	NV	0	-13.49	-0.016324	±2.5	PASS
Band5	4132	5	NV	10	-13.56	-0.016409	±2.5	PASS

Band5	4132	5	NV	20	-8.26	-0.009995	±2.5	PASS
Band5	4132	5	NV	30	-11.34	-0.013722	±2.5	PASS
Band5	4132	5	NV	40	-10.67	-0.012911	±2.5	PASS
Band5	4132	5	NV	50	-11.51	-0.013928	±2.5	PASS
Band5	4182	1	NV	-30	-12.90	-0.015423	±2.5	PASS
Band5	4182	1	NV	-20	-11.23	-0.013427	±2.5	PASS
Band5	4182	1	NV	-10	-8.29	-0.009912	±2.5	PASS
Band5	4182	1	NV	0	-7.33	-0.008764	±2.5	PASS
Band5	4182	1	NV	10	-7.11	-0.008501	±2.5	PASS
Band5	4182	1	NV	20	-10.81	-0.012924	±2.5	PASS
Band5	4182	1	NV	30	-10.52	-0.012578	±2.5	PASS
Band5	4182	1	NV	40	-8.56	-0.010234	±2.5	PASS
Band5	4182	1	NV	50	-8.92	-0.010665	±2.5	PASS
Band5	4182	2	NV	-30	-9.90	-0.011836	±2.5	PASS
Band5	4182	2	NV	-20	-10.95	-0.013092	±2.5	PASS
Band5	4182	2	NV	-10	-14.61	-0.017468	±2.5	PASS
Band5	4182	2	NV	0	-11.92	-0.014252	±2.5	PASS
Band5	4182	2	NV	10	-9.87	-0.011801	±2.5	PASS
Band5	4182	2	NV	20	-11.32	-0.013534	±2.5	PASS
Band5	4182	2	NV	30	-8.30	-0.009923	±2.5	PASS
Band5	4182	2	NV	40	-7.38	-0.008824	±2.5	PASS
Band5	4182	2	NV	50	-8.92	-0.010665	±2.5	PASS
Band5	4182	3	NV	-30	-7.89	-0.009433	±2.5	PASS
Band5	4182	3	NV	-20	-12.88	-0.015399	±2.5	PASS
Band5	4182	3	NV	-10	-9.15	-0.010940	±2.5	PASS
Band5	4182	3	NV	0	-11.33	-0.013546	±2.5	PASS
Band5	4182	3	NV	10	-11.80	-0.014108	±2.5	PASS
Band5	4182	3	NV	20	-12.69	-0.015172	±2.5	PASS
Band5	4182	3	NV	30	-5.62	-0.006719	±2.5	PASS
Band5	4182	3	NV	40	-9.47	-0.011322	±2.5	PASS
Band5	4182	3	NV	50	-11.60	-0.013869	±2.5	PASS
Band5	4182	4	NV	-30	-13.35	-0.015961	±2.5	PASS
Band5	4182	4	NV	-20	-13.27	-0.015866	±2.5	PASS
Band5	4182	4	NV	-10	-10.51	-0.012566	±2.5	PASS
Band5	4182	4	NV	0	-9.58	-0.011454	±2.5	PASS
Band5	4182	4	NV	10	-8.13	-0.009720	±2.5	PASS
Band5	4182	4	NV	20	-11.22	-0.013415	±2.5	PASS
Band5	4182	4	NV	30	-5.31	-0.006349	±2.5	PASS
Band5	4182	4	NV	40	-6.94	-0.008297	±2.5	PASS
Band5	4182	4	NV	50	-9.20	-0.011000	±2.5	PASS
Band5	4182	5	NV	-30	-11.06	-0.013223	±2.5	PASS
Band5	4182	5	NV	-20	-12.90	-0.015423	±2.5	PASS
Band5	4182	5	NV	-10	-13.43	-0.016057	±2.5	PASS
Band5	4182	5	NV	0	-9.05	-0.010820	±2.5	PASS

Band5	4182	5	NV	10	-10.30	-0.012315	±2.5	PASS
Band5	4182	5	NV	20	-7.44	-0.008895	±2.5	PASS
Band5	4182	5	NV	30	-9.76	-0.011669	±2.5	PASS
Band5	4182	5	NV	40	-10.14	-0.012123	±2.5	PASS
Band5	4182	5	NV	50	-8.11	-0.009696	±2.5	PASS
Band5	4233	1	NV	-30	-8.82	-0.010418	±2.5	PASS
Band5	4233	1	NV	-20	-10.50	-0.012403	±2.5	PASS
Band5	4233	1	NV	-10	-11.64	-0.013749	±2.5	PASS
Band5	4233	1	NV	0	-9.07	-0.010713	±2.5	PASS
Band5	4233	1	NV	10	-10.16	-0.012001	±2.5	PASS
Band5	4233	1	NV	20	-11.65	-0.013761	±2.5	PASS
Band5	4233	1	NV	30	-8.43	-0.009957	±2.5	PASS
Band5	4233	1	NV	40	-6.46	-0.007631	±2.5	PASS
Band5	4233	1	NV	50	-11.07	-0.013076	±2.5	PASS
Band5	4233	2	NV	-30	-12.20	-0.014411	±2.5	PASS
Band5	4233	2	NV	-20	-7.10	-0.008386	±2.5	PASS
Band5	4233	2	NV	-10	-9.18	-0.010843	±2.5	PASS
Band5	4233	2	NV	0	-14.35	-0.016950	±2.5	PASS
Band5	4233	2	NV	10	-11.26	-0.013300	±2.5	PASS
Band5	4233	2	NV	20	-7.49	-0.008847	±2.5	PASS
Band5	4233	2	NV	30	-9.94	-0.011741	±2.5	PASS
Band5	4233	2	NV	40	-8.43	-0.009957	±2.5	PASS
Band5	4233	2	NV	50	-6.69	-0.007902	±2.5	PASS
Band5	4233	3	NV	-30	-13.04	-0.015403	±2.5	PASS
Band5	4233	3	NV	-20	-13.64	-0.016112	±2.5	PASS
Band5	4233	3	NV	-10	-5.02	-0.005930	±2.5	PASS
Band5	4233	3	NV	0	-11.10	-0.013111	±2.5	PASS
Band5	4233	3	NV	10	-8.72	-0.010300	±2.5	PASS
Band5	4233	3	NV	20	-10.52	-0.012426	±2.5	PASS
Band5	4233	3	NV	30	-13.20	-0.015592	±2.5	PASS
Band5	4233	3	NV	40	-13.72	-0.016206	±2.5	PASS
Band5	4233	3	NV	50	-12.16	-0.014363	±2.5	PASS
Band5	4233	4	NV	-30	-8.07	-0.009532	±2.5	PASS
Band5	4233	4	NV	-20	-12.61	-0.014895	±2.5	PASS
Band5	4233	4	NV	-10	-7.79	-0.009202	±2.5	PASS
Band5	4233	4	NV	0	-8.46	-0.009993	±2.5	PASS
Band5	4233	4	NV	10	-14.34	-0.016938	±2.5	PASS
Band5	4233	4	NV	20	-4.23	-0.004996	±2.5	PASS
Band5	4233	4	NV	30	-10.95	-0.012934	±2.5	PASS
Band5	4233	4	NV	40	-10.15	-0.011989	±2.5	PASS
Band5	4233	4	NV	50	-6.40	-0.007560	±2.5	PASS
Band5	4233	5	NV	-30	-10.77	-0.012721	±2.5	PASS
Band5	4233	5	NV	-20	-11.35	-0.013407	±2.5	PASS
Band5	4233	5	NV	-10	-8.24	-0.009733	±2.5	PASS

Band5	4233	5	NV	0	-8.57	-0.010123	±2.5	PASS
Band5	4233	5	NV	10	-10.27	-0.012131	±2.5	PASS
Band5	4233	5	NV	20	-11.86	-0.014009	±2.5	PASS
Band5	4233	5	NV	30	-12.84	-0.015167	±2.5	PASS
Band5	4233	5	NV	40	-12.67	-0.014966	±2.5	PASS
Band5	4233	5	NV	50	-9.21	-0.010879	±2.5	PASS

-----END OF THE REPORT-----