


EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a black circular device and a black USB cable. The device is a dome-shaped cap with a central circular opening. The cable is coiled and has a standard USB-A connector. Both items are placed on a blue textured surface next to a black L-shaped ruler with white markings in centimeters and millimeters.
EUT View 2	 A close-up photograph of the black circular device. It shows the central opening and the surrounding structure. The device is placed on a blue textured surface next to a black L-shaped ruler with white markings in centimeters and millimeters.

EUT View 3	 A top-down photograph of a black, circular electronic component. The component has a textured surface and a small lightning bolt symbol in the center. It is placed next to a black ruler with white markings for scale. The ruler shows measurements in millimeters and centimeters.
EUT View 4	 A bottom-up photograph of the same black, circular electronic component. It shows the base of the component, which has a small port or opening. The component is placed next to a black ruler with white markings for scale.

EUT View 5	 A black, dome-shaped electronic component with a hexagonal base is shown from a top-down perspective. It is placed on a blue textured surface. A ruler is positioned below the component, showing measurements in millimeters. The component's base is approximately 10mm wide.
EUT View 6	 A black, dome-shaped electronic component with a hexagonal base is shown from a slightly different top-down perspective. It is placed on a blue textured surface. A ruler is positioned below the component, showing measurements in millimeters. The component's base is approximately 10mm wide.

EUT View 7

