


G 雷达TX天线


Freq (MHz)	Effi (%)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Attenut Hor
5500	23.09	-0.98	-3.13	11.307	11.783	-0.98	-22.17	57.09
5550	22.37	0.38	-1.77	11.508	10.859	0.38	-21.08	57.59
5600	25.63	-0.06	-2.21	13.104	12.529	-0.06	-21.73	57.46
5650	35.77	1.65	-0.5	18.352	17.417	1.65	-22.85	57.42
5700	38.04	1.96	-0.19	19.017	19.027	1.96	-18.65	57.75
5750	39.17	2.83	0.68	19.383	19.785	2.83	-17.05	58.28
5800	30.71	1.22	-0.93	15.329	15.383	1.22	-19.82	58.23
5850	22.49	-0.49	-2.64	11.423	11.067	-0.49	-17.62	58.16
5900	25.24	0.4	-1.75	12.499	12.744	0.4	-16.52	58.63




5600.000MHz




5600.000MHz H




5600.000MHz




5600.000MHz E1




5600.000MHz E2




5750.000MHz




5750.000MHz H





5750.000MHz E1




5750.000MHz E2







5900.000MHz



5900.000MHz H



5900.000MHz E1



5900.000MHz E2

