






Test Graphs




















Frequency Stability-TH/VH

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-5.22	-0.00633	±2.5	PASS	TH/VH
5	1.4	20407	824.7	16QAM	6@0	-1.56	-0.00189	±2.5	PASS	TH/VH
5	1.4	20525	836.5	QPSK	6@0	-9.43	-0.01127	±2.5	PASS	TH/VH
5	1.4	20525	836.5	16QAM	6@0	0.6	0.00072	±2.5	PASS	TH/VH
5	1.4	20643	848.3	QPSK	6@0	-5.71	-0.00673	±2.5	PASS	TH/VH
5	1.4	20643	848.3	16QAM	6@0	-3.48	-0.0041	±2.5	PASS	TH/VH
5	3.0	20415	825.5	QPSK	15@0	0.43	0.00052	±2.5	PASS	TH/VH
5	3.0	20415	825.5	16QAM	15@0	-0.69	-0.00083	±2.5	PASS	TH/VH
5	3.0	20525	836.5	QPSK	15@0	-1.29	-0.00154	±2.5	PASS	TH/VH
5	3.0	20525	836.5	16QAM	15@0	-2.1	-0.00251	±2.5	PASS	TH/VH
5	3.0	20635	847.5	QPSK	15@0	-7.31	-0.00863	±2.5	PASS	TH/VH
5	3.0	20635	847.5	16QAM	15@0	-2.02	-0.00238	±2.5	PASS	TH/VH
5	5.0	20425	826.5	QPSK	25@0	-5.04	-0.00609	±2.5	PASS	TH/VH
5	5.0	20425	826.5	16QAM	25@0	-8.35	-0.01011	±2.5	PASS	TH/VH
5	5.0	20525	836.5	QPSK	25@0	-9.96	-0.0119	±2.5	PASS	TH/VH
5	5.0	20525	836.5	16QAM	25@0	-6.35	-0.00759	±2.5	PASS	TH/VH
5	5.0	20625	846.5	QPSK	25@0	-11.19	-0.01322	±2.5	PASS	TH/VH
5	5.0	20625	846.5	16QAM	25@0	-4.56	-0.00539	±2.5	PASS	TH/VH
5	10.0	20450	829.0	QPSK	50@0	-5.69	-0.00687	±2.5	PASS	TH/VH
5	10.0	20450	829.0	16QAM	50@0	-3.2	-0.00387	±2.5	PASS	TH/VH
5	10.0	20525	836.5	QPSK	50@0	-8.0	-0.00956	±2.5	PASS	TH/VH
5	10.0	20525	836.5	16QAM	50@0	0.32	0.00038	±2.5	PASS	TH/VH
5	10.0	20600	844.0	QPSK	50@0	-2.88	-0.00341	±2.5	PASS	TH/VH
5	10.0	20600	844.0	16QAM	50@0	-8.38	-0.00993	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-2.95	-0.00357	±2.5	PASS	TH/VL
5	1.4	20407	824.7	16QAM	6@0	-2.93	-0.00356	±2.5	PASS	TH/VL
5	1.4	20525	836.5	QPSK	6@0	-0.27	-0.00032	±2.5	PASS	TH/VL
5	1.4	20525	836.5	16QAM	6@0	-7.37	-0.00881	±2.5	PASS	TH/VL
5	1.4	20643	848.3	QPSK	6@0	-4.58	-0.0054	±2.5	PASS	TH/VL
5	1.4	20643	848.3	16QAM	6@0	-8.01	-0.00944	±2.5	PASS	TH/VL
5	3.0	20415	825.5	QPSK	15@0	-7.1	-0.0086	±2.5	PASS	TH/VL
5	3.0	20415	825.5	16QAM	15@0	-5.19	-0.00629	±2.5	PASS	TH/VL
5	3.0	20525	836.5	QPSK	15@0	-5.26	-0.00629	±2.5	PASS	TH/VL
5	3.0	20525	836.5	16QAM	15@0	-8.04	-0.00961	±2.5	PASS	TH/VL
5	3.0	20635	847.5	QPSK	15@0	-5.15	-0.00608	±2.5	PASS	TH/VL
5	3.0	20635	847.5	16QAM	15@0	-5.68	-0.0067	±2.5	PASS	TH/VL
5	5.0	20425	826.5	QPSK	25@0	-6.28	-0.0076	±2.5	PASS	TH/VL
5	5.0	20425	826.5	16QAM	25@0	-4.72	-0.00571	±2.5	PASS	TH/VL
5	5.0	20525	836.5	QPSK	25@0	-4.69	-0.00561	±2.5	PASS	TH/VL
5	5.0	20525	836.5	16QAM	25@0	-5.89	-0.00705	±2.5	PASS	TH/VL
5	5.0	20625	846.5	QPSK	25@0	-5.69	-0.00673	±2.5	PASS	TH/VL
5	5.0	20625	846.5	16QAM	25@0	-11.64	-0.01376	±2.5	PASS	TH/VL
5	10.0	20450	829.0	QPSK	50@0	-9.18	-0.01108	±2.5	PASS	TH/VL
5	10.0	20450	829.0	16QAM	50@0	-6.52	-0.00787	±2.5	PASS	TH/VL
5	10.0	20525	836.5	QPSK	50@0	-0.57	-0.00068	±2.5	PASS	TH/VL
5	10.0	20525	836.5	16QAM	50@0	-7.12	-0.00852	±2.5	PASS	TH/VL
5	10.0	20600	844.0	QPSK	50@0	-2.59	-0.00307	±2.5	PASS	TH/VL
5	10.0	20600	844.0	16QAM	50@0	-8.75	-0.01037	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-6.42	-0.00779	±2.5	PASS	TH/VN
5	1.4	20407	824.7	16QAM	6@0	-2.99	-0.00363	±2.5	PASS	TH/VN
5	1.4	20525	836.5	QPSK	6@0	-8.75	-0.01047	±2.5	PASS	TH/VN
5	1.4	20525	836.5	16QAM	6@0	-5.26	-0.00629	±2.5	PASS	TH/VN
5	1.4	20643	848.3	QPSK	6@0	-9.77	-0.01152	±2.5	PASS	TH/VN
5	1.4	20643	848.3	16QAM	6@0	-2.15	-0.00253	±2.5	PASS	TH/VN
5	3.0	20415	825.5	QPSK	15@0	-7.45	-0.00903	±2.5	PASS	TH/VN
5	3.0	20415	825.5	16QAM	15@0	-10.16	-0.0123	±2.5	PASS	TH/VN
5	3.0	20525	836.5	QPSK	15@0	-7.4	-0.00884	±2.5	PASS	TH/VN
5	3.0	20525	836.5	16QAM	15@0	-9.63	-0.01151	±2.5	PASS	TH/VN
5	3.0	20635	847.5	QPSK	15@0	-6.72	-0.00793	±2.5	PASS	TH/VN
5	3.0	20635	847.5	16QAM	15@0	-7.27	-0.00857	±2.5	PASS	TH/VN
5	5.0	20425	826.5	QPSK	25@0	-3.75	-0.00453	±2.5	PASS	TH/VN
5	5.0	20425	826.5	16QAM	25@0	-11.16	-0.0135	±2.5	PASS	TH/VN
5	5.0	20525	836.5	QPSK	25@0	-0.57	-0.00068	±2.5	PASS	TH/VN
5	5.0	20525	836.5	16QAM	25@0	-2.5	-0.00299	±2.5	PASS	TH/VN
5	5.0	20625	846.5	QPSK	25@0	-9.34	-0.01104	±2.5	PASS	TH/VN
5	5.0	20625	846.5	16QAM	25@0	-4.16	-0.00492	±2.5	PASS	TH/VN
5	10.0	20450	829.0	QPSK	50@0	-3.68	-0.00443	±2.5	PASS	TH/VN
5	10.0	20450	829.0	16QAM	50@0	-12.63	-0.01524	±2.5	PASS	TH/VN
5	10.0	20525	836.5	QPSK	50@0	0.4	0.00048	±2.5	PASS	TH/VN
5	10.0	20525	836.5	16QAM	50@0	-5.41	-0.00646	±2.5	PASS	TH/VN
5	10.0	20600	844.0	QPSK	50@0	-1.97	-0.00234	±2.5	PASS	TH/VN
5	10.0	20600	844.0	16QAM	50@0	-5.26	-0.00624	±2.5	PASS	TH/VN

Frequency Stability-TL/VH

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-11.94	-0.01448	±2.5	PASS	TL/VH
5	1.4	20407	824.7	16QAM	6@0	-6.48	-0.00786	±2.5	PASS	TL/VH
5	1.4	20525	836.5	QPSK	6@0	-2.56	-0.00306	±2.5	PASS	TL/VH
5	1.4	20525	836.5	16QAM	6@0	-3.13	-0.00375	±2.5	PASS	TL/VH
5	1.4	20643	848.3	QPSK	6@0	-7.68	-0.00906	±2.5	PASS	TL/VH
5	1.4	20643	848.3	16QAM	6@0	-7.93	-0.00934	±2.5	PASS	TL/VH
5	3.0	20415	825.5	QPSK	15@0	-2.43	-0.00295	±2.5	PASS	TL/VH
5	3.0	20415	825.5	16QAM	15@0	-5.22	-0.00633	±2.5	PASS	TL/VH
5	3.0	20525	836.5	QPSK	15@0	-8.34	-0.00997	±2.5	PASS	TL/VH
5	3.0	20525	836.5	16QAM	15@0	-9.2	-0.011	±2.5	PASS	TL/VH
5	3.0	20635	847.5	QPSK	15@0	-8.23	-0.00971	±2.5	PASS	TL/VH
5	3.0	20635	847.5	16QAM	15@0	-7.5	-0.00884	±2.5	PASS	TL/VH
5	5.0	20425	826.5	QPSK	25@0	-3.99	-0.00483	±2.5	PASS	TL/VH
5	5.0	20425	826.5	16QAM	25@0	-8.13	-0.00983	±2.5	PASS	TL/VH
5	5.0	20525	836.5	QPSK	25@0	-0.99	-0.00118	±2.5	PASS	TL/VH
5	5.0	20525	836.5	16QAM	25@0	-4.79	-0.00573	±2.5	PASS	TL/VH
5	5.0	20625	846.5	QPSK	25@0	-0.62	-0.00073	±2.5	PASS	TL/VH
5	5.0	20625	846.5	16QAM	25@0	-5.05	-0.00597	±2.5	PASS	TL/VH
5	10.0	20450	829.0	QPSK	50@0	-6.37	-0.00768	±2.5	PASS	TL/VH
5	10.0	20450	829.0	16QAM	50@0	-2.39	-0.00288	±2.5	PASS	TL/VH
5	10.0	20525	836.5	QPSK	50@0	-3.08	-0.00368	±2.5	PASS	TL/VH
5	10.0	20525	836.5	16QAM	50@0	0.64	0.00077	±2.5	PASS	TL/VH
5	10.0	20600	844.0	QPSK	50@0	-2.36	-0.0028	±2.5	PASS	TL/VH
5	10.0	20600	844.0	16QAM	50@0	-10.33	-0.01224	±2.5	PASS	TL/VH

Frequency Stability TL/VL

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	10.0	20450	829.0	QPSK	50@0	-6.79	-0.0082	±2.5	PASS	TL/VL
5	10.0	20450	829.0	16QAM	50@0	-6.55	-0.0079	±2.5	PASS	TL/VL
5	10.0	20525	836.5	QPSK	50@0	-5.58	-0.00667	±2.5	PASS	TL/VL
5	10.0	20525	836.5	16QAM	50@0	-3.99	-0.00477	±2.5	PASS	TL/VL
5	10.0	20600	844.0	QPSK	50@0	-3.12	-0.00369	±2.5	PASS	TL/VL
5	10.0	20600	844.0	16QAM	50@0	-3.81	-0.00451	±2.5	PASS	TL/VL

Frequency Stability-TL/VN

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-5.61	-0.0068	±2.5	PASS	TL/VN
5	1.4	20407	824.7	16QAM	6@0	-5.11	-0.00619	±2.5	PASS	TL/VN
5	1.4	20525	836.5	QPSK	6@0	-3.0	-0.00359	±2.5	PASS	TL/VN
5	1.4	20525	836.5	16QAM	6@0	-7.91	-0.00946	±2.5	PASS	TL/VN
5	1.4	20643	848.3	QPSK	6@0	-5.64	-0.00664	±2.5	PASS	TL/VN
5	1.4	20643	848.3	16QAM	6@0	-6.51	-0.00767	±2.5	PASS	TL/VN
5	3.0	20415	825.5	QPSK	15@0	-1.85	-0.00224	±2.5	PASS	TL/VN
5	3.0	20415	825.5	16QAM	15@0	-0.59	-0.00071	±2.5	PASS	TL/VN
5	3.0	20525	836.5	QPSK	15@0	-19.45	-0.02326	±2.5	PASS	TL/VN
5	3.0	20525	836.5	16QAM	15@0	-16.08	-0.01922	±2.5	PASS	TL/VN
5	3.0	20635	847.5	QPSK	15@0	-13.0	-0.01534	±2.5	PASS	TL/VN
5	3.0	20635	847.5	16QAM	15@0	-3.71	-0.00437	±2.5	PASS	TL/VN
5	5.0	20425	826.5	QPSK	25@0	-9.3	-0.01125	±2.5	PASS	TL/VN
5	5.0	20425	826.5	16QAM	25@0	-7.72	-0.00935	±2.5	PASS	TL/VN
5	5.0	20525	836.5	QPSK	25@0	-8.51	-0.01018	±2.5	PASS	TL/VN
5	5.0	20525	836.5	16QAM	25@0	-8.57	-0.01024	±2.5	PASS	TL/VN
5	5.0	20625	846.5	QPSK	25@0	-6.68	-0.00789	±2.5	PASS	TL/VN
5	5.0	20625	846.5	16QAM	25@0	-3.46	-0.00409	±2.5	PASS	TL/VN
5	10.0	20450	829.0	QPSK	50@0	-8.45	-0.0102	±2.5	PASS	TL/VN
5	10.0	20450	829.0	16QAM	50@0	-6.42	-0.00775	±2.5	PASS	TL/VN
5	10.0	20525	836.5	QPSK	50@0	-3.46	-0.00414	±2.5	PASS	TL/VN
5	10.0	20525	836.5	16QAM	50@0	-5.89	-0.00705	±2.5	PASS	TL/VN
5	10.0	20600	844.0	QPSK	50@0	-4.39	-0.0052	±2.5	PASS	TL/VN
5	10.0	20600	844.0	16QAM	50@0	-3.0	-0.00356	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-5.36	-0.0065	±2.5	PASS	TN/VH
5	1.4	20407	824.7	16QAM	6@0	-4.15	-0.00503	±2.5	PASS	TN/VH
5	1.4	20525	836.5	QPSK	6@0	-6.25	-0.00747	±2.5	PASS	TN/VH
5	1.4	20525	836.5	16QAM	6@0	-1.66	-0.00198	±2.5	PASS	TN/VH
5	1.4	20643	848.3	QPSK	6@0	-4.62	-0.00545	±2.5	PASS	TN/VH
5	1.4	20643	848.3	16QAM	6@0	-1.42	-0.00167	±2.5	PASS	TN/VH
5	3.0	20415	825.5	QPSK	15@0	-6.42	-0.00778	±2.5	PASS	TN/VH
5	3.0	20415	825.5	16QAM	15@0	-8.44	-0.01022	±2.5	PASS	TN/VH
5	3.0	20525	836.5	QPSK	15@0	-0.84	-0.00101	±2.5	PASS	TN/VH
5	3.0	20525	836.5	16QAM	15@0	-3.2	-0.00383	±2.5	PASS	TN/VH
5	3.0	20635	847.5	QPSK	15@0	-8.84	-0.01043	±2.5	PASS	TN/VH
5	3.0	20635	847.5	16QAM	15@0	3.18	0.00375	±2.5	PASS	TN/VH
5	5.0	20425	826.5	QPSK	25@0	-2.65	-0.0032	±2.5	PASS	TN/VH
5	5.0	20425	826.5	16QAM	25@0	-6.14	-0.00743	±2.5	PASS	TN/VH
5	5.0	20525	836.5	QPSK	25@0	-8.54	-0.01021	±2.5	PASS	TN/VH
5	5.0	20525	836.5	16QAM	25@0	-6.84	-0.00817	±2.5	PASS	TN/VH
5	5.0	20625	846.5	QPSK	25@0	-8.17	-0.00965	±2.5	PASS	TN/VH
5	5.0	20625	846.5	16QAM	25@0	-3.03	-0.00358	±2.5	PASS	TN/VH
5	10.0	20450	829.0	QPSK	50@0	-1.04	-0.00126	±2.5	PASS	TN/VH
5	10.0	20450	829.0	16QAM	50@0	-7.91	-0.00954	±2.5	PASS	TN/VH
5	10.0	20525	836.5	QPSK	50@0	-8.87	-0.0106	±2.5	PASS	TN/VH
5	10.0	20525	836.5	16QAM	50@0	0.53	0.00063	±2.5	PASS	TN/VH
5	10.0	20600	844.0	QPSK	50@0	-7.7	-0.00912	±2.5	PASS	TN/VH
5	10.0	20600	844.0	16QAM	50@0	-6.05	-0.00717	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	-4.55	-0.00552	±2.5	PASS	TN/VL
5	1.4	20407	824.7	16QAM	6@0	-4.59	-0.00557	±2.5	PASS	TN/VL
5	1.4	20525	836.5	QPSK	6@0	-7.44	-0.00889	±2.5	PASS	TN/VL
5	1.4	20525	836.5	16QAM	6@0	-6.91	-0.00826	±2.5	PASS	TN/VL
5	1.4	20643	848.3	QPSK	6@0	-8.4	-0.0099	±2.5	PASS	TN/VL
5	1.4	20643	848.3	16QAM	6@0	-7.32	-0.00863	±2.5	PASS	TN/VL
5	3.0	20415	825.5	QPSK	15@0	-0.63	-0.00076	±2.5	PASS	TN/VL
5	3.0	20415	825.5	16QAM	15@0	-10.86	-0.01315	±2.5	PASS	TN/VL
5	3.0	20525	836.5	QPSK	15@0	-1.85	-0.00221	±2.5	PASS	TN/VL
5	3.0	20525	836.5	16QAM	15@0	-7.85	-0.00939	±2.5	PASS	TN/VL
5	3.0	20635	847.5	QPSK	15@0	-7.44	-0.00878	±2.5	PASS	TN/VL
5	3.0	20635	847.5	16QAM	15@0	-3.99	-0.00471	±2.5	PASS	TN/VL
5	5.0	20425	826.5	QPSK	25@0	-9.23	-0.01116	±2.5	PASS	TN/VL
5	5.0	20425	826.5	16QAM	25@0	-4.61	-0.00557	±2.5	PASS	TN/VL
5	5.0	20525	836.5	QPSK	25@0	-8.37	-0.01	±2.5	PASS	TN/VL
5	5.0	20525	836.5	16QAM	25@0	-7.25	-0.00867	±2.5	PASS	TN/VL
5	5.0	20625	846.5	QPSK	25@0	-5.26	-0.00622	±2.5	PASS	TN/VL
5	5.0	20625	846.5	16QAM	25@0	-4.98	-0.00588	±2.5	PASS	TN/VL
5	10.0	20450	829.0	QPSK	50@0	-8.96	-0.0108	±2.5	PASS	TN/VL
5	10.0	20450	829.0	16QAM	50@0	-9.94	-0.01199	±2.5	PASS	TN/VL
5	10.0	20525	836.5	QPSK	50@0	-4.39	-0.00525	±2.5	PASS	TN/VL
5	10.0	20525	836.5	16QAM	50@0	-5.12	-0.00612	±2.5	PASS	TN/VL
5	10.0	20600	844.0	QPSK	50@0	-5.65	-0.00669	±2.5	PASS	TN/VL
5	10.0	20600	844.0	16QAM	50@0	-9.57	-0.01134	±2.5	PASS	TN/VL

Frequency Stability-TN/VN

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
5	1.4	20407	824.7	QPSK	6@0	1.24	0.00151	±2.5	PASS	TN/VN
5	1.4	20407	824.7	16QAM	6@0	1.13	0.00137	±2.5	PASS	TN/VN
5	1.4	20525	836.5	QPSK	6@0	-3.26	-0.0039	±2.5	PASS	TN/VN
5	1.4	20525	836.5	16QAM	6@0	-3.36	-0.00402	±2.5	PASS	TN/VN
5	1.4	20643	848.3	QPSK	6@0	-6.52	-0.00769	±2.5	PASS	TN/VN
5	1.4	20643	848.3	16QAM	6@0	-0.79	-0.00093	±2.5	PASS	TN/VN
5	3.0	20415	825.5	QPSK	15@0	-4.39	-0.00532	±2.5	PASS	TN/VN
5	3.0	20415	825.5	16QAM	15@0	-7.02	-0.00851	±2.5	PASS	TN/VN
5	3.0	20525	836.5	QPSK	15@0	-8.68	-0.01038	±2.5	PASS	TN/VN
5	3.0	20525	836.5	16QAM	15@0	-3.19	-0.00381	±2.5	PASS	TN/VN
5	3.0	20635	847.5	QPSK	15@0	-5.74	-0.00677	±2.5	PASS	TN/VN
5	3.0	20635	847.5	16QAM	15@0	-4.61	-0.00544	±2.5	PASS	TN/VN
5	5.0	20425	826.5	QPSK	25@0	-1.6	-0.00194	±2.5	PASS	TN/VN
5	5.0	20425	826.5	16QAM	25@0	-8.1	-0.0098	±2.5	PASS	TN/VN
5	5.0	20525	836.5	QPSK	25@0	-9.4	-0.01124	±2.5	PASS	TN/VN
5	5.0	20525	836.5	16QAM	25@0	-8.37	-0.01	±2.5	PASS	TN/VN
5	5.0	20625	846.5	QPSK	25@0	-8.48	-0.01002	±2.5	PASS	TN/VN
5	5.0	20625	846.5	16QAM	25@0	-7.55	-0.00892	±2.5	PASS	TN/VN
5	10.0	20450	829.0	QPSK	50@0	-6.58	-0.00794	±2.5	PASS	TN/VN
5	10.0	20450	829.0	16QAM	50@0	-3.42	-0.00412	±2.5	PASS	TN/VN
5	10.0	20525	836.5	QPSK	50@0	-5.32	-0.00636	±2.5	PASS	TN/VN
5	10.0	20525	836.5	16QAM	50@0	-5.08	-0.00607	±2.5	PASS	TN/VN
5	10.0	20600	844.0	QPSK	50@0	-4.43	-0.00525	±2.5	PASS	TN/VN
5	10.0	20600	844.0	16QAM	50@0	-4.73	-0.00561	±2.5	PASS	TN/VN

7.Modulation Characteristics

Test Result

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
5	1.4	20407	824.7	QPSK	6@0	PASS
5	1.4	20407	824.7	16QAM	6@0	PASS
5	1.4	20525	836.5	QPSK	6@0	PASS
5	1.4	20525	836.5	16QAM	6@0	PASS
5	1.4	20643	848.3	QPSK	6@0	PASS
5	1.4	20643	848.3	16QAM	6@0	PASS
5	3.0	20415	825.5	QPSK	15@0	PASS
5	3.0	20415	825.5	16QAM	15@0	PASS
5	3.0	20525	836.5	QPSK	15@0	PASS
5	3.0	20525	836.5	16QAM	15@0	PASS
5	3.0	20635	847.5	QPSK	15@0	PASS
5	3.0	20635	847.5	16QAM	15@0	PASS
5	5.0	20425	826.5	QPSK	25@0	PASS
5	5.0	20425	826.5	16QAM	25@0	PASS
5	5.0	20525	836.5	QPSK	25@0	PASS
5	5.0	20525	836.5	16QAM	25@0	PASS
5	5.0	20625	846.5	QPSK	25@0	PASS
5	5.0	20625	846.5	16QAM	25@0	PASS
5	10.0	20450	829.0	QPSK	50@0	PASS
5	10.0	20450	829.0	16QAM	50@0	PASS
5	10.0	20525	836.5	QPSK	50@0	PASS
5	10.0	20525	836.5	16QAM	50@0	PASS
5	10.0	20600	844.0	QPSK	50@0	PASS
5	10.0	20600	844.0	16QAM	50@0	PASS

Test Graphs

