







































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-0.28	0	-0.28	11	Pass
NVNT	a	5600	Ant1	1.11	0	1.11	11	Pass
NVNT	a	5700	Ant1	-0.72	0	-0.72	11	Pass
NVNT	a	5500	Ant2	-2.53	0	-2.53	11	Pass
NVNT	a	5600	Ant2	-1.09	0	-1.09	11	Pass
NVNT	a	5700	Ant2	-1.79	0	-1.79	11	Pass
NVNT	n20	5500	Ant1	-0.1	0	-0.1	11	Pass
NVNT	n20	5600	Ant1	-0.22	0	-0.22	11	Pass
NVNT	n20	5700	Ant1	-1.15	0	-1.15	11	Pass
NVNT	n20	5500	Ant2	-2.6	0	-2.6	11	Pass
NVNT	n20	5600	Ant2	-1.67	0	-1.67	11	Pass
NVNT	n20	5700	Ant2	-1.76	0	-1.76	11	Pass
NVNT	n40	5510	Ant1	-4.23	0	-4.23	11	Pass
NVNT	n40	5590	Ant1	-3.73	0	-3.73	11	Pass
NVNT	n40	5670	Ant1	-4.08	0	-4.08	11	Pass
NVNT	n40	5510	Ant2	-5.42	0	-5.42	11	Pass
NVNT	n40	5590	Ant2	-4.6	0	-4.6	11	Pass
NVNT	n40	5670	Ant2	-4.37	0	-4.37	11	Pass
NVNT	ac20	5500	Ant1	-0.44	0	-0.44	11	Pass
NVNT	ac20	5600	Ant1	-0.31	0	-0.31	11	Pass
NVNT	ac20	5700	Ant1	-0.07	0	-0.07	11	Pass
NVNT	ac20	5500	Ant2	-2.86	0	-2.86	11	Pass
NVNT	ac20	5600	Ant2	-1.73	0	-1.73	11	Pass
NVNT	ac20	5700	Ant2	-1.87	0	-1.87	11	Pass
NVNT	ac40	5510	Ant1	-4.18	0	-4.18	11	Pass
NVNT	ac40	5590	Ant1	-3.06	0	-3.06	11	Pass
NVNT	ac40	5670	Ant1	-3.17	0	-3.17	11	Pass
NVNT	ac40	5510	Ant2	-5.25	0	-5.25	11	Pass
NVNT	ac40	5590	Ant2	-4.8	0	-4.8	11	Pass
NVNT	ac40	5670	Ant2	-4.56	0	-4.56	11	Pass
NVNT	ac80	5530	Ant1	-9.2	0	-9.2	11	Pass
NVNT	ac80	5610	Ant1	-8.54	0	-8.54	11	Pass
NVNT	ac80	5530	Ant2	-9.57	0	-9.57	11	Pass
NVNT	ac80	5610	Ant2	-8.73	0	-8.73	11	Pass
NVNT	ax20	5500	Ant1	-1.91	0	-1.91	11	Pass
NVNT	ax20	5600	Ant1	-0.68	0	-0.68	11	Pass
NVNT	ax20	5700	Ant1	-0.34	0	-0.34	11	Pass
NVNT	ax20	5500	Ant2	-2.81	0	-2.81	11	Pass
NVNT	ax20	5600	Ant2	-1.87	0	-1.87	11	Pass
NVNT	ax20	5700	Ant2	-2.08	0	-2.08	11	Pass
NVNT	ax40	5510	Ant1	-4.67	0	-4.67	11	Pass


NVNT	ax40	5590	Ant1	-3.54	0	-3.54	11	Pass
NVNT	ax40	5670	Ant1	-3.29	0	-3.29	11	Pass
NVNT	ax40	5510	Ant2	-5.52	0	-5.52	11	Pass
NVNT	ax40	5590	Ant2	-4.83	0	-4.83	11	Pass
NVNT	ax40	5670	Ant2	-4.66	0	-4.66	11	Pass
NVNT	ax80	5530	Ant1	-9.01	0	-9.01	11	Pass
NVNT	ax80	5610	Ant1	-8.01	0	-8.01	11	Pass
NVNT	ax80	5530	Ant2	-9.14	0	-9.14	11	Pass
NVNT	ax80	5610	Ant2	-8.43	0	-8.43	11	Pass


Test Graphs


PSD NVNT a 5500MHz Ant1





PSD NVNT a 5600MHz Ant1






































































Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-34.94	-27	Pass
NVNT	a	5700	Ant1	-37.2	-27	Pass
NVNT	a	5500	Ant2	-40.28	-27	Pass
NVNT	a	5700	Ant2	-38.36	-27	Pass
NVNT	n20	5500	Ant1	-28.74	-27	Pass
NVNT	n20	5700	Ant1	-36.11	-27	Pass
NVNT	n20	5500	Ant2	-42.69	-27	Pass
NVNT	n20	5700	Ant2	-41.06	-27	Pass
NVNT	n40	5510	Ant1	-32.16	-27	Pass
NVNT	n40	5670	Ant1	-38.8	-27	Pass
NVNT	n40	5510	Ant2	-35.15	-27	Pass
NVNT	n40	5670	Ant2	-43.18	-27	Pass
NVNT	ac20	5500	Ant1	-36.86	-27	Pass
NVNT	ac20	5700	Ant1	-35.64	-27	Pass
NVNT	ac20	5500	Ant2	-42.03	-27	Pass
NVNT	ac20	5700	Ant2	-40.55	-27	Pass
NVNT	ac40	5510	Ant1	-31.99	-27	Pass
NVNT	ac40	5670	Ant1	-38.34	-27	Pass
NVNT	ac40	5510	Ant2	-33.66	-27	Pass
NVNT	ac40	5670	Ant2	-42.65	-27	Pass
NVNT	ac80	5530	Ant1	-30.05	-27	Pass
NVNT	ac80	5610	Ant1	-41.02	-27	Pass
NVNT	ac80	5530	Ant2	-30.66	-27	Pass
NVNT	ac80	5610	Ant2	-44.73	-27	Pass
NVNT	ax20	5500	Ant1	-29.48	-27	Pass
NVNT	ax20	5700	Ant1	-28.02	-27	Pass
NVNT	ax20	5500	Ant2	-34.84	-27	Pass
NVNT	ax20	5700	Ant2	-31.19	-27	Pass
NVNT	ax40	5510	Ant1	-29.21	-27	Pass
NVNT	ax40	5670	Ant1	-37.37	-27	Pass
NVNT	ax40	5510	Ant2	-29.42	-27	Pass
NVNT	ax40	5670	Ant2	-41.98	-27	Pass
NVNT	ax80	5530	Ant1	-29.64	-27	Pass
NVNT	ax80	5610	Ant1	-40.92	-27	Pass
NVNT	ax80	5530	Ant2	-30.92	-27	Pass
NVNT	ax80	5610	Ant2	-43.44	-27	Pass


Test Graphs

Band Edge NVNT a 5500MHz Low Ant1



Band Edge NVNT a 5700MHz High Ant1







Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n20 5500MHz Low Ant2



Band Edge NVNT n20 5700MHz High Ant2




Band Edge NVNT n40 5510MHz Low Ant1




Band Edge NVNT n40 5670MHz High Ant1




Band Edge NVNT n40 5510MHz Low Ant2




Band Edge NVNT n40 5670MHz High Ant2




Band Edge NVNT ac20 5500MHz Low Ant1



Band Edge NVNT ac20 5700MHz High Ant1





Band Edge NVNT ac20 5500MHz Low Ant2





Band Edge NVNT ac20 5700MHz High Ant2






























Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-32.15	-27	Pass
NVNT	a	5600	Ant1	-32.64	-27	Pass
NVNT	a	5700	Ant1	-31.15	-27	Pass
NVNT	a	5500	Ant2	-32.45	-27	Pass
NVNT	a	5600	Ant2	-31.62	-27	Pass
NVNT	a	5700	Ant2	-32.1	-27	Pass
NVNT	n20	5500	Ant1	-32.5	-27	Pass
NVNT	n20	5600	Ant1	-31.98	-27	Pass
NVNT	n20	5700	Ant1	-31.97	-27	Pass
NVNT	n20	5500	Ant2	-41.18	-27	Pass
NVNT	n20	5600	Ant2	-39.01	-27	Pass
NVNT	n20	5700	Ant2	-40.06	-27	Pass
NVNT	n40	5510	Ant1	-32.94	-27	Pass
NVNT	n40	5590	Ant1	-31.57	-27	Pass
NVNT	n40	5670	Ant1	-31.76	-27	Pass
NVNT	n40	5510	Ant2	-31.54	-27	Pass
NVNT	n40	5590	Ant2	-40.29	-27	Pass
NVNT	n40	5670	Ant2	-33.46	-27	Pass
NVNT	ac20	5500	Ant1	-32.7	-27	Pass
NVNT	ac20	5600	Ant1	-32.65	-27	Pass
NVNT	ac20	5700	Ant1	-32.04	-27	Pass
NVNT	ac20	5500	Ant2	-34.19	-27	Pass
NVNT	ac20	5600	Ant2	-40.96	-27	Pass
NVNT	ac20	5700	Ant2	-35.68	-27	Pass
NVNT	ac40	5510	Ant1	-32.9	-27	Pass
NVNT	ac40	5590	Ant1	-32.69	-27	Pass
NVNT	ac40	5670	Ant1	-32.46	-27	Pass
NVNT	ac40	5510	Ant2	-39.67	-27	Pass
NVNT	ac40	5590	Ant2	-39.11	-27	Pass
NVNT	ac40	5670	Ant2	-34.92	-27	Pass
NVNT	ac80	5530	Ant1	-32.63	-27	Pass
NVNT	ac80	5610	Ant1	-32.4	-27	Pass
NVNT	ac80	5530	Ant2	-41.07	-27	Pass
NVNT	ac80	5610	Ant2	-40.9	-27	Pass
NVNT	ax20	5500	Ant1	-27.77	-27	Pass
NVNT	ax20	5600	Ant1	-30.38	-27	Pass
NVNT	ax20	5700	Ant1	-32.16	-27	Pass
NVNT	ax20	5500	Ant2	-33.38	-27	Pass
NVNT	ax20	5600	Ant2	-34.31	-27	Pass
NVNT	ax20	5700	Ant2	-37.42	-27	Pass
NVNT	ax40	5510	Ant1	-32.71	-27	Pass


NVNT	ax40	5590	Ant1	-32.23	-27	Pass
NVNT	ax40	5670	Ant1	-32.56	-27	Pass
NVNT	ax40	5510	Ant2	-37.85	-27	Pass
NVNT	ax40	5590	Ant2	-40.36	-27	Pass
NVNT	ax40	5670	Ant2	-40.93	-27	Pass
NVNT	ax80	5530	Ant1	-32.63	-27	Pass
NVNT	ax80	5610	Ant1	-32.48	-27	Pass
NVNT	ax80	5530	Ant2	-40.77	-27	Pass
NVNT	ax80	5610	Ant2	-40.81	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT a 5500MHz Ant2 Emission




Tx. Spurious NVNT a 5600MHz Ant2 Emission




Tx. Spurious NVNT a 5700MHz Ant2 Emission







Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant2 Emission







Tx. Spurious NVNT n40 5510MHz Ant1 Emission




Tx. Spurious NVNT n40 5590MHz Ant1 Emission





Tx. Spurious NVNT n40 5590MHz Ant2 Emission



Tx. Spurious NVNT n40 5670MHz Ant2 Emission

