

Duty Cycle NVNT ax80 5290MHz Ant2



Duty Cycle NVNT n20 5260MHz Ant1



Duty Cycle NVNT n20 5280MHz Ant1



Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n20 5260MHz Ant2



Duty Cycle NVNT n20 5280MHz Ant2



Duty Cycle NVNT n20 5320MHz Ant2



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant2



Duty Cycle NVNT n40 5310MHz Ant2



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.933	24	Pass
NVNT	a	5280	Ant1	11.237	24	Pass
NVNT	a	5320	Ant1	10.888	24	Pass
NVNT	a	5260	Ant2	10.873	24	Pass
NVNT	a	5280	Ant2	11.149	24	Pass

NVNT	a	5320	Ant2	11.694	24	Pass
NVNT	ac20	5260	Ant1	10.976	24	Pass
NVNT	ac20	5280	Ant1	11.148	24	Pass
NVNT	ac20	5320	Ant1	10.997	24	Pass
NVNT	ac20	5260	Ant2	10.788	24	Pass
NVNT	ac20	5280	Ant2	11.128	24	Pass
NVNT	ac20	5320	Ant2	11.628	24	Pass
NVNT	ac40	5270	Ant1	10.278	24	Pass
NVNT	ac40	5310	Ant1	9.948	24	Pass
NVNT	ac40	5270	Ant2	10.98	24	Pass
NVNT	ac40	5310	Ant2	11.479	24	Pass
NVNT	ac80	5290	Ant1	10.38	24	Pass
NVNT	ac80	5290	Ant2	10.031	24	Pass
NVNT	ax20	5260	Ant1	11.218	24	Pass
NVNT	ax20	5280	Ant1	11.399	24	Pass
NVNT	ax20	5320	Ant1	11.144	24	Pass
NVNT	ax20	5260	Ant2	11.053	24	Pass
NVNT	ax20	5280	Ant2	11.611	24	Pass
NVNT	ax20	5320	Ant2	11.961	24	Pass
NVNT	ax40	5270	Ant1	10.43	24	Pass
NVNT	ax40	5310	Ant1	10.199	24	Pass
NVNT	ax40	5270	Ant2	11.283	24	Pass
NVNT	ax40	5310	Ant2	11.804	24	Pass
NVNT	ax80	5290	Ant1	10.666	24	Pass
NVNT	ax80	5290	Ant2	10.404	24	Pass
NVNT	n20	5260	Ant1	11.128	24	Pass
NVNT	n20	5280	Ant1	11.242	24	Pass
NVNT	n20	5320	Ant1	11.002	24	Pass
NVNT	n20	5260	Ant2	10.584	24	Pass
NVNT	n20	5280	Ant2	10.931	24	Pass
NVNT	n20	5320	Ant2	11.482	24	Pass
NVNT	n40	5270	Ant1	10.366	24	Pass
NVNT	n40	5310	Ant1	10.029	24	Pass
NVNT	n40	5270	Ant2	11.024	24	Pass
NVNT	n40	5310	Ant2	11.568	24	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.749	0.5	Pass
NVNT	a	5280	Ant1	19.778	0.5	Pass
NVNT	a	5320	Ant1	19.462	0.5	Pass
NVNT	a	5260	Ant2	19.638	0.5	Pass
NVNT	a	5280	Ant2	19.723	0.5	Pass
NVNT	a	5320	Ant2	19.548	0.5	Pass

NVNT	ac20	5260	Ant1	19.854	0.5	Pass
NVNT	ac20	5280	Ant1	19.924	0.5	Pass
NVNT	ac20	5320	Ant1	19.993	0.5	Pass
NVNT	ac20	5260	Ant2	19.939	0.5	Pass
NVNT	ac20	5280	Ant2	19.949	0.5	Pass
NVNT	ac20	5320	Ant2	19.788	0.5	Pass
NVNT	ac40	5270	Ant1	39.856	0.5	Pass
NVNT	ac40	5310	Ant1	40.223	0.5	Pass
NVNT	ac40	5270	Ant2	39.974	0.5	Pass
NVNT	ac40	5310	Ant2	40.51	0.5	Pass
NVNT	ac80	5290	Ant1	80.141	0.5	Pass
NVNT	ac80	5290	Ant2	79.856	0.5	Pass
NVNT	ax20	5260	Ant1	19.789	0.5	Pass
NVNT	ax20	5280	Ant1	19.71	0.5	Pass
NVNT	ax20	5320	Ant1	19.781	0.5	Pass
NVNT	ax20	5260	Ant2	19.72	0.5	Pass
NVNT	ax20	5280	Ant2	19.756	0.5	Pass
NVNT	ax20	5320	Ant2	19.758	0.5	Pass
NVNT	ax40	5270	Ant1	39.472	0.5	Pass
NVNT	ax40	5310	Ant1	39.399	0.5	Pass
NVNT	ax40	5270	Ant2	39.357	0.5	Pass
NVNT	ax40	5310	Ant2	39.287	0.5	Pass
NVNT	ax80	5290	Ant1	80.159	0.5	Pass
NVNT	ax80	5290	Ant2	80.035	0.5	Pass
NVNT	n20	5260	Ant1	20.056	0.5	Pass
NVNT	n20	5280	Ant1	19.897	0.5	Pass
NVNT	n20	5320	Ant1	20.112	0.5	Pass
NVNT	n20	5260	Ant2	20.034	0.5	Pass
NVNT	n20	5280	Ant2	19.803	0.5	Pass
NVNT	n20	5320	Ant2	19.857	0.5	Pass
NVNT	n40	5270	Ant1	40.035	0.5	Pass
NVNT	n40	5310	Ant1	40.262	0.5	Pass
NVNT	n40	5270	Ant2	40.081	0.5	Pass
NVNT	n40	5310	Ant2	40.192	0.5	Pass

-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5280MHz Ant1



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT a 5260MHz Ant2



-26dB Bandwidth NVNT a 5280MHz Ant2



-26dB Bandwidth NVNT a 5320MHz Ant2



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5280MHz Ant1



-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5280MHz Ant2



-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant2



-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ac80 5290MHz Ant1



-26dB Bandwidth NVNT ac80 5290MHz Ant2



-26dB Bandwidth NVNT ax20 5260MHz Ant1



-26dB Bandwidth NVNT ax20 5280MHz Ant1



-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax20 5260MHz Ant2



-26dB Bandwidth NVNT ax20 5280MHz Ant2



-26dB Bandwidth NVNT ax20 5320MHz Ant2



-26dB Bandwidth NVNT ax40 5270MHz Ant1



-26dB Bandwidth NVNT ax40 5310MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant2



-26dB Bandwidth NVNT ax40 5310MHz Ant2



-26dB Bandwidth NVNT ax80 5290MHz Ant1



-26dB Bandwidth NVNT ax80 5290MHz Ant2



-26dB Bandwidth NVNT n20 5260MHz Ant1



-26dB Bandwidth NVNT n20 5280MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n20 5260MHz Ant2



-26dB Bandwidth NVNT n20 5280MHz Ant2



-26dB Bandwidth NVNT n20 5320MHz Ant2



-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5310MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant2



-26dB Bandwidth NVNT n40 5310MHz Ant2



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.31
NVNT	a	5280	Ant1	16.315
NVNT	a	5320	Ant1	16.3
NVNT	a	5260	Ant2	16.309
NVNT	a	5280	Ant2	16.306

NVNT	a	5320	Ant2	16.3
NVNT	ac20	5260	Ant1	17.467
NVNT	ac20	5280	Ant1	17.458
NVNT	ac20	5320	Ant1	17.466
NVNT	ac20	5260	Ant2	17.452
NVNT	ac20	5280	Ant2	17.463
NVNT	ac20	5320	Ant2	17.46
NVNT	ac40	5270	Ant1	35.885
NVNT	ac40	5310	Ant1	35.839
NVNT	ac40	5270	Ant2	35.899
NVNT	ac40	5310	Ant2	35.87
NVNT	ac80	5290	Ant1	75.603
NVNT	ac80	5290	Ant2	75.557
NVNT	ax20	5260	Ant1	18.738
NVNT	ax20	5280	Ant1	18.714
NVNT	ax20	5320	Ant1	18.726
NVNT	ax20	5260	Ant2	18.74
NVNT	ax20	5280	Ant2	18.738
NVNT	ax20	5320	Ant2	18.741
NVNT	ax40	5270	Ant1	37.569
NVNT	ax40	5310	Ant1	37.528
NVNT	ax40	5270	Ant2	37.534
NVNT	ax40	5310	Ant2	37.521
NVNT	ax80	5290	Ant1	77.177
NVNT	ax80	5290	Ant2	77.213
NVNT	n20	5260	Ant1	17.425
NVNT	n20	5280	Ant1	17.466
NVNT	n20	5320	Ant1	17.469
NVNT	n20	5260	Ant2	17.445
NVNT	n20	5280	Ant2	17.449
NVNT	n20	5320	Ant2	17.451
NVNT	n40	5270	Ant1	35.911
NVNT	n40	5310	Ant1	35.881
NVNT	n40	5270	Ant2	35.901
NVNT	n40	5310	Ant2	35.877

OBW NVNT a 5260MHz Ant1



OBW NVNT a 5280MHz Ant1



OBW NVNT a 5320MHz Ant1



OBW NVNT a 5260MHz Ant2



OBW NVNT a 5280MHz Ant2



OBW NVNT a 5320MHz Ant2



OBW NVNT ac20 5260MHz Ant1



OBW NVNT ac20 5280MHz Ant1



OBW NVNT ac20 5320MHz Ant1



OBW NVNT ac20 5260MHz Ant2



OBW NVNT ac20 5280MHz Ant2



OBW NVNT ac20 5320MHz Ant2



OBW NVNT ac40 5270MHz Ant1



OBW NVNT ac40 5310MHz Ant1



OBW NVNT ac40 5270MHz Ant2



OBW NVNT ac40 5310MHz Ant2



OBW NVNT ac80 5290MHz Ant1



OBW NVNT ac80 5290MHz Ant2



OBW NVNT ax20 5260MHz Ant1



OBW NVNT ax20 5280MHz Ant1



OBW NVNT ax20 5320MHz Ant1



OBW NVNT ax20 5260MHz Ant2



OBW NVNT ax20 5280MHz Ant2



OBW NVNT ax20 5320MHz Ant2



OBW NVNT ax40 5270MHz Ant1



OBW NVNT ax40 5310MHz Ant1



OBW NVNT ax40 5270MHz Ant2



OBW NVNT ax40 5310MHz Ant2



OBW NVNT ax80 5290MHz Ant1



OBW NVNT ax80 5290MHz Ant2



OBW NVNT n20 5260MHz Ant1



OBW NVNT n20 5280MHz Ant1



OBW NVNT n20 5320MHz Ant1



OBW NVNT n20 5260MHz Ant2



OBW NVNT n20 5280MHz Ant2



OBW NVNT n20 5320MHz Ant2



OBW NVNT n40 5270MHz Ant1



OBW NVNT n40 5310MHz Ant1



OBW NVNT n40 5270MHz Ant2



OBW NVNT n40 5310MHz Ant2



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	1.445	11	Pass
NVNT	a	5280	Ant1	1.779	11	Pass
NVNT	a	5320	Ant1	1.946	11	Pass
NVNT	a	5260	Ant2	1.53	11	Pass
NVNT	a	5280	Ant2	1.842	11	Pass

NVNT	a	5320	Ant2	2.399	11	Pass
NVNT	ac20	5260	Ant1	1.454	11	Pass
NVNT	ac20	5280	Ant1	1.626	11	Pass
NVNT	ac20	5320	Ant1	1.927	11	Pass
NVNT	ac20	5260	Ant2	1.818	11	Pass
NVNT	ac20	5280	Ant2	1.804	11	Pass
NVNT	ac20	5320	Ant2	2.262	11	Pass
NVNT	ac40	5270	Ant1	-2.347	11	Pass
NVNT	ac40	5310	Ant1	-2.471	11	Pass
NVNT	ac40	5270	Ant2	-1.748	11	Pass
NVNT	ac40	5310	Ant2	-0.948	11	Pass
NVNT	ac80	5290	Ant1	-6.685	11	Pass
NVNT	ac80	5290	Ant2	-7.048	11	Pass
NVNT	ax20	5260	Ant1	1.344	11	Pass
NVNT	ax20	5280	Ant1	1.719	11	Pass
NVNT	ax20	5320	Ant1	1.601	11	Pass
NVNT	ax20	5260	Ant2	1.473	11	Pass
NVNT	ax20	5280	Ant2	2.193	11	Pass
NVNT	ax20	5320	Ant2	2.192	11	Pass
NVNT	ax40	5270	Ant1	-2.548	11	Pass
NVNT	ax40	5310	Ant1	-2.623	11	Pass
NVNT	ax40	5270	Ant2	-1.641	11	Pass
NVNT	ax40	5310	Ant2	-1.076	11	Pass
NVNT	ax80	5290	Ant1	-6.456	11	Pass
NVNT	ax80	5290	Ant2	-6.807	11	Pass
NVNT	n20	5260	Ant1	1.559	11	Pass
NVNT	n20	5280	Ant1	1.724	11	Pass
NVNT	n20	5320	Ant1	1.634	11	Pass
NVNT	n20	5260	Ant2	1.077	11	Pass
NVNT	n20	5280	Ant2	1.432	11	Pass
NVNT	n20	5320	Ant2	2.029	11	Pass
NVNT	n40	5270	Ant1	-2.016	11	Pass
NVNT	n40	5310	Ant1	-2.453	11	Pass
NVNT	n40	5270	Ant2	-1.404	11	Pass
NVNT	n40	5310	Ant2	-0.556	11	Pass

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1



PSD NVNT a 5320MHz Ant1



PSD NVNT a 5260MHz Ant2



PSD NVNT a 5280MHz Ant2



PSD NVNT a 5320MHz Ant2



PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5280MHz Ant1



PSD NVNT ac20 5320MHz Ant1



PSD NVNT ac20 5260MHz Ant2



PSD NVNT ac20 5280MHz Ant2



PSD NVNT ac20 5320MHz Ant2



PSD NVNT ac40 5270MHz Ant1



PSD NVNT ac40 5310MHz Ant1



PSD NVNT ac40 5270MHz Ant2



PSD NVNT ac40 5310MHz Ant2



PSD NVNT ac80 5290MHz Ant1



PSD NVNT ac80 5290MHz Ant2



PSD NVNT ax20 5260MHz Ant1



PSD NVNT ax20 5280MHz Ant1



PSD NVNT ax20 5320MHz Ant1



PSD NVNT ax20 5260MHz Ant2



PSD NVNT ax20 5280MHz Ant2



PSD NVNT ax20 5320MHz Ant2



PSD NVNT ax40 5270MHz Ant1



PSD NVNT ax40 5310MHz Ant1



PSD NVNT ax40 5270MHz Ant2



PSD NVNT ax40 5310MHz Ant2



PSD NVNT ax80 5290MHz Ant1



PSD NVNT ax80 5290MHz Ant2



PSD NVNT n20 5260MHz Ant1



PSD NVNT n20 5280MHz Ant1



PSD NVNT n20 5320MHz Ant1



PSD NVNT n20 5260MHz Ant2



PSD NVNT n20 5280MHz Ant2



PSD NVNT n20 5320MHz Ant2



PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1



PSD NVNT n40 5270MHz Ant2



PSD NVNT n40 5310MHz Ant2



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-48.01	-27	Pass
NVNT	a	5320	Ant1	-42.21	-27	Pass
NVNT	a	5260	Ant2	-48.34	-27	Pass
NVNT	a	5320	Ant2	-39.89	-27	Pass
NVNT	ac20	5260	Ant1	-48.13	-27	Pass

NVNT	ac20	5320	Ant1	-41.92	-27	Pass
NVNT	ac20	5260	Ant2	-48.53	-27	Pass
NVNT	ac20	5320	Ant2	-40.91	-27	Pass
NVNT	ac40	5270	Ant1	-47.56	-27	Pass
NVNT	ac40	5310	Ant1	-34.5	-27	Pass
NVNT	ac40	5270	Ant2	-48.38	-27	Pass
NVNT	ac40	5310	Ant2	-33	-27	Pass
NVNT	ac80	5290	Ant1	-47.58	-27	Pass
NVNT	ac80	5290	Ant2	-47.74	-27	Pass
NVNT	ax20	5260	Ant1	-48.72	-27	Pass
NVNT	ax20	5320	Ant1	-39.16	-27	Pass
NVNT	ax20	5260	Ant2	-47.91	-27	Pass
NVNT	ax20	5320	Ant2	-37.2	-27	Pass
NVNT	ax40	5270	Ant1	-49.05	-27	Pass
NVNT	ax40	5310	Ant1	-37.48	-27	Pass
NVNT	ax40	5270	Ant2	-48.33	-27	Pass
NVNT	ax40	5310	Ant2	-31.53	-27	Pass
NVNT	ax80	5290	Ant1	-45.02	-27	Pass
NVNT	ax80	5290	Ant2	-47.67	-27	Pass
NVNT	n20	5260	Ant1	-47.57	-27	Pass
NVNT	n20	5320	Ant1	-41.66	-27	Pass
NVNT	n20	5260	Ant2	-47.88	-27	Pass
NVNT	n20	5320	Ant2	-41.22	-27	Pass
NVNT	n40	5270	Ant1	-48.05	-27	Pass
NVNT	n40	5310	Ant1	-37.11	-27	Pass
NVNT	n40	5270	Ant2	-47.57	-27	Pass
NVNT	n40	5310	Ant2	-35.06	-27	Pass

Band Edge NVNT a 5260MHz Low Ant1



Band Edge NVNT a 5320MHz High Ant1



Band Edge NVNT a 5260MHz Low Ant2



Band Edge NVNT a 5320MHz High Ant2



Band Edge NVNT ac20 5260MHz Low Ant1



Band Edge NVNT ac20 5320MHz High Ant1



Band Edge NVNT ac20 5260MHz Low Ant2



Band Edge NVNT ac20 5320MHz High Ant2



Band Edge NVNT ac40 5270MHz Low Ant1



Band Edge NVNT ac40 5310MHz High Ant1



Band Edge NVNT ac40 5270MHz Low Ant2



Band Edge NVNT ac40 5310MHz High Ant2



Band Edge NVNT ac80 5290MHz Low Ant1



Band Edge NVNT ac80 5290MHz Low Ant2



Band Edge NVNT ax20 5260MHz Low Ant1



Band Edge NVNT ax20 5320MHz High Ant1



Band Edge NVNT ax20 5260MHz Low Ant2



Band Edge NVNT ax20 5320MHz High Ant2



Band Edge NVNT ax40 5270MHz Low Ant1



Band Edge NVNT ax40 5310MHz High Ant1



Band Edge NVNT ax40 5270MHz Low Ant2



Band Edge NVNT ax40 5310MHz High Ant2



Band Edge NVNT ax80 5290MHz Low Ant1



Band Edge NVNT ax80 5290MHz Low Ant2



Band Edge NVNT n20 5260MHz Low Ant1



Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n20 5260MHz Low Ant2



Band Edge NVNT n20 5320MHz High Ant2



Band Edge NVNT n40 5270MHz Low Ant1



Band Edge NVNT n40 5310MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant2



Band Edge NVNT n40 5310MHz High Ant2



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-36.61	-27	Pass
NVNT	a	5280	Ant1	-35.9	-27	Pass
NVNT	a	5320	Ant1	-35.42	-27	Pass
NVNT	a	5260	Ant2	-35.74	-27	Pass
NVNT	a	5280	Ant2	-36.58	-27	Pass

NVNT	a	5320	Ant2	-36.14	-27	Pass
NVNT	ac20	5260	Ant1	-34.33	-27	Pass
NVNT	ac20	5280	Ant1	-35.88	-27	Pass
NVNT	ac20	5320	Ant1	-36.98	-27	Pass
NVNT	ac20	5260	Ant2	-36.1	-27	Pass
NVNT	ac20	5280	Ant2	-35.56	-27	Pass
NVNT	ac20	5320	Ant2	-36.55	-27	Pass
NVNT	ac40	5270	Ant1	-36.49	-27	Pass
NVNT	ac40	5310	Ant1	-36.19	-27	Pass
NVNT	ac40	5270	Ant2	-36.61	-27	Pass
NVNT	ac40	5310	Ant2	-35.51	-27	Pass
NVNT	ac80	5290	Ant1	-36.36	-27	Pass
NVNT	ac80	5290	Ant2	-36.37	-27	Pass
NVNT	ax20	5260	Ant1	-35.25	-27	Pass
NVNT	ax20	5280	Ant1	-36.09	-27	Pass
NVNT	ax20	5320	Ant1	-36.08	-27	Pass
NVNT	ax20	5260	Ant2	-36.33	-27	Pass
NVNT	ax20	5280	Ant2	-36	-27	Pass
NVNT	ax20	5320	Ant2	-35.79	-27	Pass
NVNT	ax40	5270	Ant1	-36.51	-27	Pass
NVNT	ax40	5310	Ant1	-36.31	-27	Pass
NVNT	ax40	5270	Ant2	-36.27	-27	Pass
NVNT	ax40	5310	Ant2	-34.99	-27	Pass
NVNT	ax80	5290	Ant1	-35.53	-27	Pass
NVNT	ax80	5290	Ant2	-36.42	-27	Pass
NVNT	n20	5260	Ant1	-35.75	-27	Pass
NVNT	n20	5280	Ant1	-36.33	-27	Pass
NVNT	n20	5320	Ant1	-36.7	-27	Pass
NVNT	n20	5260	Ant2	-36.06	-27	Pass
NVNT	n20	5280	Ant2	-35.92	-27	Pass
NVNT	n20	5320	Ant2	-35.27	-27	Pass
NVNT	n40	5270	Ant1	-35.76	-27	Pass
NVNT	n40	5310	Ant1	-35.83	-27	Pass
NVNT	n40	5270	Ant2	-35.74	-27	Pass
NVNT	n40	5310	Ant2	-32.1	-27	Pass

Tx. Spurious NVNT a 5260MHz Ant1 Emission



Tx. Spurious NVNT a 5280MHz Ant1 Emission



Tx. Spurious NVNT a 5320MHz Ant1 Emission



Tx. Spurious NVNT a 5260MHz Ant2 Emission



Tx. Spurious NVNT a 5280MHz Ant2 Emission