

Home Assistant Connect ZWA-2 PRODUCT DETAILS

Description

Home Assistant Connect ZWA-2 is a Z-WAVE controller that needs to be integrated into the Home Assistant system via a gateway. It powered through USB-C with a voltage of 5V and a current of 1A

PRODUCT DETAILS

- EFR32ZG23A020F512GM40-C from Silicon
- 4 Programmable RGB LED Indicators
- Power Supply: 5V DC from USB-C

Applications


- Z-WAVE controller

Setting up

1

Find a space where you can place the antenna upright.

Keep the antenna oriented upright.
Wall mounting is not recommended.



2

Screw the antenna to the base.
Be careful not to overtighten.



3


Plug the USB-C cable into the base.

4

Connect the USB cable to a USB 2.0 or later port on a device running Home Assistant 2025.5 or newer.

If you have not used Z-Wave before, Home Assistant should discover the device.

Otherwise, please visit our documentation to migrate your current configuration.
go.nabucasa.com/zwa-2



FCC Requirement

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not

installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with FCC radiation exposure limits set forth for an uncontrolled environment. This device should be installed and operated with minimum distance 20cm between the radiator & your body.