





































Li-ion20
CAUTION!
Do not disassemble, crush, puncture or dispose in fire.
Do not use if battery shows signs of serious bulging.
Do not expose to high temperature environment.
Do not use after the battery is immersed in water.
To be charged only with specified charge at 32-104°F (0-40°C)
Made in China





















E358874 D01
YC-DZ-BA0018-00-02
2023.05.26






103
18-00-02
5.26
C3
C5
D8
D4
R4
R3
R2
R1
R5
C6
C7
C2
C1
R12
R6
K2
C8
R11
R9
R10
R7
R8
D11
D10
D9
M2
K3
C9
J1












MOTOR-1
MOTOR-2
VCC1
TX_A1
RX_A1
DET_PWR1
GND2
SCL2
SDA2
TIME
CB-B
E308301
94V-0



KOSLAD
PCB LABEL



YC-DZ-BA0134-00-00
2024.05.29





C840
C850
R985
C716
C717
Q20
C114
U16
U41
narwal
C244
R190
C240
R187
C106
C715
C236
C370
C239
D160
C237
P1
C723
L5
L6
R409
R412
R411
R414
C809
R930
C810
R932
R416
D97
D98
D99
D100
D101
D102
D171
D172


R164
C268
C596
C636
R673
R200
R788
R683
R666
R874
R875
R851
R852
C911
C597
R876
C610
C609
C83
C82
U20
C262
C263
R709
C617
C265
TP313
GD
R727
R730
5V
TP314
C606
R690
R674
C637
C598
R771
R226
C709
C620
C621
C619
C618
C711
C712
C796
R902
C267
C812
R742
C266
R737
C710
R50
GD32F303
VCT6
CUKN701
AJ2413
GigaDevice
ARM



BA0008-00-01
U45
U1
U2
C1
C2
C3
C4
C5
C6
C7
C8
R2
R3
2022.12



ALLWINNER
MR813
Q4351HA 9563B
SEC419
K4A4G16
5WGBCWE
HEL08708
SEC419
K4A4G16
5WGBCWE
HEL08708
U12
U13
U14
C412
C148
C149
C150
C155
D175
C145
Y1
J34
J35
J19
U6
C616
R533
R020
R124
R122
R126
R129
R36
R35
C785
D242
R76
C749
R70
C750
R81
R75
R69

BeCool
MODEL:3010R05H-M04
DC 3.8V 0.25A -918
FDB BEARING
www.becoolfan.com








TP2
142-1
24.01.31
TP4
J1
BA0097-00-02

mm
24.02.02

mm

