










Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-43.52	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-49.33	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-41.7	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-50.59	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-42.24	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-48.51	-20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-45.82	-20	Pass
NVNT	1-DH5	2480	Hopping	-53.95	-20	Pass
NVNT	2-DH5	2402	Hopping	-50.54	-20	Pass
NVNT	2-DH5	2480	Hopping	-51.38	-20	Pass
NVNT	3-DH5	2402	Hopping	-42.85	-20	Pass
NVNT	3-DH5	2480	Hopping	-50.31	-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-33.98	-20	Pass
NVNT	1-DH5	2441	-32.9	-20	Pass
NVNT	1-DH5	2480	-32.38	-20	Pass
NVNT	2-DH5	2402	-35.09	-20	Pass
NVNT	2-DH5	2441	-32.21	-20	Pass
NVNT	2-DH5	2480	-32.87	-20	Pass
NVNT	3-DH5	2402	-37.73	-20	Pass
NVNT	3-DH5	2441	-33.67	-20	Pass
NVNT	3-DH5	2480	-33.85	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****