

Contents

<i>Appendix 1. Conducted output power</i>	<i>2</i>
<i>Appendix 2. Frequency stability</i>	<i>3</i>
<i>Appendix 3. Peak-to-Average Ratio</i>	<i>5</i>
<i>Appendix 4. Occupied bandwidth</i>	<i>9</i>
<i>Appendix 5. Band edge</i>	<i>13</i>
<i>Appendix 6. Out-of-band emissions</i>	<i>16</i>

Appendix 1. Conducted output power

<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Power (dBm)</i>	<i>Verdict</i>
NVNT	GPRS850 1 Slot	128	824.2	33.52	PASS
NVNT	GPRS850 1 Slot	190	836.6	33.65	PASS
NVNT	GPRS850 1 Slot	251	848.8	33.51	PASS
NVNT	GPRS850 2 Slot	128	824.2	32.71	PASS
NVNT	GPRS850 2 Slot	190	836.6	32.84	PASS
NVNT	GPRS850 2 Slot	251	848.8	32.72	PASS
NVNT	GPRS850 3 Slot	128	824.2	30.86	PASS
NVNT	GPRS850 3 Slot	190	836.6	31.04	PASS
NVNT	GPRS850 3 Slot	251	848.8	30.93	PASS
NVNT	GPRS850 4 Slot	128	824.2	29.67	PASS
NVNT	GPRS850 4 Slot	190	836.6	29.87	PASS
NVNT	GPRS850 4 Slot	251	848.8	29.75	PASS
NVNT	GPRS1900 1 Slot	512	1850.2	30.61	PASS
NVNT	GPRS1900 1 Slot	661	1880	30.65	PASS
NVNT	GPRS1900 1 Slot	810	1909.8	30.66	PASS
NVNT	GPRS1900 2 Slot	512	1850.2	29.57	PASS
NVNT	GPRS1900 2 Slot	661	1880	29.89	PASS
NVNT	GPRS1900 2 Slot	810	1909.8	29.90	PASS
NVNT	GPRS1900 3 Slot	512	1850.2	27.77	PASS
NVNT	GPRS1900 3 Slot	661	1880	28.11	PASS
NVNT	GPRS1900 3 Slot	810	1909.8	28.17	PASS
NVNT	GPRS1900 4 Slot	512	1850.2	26.66	PASS
NVNT	GPRS1900 4 Slot	661	1880	27.00	PASS
NVNT	GPRS1900 4 Slot	810	1909.8	27.07	PASS


Appendix 2.Frequency stability

Condition	Band	Channel	Frequency (MHz)	Voltage (Vdc)	Temperatue (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
NVNT	GPRS850	128	824.2	LV	NT	-4.91	-0.006	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	NT	-5.42	-0.007	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	HV	NT	-3.20	-0.004	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	LV	NT	-3.84	-0.005	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	NT	-1.42	-0.002	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	HV	NT	-3.26	-0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	LV	NT	1.19	0.001	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	NT	-0.26	0.000	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	HV	NT	-1.19	-0.001	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	LV	NT	13.92	0.008	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	NT	16.47	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	HV	NT	13.50	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	LV	NT	7.68	0.004	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	NT	9.17	0.005	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	HV	NT	11.95	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	LV	NT	16.24	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	NT	12.24	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	HV	NT	15.53	0.008	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	-30	0.77	0.001	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	-20	3.16	0.004	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	0	2.00	0.002	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	10	1.16	0.001	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	20	2.65	0.003	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	30	1.10	0.001	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	40	2.91	0.004	-2.5	2.5	PASS
NVNT	GPRS850	128	824.2	NV	50	2.32	0.003	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	-30	6.26	0.007	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	-20	5.20	0.006	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	0	2.97	0.004	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	10	3.45	0.004	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	20	3.45	0.004	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	30	4.68	0.006	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	40	2.68	0.003	-2.5	2.5	PASS
NVNT	GPRS850	190	836.6	NV	50	2.78	0.003	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	-30	2.23	0.003	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	-20	3.87	0.005	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	0	3.16	0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	10	3.52	0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	20	2.65	0.003	-2.5	2.5	PASS


NVNT	GPRS850	251	848.8	NV	30	3.45	0.004	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	40	4.20	0.005	-2.5	2.5	PASS
NVNT	GPRS850	251	848.8	NV	50	4.81	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	-30	17.53	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	-20	19.44	0.011	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	0	19.24	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	10	18.40	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	20	22.47	0.012	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	30	16.66	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	40	17.24	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	512	1850.2	NV	50	19.66	0.011	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	-30	16.05	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	-20	22.57	0.012	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	0	18.66	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	10	11.75	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	20	13.30	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	30	14.04	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	40	12.62	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	661	1880	NV	50	11.30	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	-30	19.18	0.010	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	-20	16.53	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	0	17.47	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	10	18.05	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	20	17.53	0.009	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	30	12.27	0.006	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	40	13.17	0.007	-2.5	2.5	PASS
NVNT	GPRS1900	810	1909.8	NV	50	15.72	0.008	-2.5	2.5	PASS

Appendix 3. Peak-to-Average Ratio


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	2.696026856	13.00	PASS
NVNT	GPRS850	190	836.6	2.728607595	13.00	PASS
NVNT	GPRS850	251	848.8	2.693716356	13.00	PASS
NVNT	GPRS1900	512	1850.2	2.682307692	13.00	PASS
NVNT	GPRS1900	661	1880	2.688307888	13.00	PASS
NVNT	GPRS1900	810	1909.8	2.684400749	13.00	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

Appendix 4.Occupied bandwidth


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>99% OBW (kHz)</i>	<i>-26dB EBW (kHz)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	241.638	313.666	PASS
NVNT	GPRS850	190	836.6	248.954	324.377	PASS
NVNT	GPRS850	251	848.8	244.540	307.158	PASS
NVNT	GPRS1900	512	1850.2	244.551	315.947	PASS
NVNT	GPRS1900	661	1880	244.853	319.047	PASS
NVNT	GPRS1900	810	1909.8	241.451	316.478	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

Appendix 5.Band edge


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	823.98	-27.94	-13	PASS
NVNT	GPRS850	251	848.8	849.02	-25.04	-13	PASS
NVNT	GPRS1900	512	1850.2	1849.98	-29.82	-13	PASS
NVNT	GPRS1900	810	1909.8	1910.02	-30.36	-13	PASS




GPRS850 Channel=128 NVNT



GPRS850 Channel=251 NVNT




GPRS1900 Channel=512 NVNT




GPRS1900 Channel=810 NVNT


Appendix 6.Out-of-band emissions

Condition	Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	GPRS850	128	824.2	5238.83	-29.20	-13	PASS
NVNT	GPRS850	190	836.6	5256.52	-27.99	-13	PASS
NVNT	GPRS850	251	848.8	4226.87	-29.82	-13	PASS
NVNT	GPRS1900	512	1850.2	18990.02	-24.00	-13	PASS
NVNT	GPRS1900	661	1880	17448.83	-23.91	-13	PASS
NVNT	GPRS1900	810	1909.8	19015.98	-23.45	-13	PASS







GPRS850 Channel=190 NVNT



GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT



GPRS1900 Channel=661 NVNT

