











NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_0.009\_0.15\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_0.15\_30\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_30\_1000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_1000\_6000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_6000\_18000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID6\_N/A  
\_18000\_40000\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID16\_N/  
A 0.15 30 #1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID16\_N/  
A 1000 6000 #1



NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID16\_N/  
A\_6000\_18000\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID16\_N/  
A\_18000\_40000\_#1



NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID17\_N/  
A\_0.009\_0.15\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID17\_N/  
A\_0.15\_30\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID17\_N/  
A\_30\_1000\_#1


NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID17\_N/  
A\_1000\_6000\_#1



NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID18\_N/  
A\_30\_1000\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID18\_N/  
A\_1000\_6000\_#1



NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID18\_N/  
A\_6000\_18000\_#1








NTNV\_N78-3700-3800\_PC2\_30\_20\_M\_TID18\_N/  
A\_18000\_40000\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID4\_N/A  
\_0.009\_0.15\_#1


NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID4\_N/A  
\_0.15\_30\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_0.009\_0.15\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_0.15\_30\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_30\_1000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_1000\_6000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_6000\_18000\_#1NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID5\_N/A  
\_18000\_40000\_#1



NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID6\_N/A  
\_6000\_18000\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID6\_N/A  
\_18000\_40000\_#1



NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID16\_N/  
A\_0.009\_0.15\_#1





NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID16\_N/  
A\_0.15\_30\_#1




NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID16\_N/  
A\_30\_1000\_#1

NTNV\_N78-3700-3800\_PC2\_30\_20\_H\_TID16\_N/  
A\_1000\_6000\_#1







## Appendix F: Frequency Stability for SA

### Test Result

#### Frequency Error VS. Voltage

| Voltage       |      |           |            |         |            |         |             |                |                 |         |
|---------------|------|-----------|------------|---------|------------|---------|-------------|----------------|-----------------|---------|
| Band          | SC S | Bandwidth | Modulation | Channel | RB Config  | Voltage | Temperature | Deviation (Hz) | Deviation (ppm) | Verdict |
| N78-3700-3800 | 30   | 20        | DFT-QPSK   | L       | Outer_Full | VN      | NT          | 12.38          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 20        | CP-QPSK    | L       | Outer_Full | VN      | NT          | 2.04           | 0.00            | PASS    |
| N78-3700-3800 | 30   | 20        | DFT-QPSK   | M       | Outer_Full | VN      | NT          | -9.32          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 20        | CP-QPSK    | M       | Outer_Full | VN      | NT          | -24.11         | -0.01           | PASS    |
| N78-3700-3800 | 30   | 20        | DFT-QPSK   | H       | Outer_Full | VN      | NT          | 2.80           | 0.00            | PASS    |
| N78-3700-3800 | 30   | 20        | CP-QPSK    | H       | Outer_Full | VN      | NT          | -8.81          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | DFT-QPSK   | L       | Outer_Full | VN      | NT          | 7.31           | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | CP-QPSK    | L       | Outer_Full | VN      | NT          | 0.40           | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | DFT-QPSK   | M       | Outer_Full | VN      | NT          | -4.80          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | CP-QPSK    | M       | Outer_Full | VN      | NT          | -4.70          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | DFT-QPSK   | H       | Outer_Full | VN      | NT          | 13.14          | 0.00            | PASS    |
| N78-3700-3800 | 30   | 40        | CP-QPSK    | H       | Outer_Full | VN      | NT          | -13.02         | 0.00            | PASS    |
| N78-3700-3800 | 30   | 50        | DFT-QPSK   | L       | Outer_Full | VN      | NT          | 22.38          | 0.01            | PASS    |
| N78-3700-3800 | 30   | 50        | CP-QPSK    | L       | Outer_Full | VN      | NT          | -21.57         | -0.01           | PASS    |
| N78-3700-3800 | 30   | 50        | DFT-QPSK   | M       | Outer_Full | VN      | NT          | -31.39         | -0.01           | PASS    |
| N78-3700-3800 | 30   | 50        | CP-QPSK    | M       | Outer_Full | VN      | NT          | -26.20         | -0.01           | PASS    |

|               |    |     |              |   |                |    |    |        |       |          |
|---------------|----|-----|--------------|---|----------------|----|----|--------|-------|----------|
| 3800          |    |     | SK           |   | Full           |    |    |        |       | S        |
| N78-3700-3800 | 30 | 50  | DFT-Q<br>PSK | H | Outer_<br>Full | VN | NT | -1.38  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 50  | CP-QP<br>SK  | H | Outer_<br>Full | VN | NT | 12.13  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 60  | DFT-Q<br>PSK | L | Outer_<br>Full | VN | NT | -25.11 | -0.01 | PAS<br>S |
| N78-3700-3800 | 30 | 60  | CP-QP<br>SK  | L | Outer_<br>Full | VN | NT | 12.79  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 60  | DFT-Q<br>PSK | M | Outer_<br>Full | VN | NT | 13.55  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 60  | CP-QP<br>SK  | M | Outer_<br>Full | VN | NT | -7.49  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 60  | DFT-Q<br>PSK | H | Outer_<br>Full | VN | NT | -13.68 | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 60  | CP-QP<br>SK  | H | Outer_<br>Full | VN | NT | 1.96   | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 80  | DFT-Q<br>PSK | L | Outer_<br>Full | VN | NT | -25.02 | -0.01 | PAS<br>S |
| N78-3700-3800 | 30 | 80  | CP-QP<br>SK  | L | Outer_<br>Full | VN | NT | 19.11  | 0.01  | PAS<br>S |
| N78-3700-3800 | 30 | 80  | DFT-Q<br>PSK | M | Outer_<br>Full | VN | NT | -52.57 | -0.01 | PAS<br>S |
| N78-3700-3800 | 30 | 80  | CP-QP<br>SK  | M | Outer_<br>Full | VN | NT | 9.61   | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 80  | DFT-Q<br>PSK | H | Outer_<br>Full | VN | NT | -4.86  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 80  | CP-QP<br>SK  | H | Outer_<br>Full | VN | NT | -10.38 | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 90  | DFT-Q<br>PSK | L | Outer_<br>Full | VN | NT | -14.86 | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 90  | CP-QP<br>SK  | L | Outer_<br>Full | VN | NT | 13.98  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 90  | DFT-Q<br>PSK | M | Outer_<br>Full | VN | NT | -4.12  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 90  | CP-QP<br>SK  | M | Outer_<br>Full | VN | NT | -46.60 | -0.01 | PAS<br>S |
| N78-3700-3800 | 30 | 90  | DFT-Q<br>PSK | H | Outer_<br>Full | VN | NT | -6.52  | 0.00  | PAS<br>S |
| N78-3700-3800 | 30 | 90  | CP-QP<br>SK  | H | Outer_<br>Full | VN | NT | -23.33 | -0.01 | PAS<br>S |
| N78-3700-3800 | 30 | 100 | DFT-Q        | L | Outer_         | VN | NT | 22.91  | 0.01  | PAS      |

|               |    |     |          |   |            |    |    |       |      |      |
|---------------|----|-----|----------|---|------------|----|----|-------|------|------|
| 3800          |    |     | PSK      |   | Full       |    |    |       |      | S    |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | L | Outer_Full | VN | NT | 21.36 | 0.01 | PASS |
| N78-3700-3800 | 30 | 100 | DFT-QPSK | M | Outer_Full | VN | NT | 25.77 | 0.01 | PASS |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | M | Outer_Full | VN | NT | 3.85  | 0.00 | PASS |
| N78-3700-3800 | 30 | 100 | DFT-QPSK | H | Outer_Full | VN | NT | 22.33 | 0.01 | PASS |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | H | Outer_Full | VN | NT | 3.55  | 0.00 | PASS |

### Frequency Error VS. Temperature

| Voltage       |     |           |            |         |            |         |             |                |                 |         |
|---------------|-----|-----------|------------|---------|------------|---------|-------------|----------------|-----------------|---------|
| Band          | SCS | Bandwidth | Modulation | Channel | RB Config  | Voltage | Temperature | Deviation (Hz) | Deviation (ppm) | Verdict |
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | NV      | TN          | 22.768112      | 0.006137        | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | L       | Outer_Full | NV      | TN          | -0.407117      | -0.000110       | PASS    |
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | NV      | TN          | 5.529846       | 0.001475        | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | M       | Outer_Full | NV      | TN          | 25.167515      | 0.006711        | PASS    |
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | H       | Outer_Full | NV      | TN          | 6.832220       | 0.001803        | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | H       | Outer_Full | NV      | TN          | -10.548592     | -0.002783       | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | L       | Outer_Full | NV      | TN          | 3.719068       | 0.001000        | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | L       | Outer_Full | NV      | TN          | -0.871742      | -0.000234       | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | M       | Outer_Full | NV      | TN          | -13.373945     | -0.003566       | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | M       | Outer_Full | NV      | TN          | -8.740380      | -0.002331       | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | H       | Outer_Full | NV      | TN          | -2.215361      | -0.000586       | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | H       | Outer_Full | NV      | TN          | -4.372712      | -0.001157       | PASS    |

|               |    |    |              |   |                |    |    |                |               |          |
|---------------|----|----|--------------|---|----------------|----|----|----------------|---------------|----------|
| N78-3700-3800 | 30 | 50 | DFT-Q<br>PSK | L | Outer_<br>Full | NV | TN | 28.37669<br>0  | 0.0076<br>18  | PAS<br>S |
| N78-3700-3800 | 30 | 50 | CP-QP<br>SK  | L | Outer_<br>Full | NV | TN | -4.29607<br>9  | -0.001<br>153 | PAS<br>S |
| N78-3700-3800 | 30 | 50 | DFT-Q<br>PSK | M | Outer_<br>Full | NV | TN | -15.0695<br>28 | -0.004<br>019 | PAS<br>S |
| N78-3700-3800 | 30 | 50 | CP-QP<br>SK  | M | Outer_<br>Full | NV | TN | 5.840231       | 0.0015<br>57  | PAS<br>S |
| N78-3700-3800 | 30 | 50 | DFT-Q<br>PSK | H | Outer_<br>Full | NV | TN | 10.74299<br>0  | 0.0028<br>46  | PAS<br>S |
| N78-3700-3800 | 30 | 50 | CP-QP<br>SK  | H | Outer_<br>Full | NV | TN | -0.75206<br>6  | -0.000<br>199 | PAS<br>S |
| N78-3700-3800 | 30 | 60 | DFT-Q<br>PSK | L | Outer_<br>Full | NV | TN | 2.966823       | 0.0007<br>95  | PAS<br>S |
| N78-3700-3800 | 30 | 60 | CP-QP<br>SK  | L | Outer_<br>Full | NV | TN | -34.4961<br>01 | -0.009<br>248 | PAS<br>S |
| N78-3700-3800 | 30 | 60 | DFT-Q<br>PSK | M | Outer_<br>Full | NV | TN | -1.10054<br>2  | -0.000<br>293 | PAS<br>S |
| N78-3700-3800 | 30 | 60 | CP-QP<br>SK  | M | Outer_<br>Full | NV | TN | 11.64483<br>5  | 0.0031<br>05  | PAS<br>S |
| N78-3700-3800 | 30 | 60 | DFT-Q<br>PSK | H | Outer_<br>Full | NV | TN | 14.93296<br>0  | 0.0039<br>61  | PAS<br>S |
| N78-3700-3800 | 30 | 60 | CP-QP<br>SK  | H | Outer_<br>Full | NV | TN | -25.8169<br>44 | -0.006<br>848 | PAS<br>S |
| N78-3700-3800 | 30 | 80 | DFT-Q<br>PSK | L | Outer_<br>Full | NV | TN | -1.31301<br>8  | -0.000<br>351 | PAS<br>S |
| N78-3700-3800 | 30 | 80 | CP-QP<br>SK  | L | Outer_<br>Full | NV | TN | 21.43115<br>4  | 0.0057<br>30  | PAS<br>S |
| N78-3700-3800 | 30 | 80 | DFT-Q<br>PSK | M | Outer_<br>Full | NV | TN | -37.5519<br>33 | -0.010<br>014 | PAS<br>S |
| N78-3700-3800 | 30 | 80 | CP-QP<br>SK  | M | Outer_<br>Full | NV | TN | 2.004339       | 0.0005<br>34  | PAS<br>S |
| N78-3700-3800 | 30 | 80 | DFT-Q<br>PSK | H | Outer_<br>Full | NV | TN | -2.79151<br>5  | -0.000<br>742 | PAS<br>S |
| N78-3700-3800 | 30 | 80 | CP-QP<br>SK  | H | Outer_<br>Full | NV | TN | 5.510574       | 0.0014<br>66  | PAS<br>S |
| N78-3700-3800 | 30 | 90 | DFT-Q<br>PSK | L | Outer_<br>Full | NV | TN | -18.9754<br>33 | -0.005<br>067 | PAS<br>S |
| N78-3700-3800 | 30 | 90 | CP-QP<br>SK  | L | Outer_<br>Full | NV | TN | 11.29071<br>0  | 0.0030<br>15  | PAS<br>S |
| N78-3700-3800 | 30 | 90 | DFT-Q<br>PSK | M | Outer_<br>Full | NV | TN | -33.9766<br>50 | -0.009<br>060 | PAS<br>S |

|               |    |     |              |   |                |    |    |                |               |          |
|---------------|----|-----|--------------|---|----------------|----|----|----------------|---------------|----------|
| N78-3700-3800 | 30 | 90  | CP-QP<br>SK  | M | Outer_<br>Full | NV | TN | -21.1915<br>82 | -0.005<br>651 | PAS<br>S |
| N78-3700-3800 | 30 | 90  | DFT-Q<br>PSK | H | Outer_<br>Full | NV | TN | -5.92643<br>1  | -0.001<br>578 | PAS<br>S |
| N78-3700-3800 | 30 | 90  | CP-QP<br>SK  | H | Outer_<br>Full | NV | TN | -32.0467<br>26 | -0.008<br>534 | PAS<br>S |
| N78-3700-3800 | 30 | 100 | DFT-Q<br>PSK | L | Outer_<br>Full | NV | TN | -6.50526<br>0  | -0.001<br>735 | PAS<br>S |
| N78-3700-3800 | 30 | 100 | CP-QP<br>SK  | L | Outer_<br>Full | NV | TN | 40.95094<br>7  | 0.0109<br>20  | PAS<br>S |
| N78-3700-3800 | 30 | 100 | DFT-Q<br>PSK | M | Outer_<br>Full | NV | TN | 18.57564<br>2  | 0.0049<br>54  | PAS<br>S |
| N78-3700-3800 | 30 | 100 | CP-QP<br>SK  | M | Outer_<br>Full | NV | TN | -6.46669<br>1  | -0.001<br>724 | PAS<br>S |
| N78-3700-3800 | 30 | 100 | DFT-Q<br>PSK | H | Outer_<br>Full | NV | TN | -1.94867<br>1  | -0.000<br>520 | PAS<br>S |
| N78-3700-3800 | 30 | 100 | CP-QP<br>SK  | H | Outer_<br>Full | NV | TN | 8.511851       | 0.0022<br>70  | PAS<br>S |

## Appendix F: Modulation characteristics for SA

### Test Result

| Band          | SCS | Bandwidth | Modulation | Channel | RB Config  | Result    | Verdict |
|---------------|-----|-----------|------------|---------|------------|-----------|---------|
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 20        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 20        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 40        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 50        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 60        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 80        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | DFT-QPSK   | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | CP-QPSK    | L       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | DFT-QPSK   | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | CP-QPSK    | M       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | DFT-QPSK   | H       | Outer_Full | see graph | PASS    |
| N78-3700-3800 | 30  | 90        | CP-QPSK    | H       | Outer_Full | see graph | PASS    |

|               |    |     |          |   |            |           |      |
|---------------|----|-----|----------|---|------------|-----------|------|
| N78-3700-3800 | 30 | 100 | DFT-QPSK | L | Outer_Full | see graph | PASS |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | L | Outer_Full | see graph | PASS |
| N78-3700-3800 | 30 | 100 | DFT-QPSK | M | Outer_Full | see graph | PASS |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | M | Outer_Full | see graph | PASS |
| N78-3700-3800 | 30 | 100 | DFT-QPSK | H | Outer_Full | see graph | PASS |
| N78-3700-3800 | 30 | 100 | CP-QPSK  | H | Outer_Full | see graph | PASS |

Test Graphs

