
FCC Test Report

Report No.: AGC00749250801FR03

FCC ID : 2A9G2-EJEASS2

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION : Ski Helmet Intercom System

BRAND NAME : EJEAS

MODEL NAME : S2

APPLICANT : Shenzhen EJEAS Intelligent Technology Co., Ltd.

DATE OF ISSUE : Sep. 08, 2025

STANDARD(S) : FCC Part 15 Subpart C §15.236

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Sep. 08, 2025	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of Contents

1. General Information	5
2. Product Information	6
2.1 Product Technical Description	6
2.2 Test Frequency List	6
2.3 Related Submittal(S) / Grant (S)	8
2.4 Test Methodology	8
2.5 Special Accessories	8
2.6 Equipment Modifications	8
3. Test Environment	9
3.1 Address of The Test Laboratory	9
3.2 Test Facility	9
3.3 Environmental Conditions	10
3.4 Measurement Uncertainty	10
3.5 List of Equipment Used	11
4. System Test Configuration	13
4.1 EUT Configuration	13
4.2 EUT Exercise	13
4.3 Configuration of Tested System	13
4.4 Equipment Used In Tested System	13
4.5 Summary of Test Results	14
5. Description of Test Modes	15
6. RF Conducted Power and Equivalent Isotropic Radiated Power (E.I.R.P.) Measurement	16
6.1 Provisions Applicable	16
6.2 Measurement Procedure	16
6.3 Measurement Setup (Block Diagram of Configuration)	16
6.4 Measurement Result	17
7. 99% Occupied Bandwidth Measurement	18
7.1 Provisions Applicable	18
7.2 Measurement Procedure	18
7.3 Measurement Setup (Block Diagram of Configuration)	18
7.4 Measurement Result	19
8. Emissions Within the Band and Emissions Outside the Band	20
8.1 Provisions Applicable	20
8.2 Measurement Procedure	20
8.3 Measurement Setup (Block Diagram of Configuration)	21
8.4 Measurement Result	23
9. Frequency Stability Measurement	33
9.1 Provisions Applicable	33
9.2 Measurement Procedure	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9.3 Measurement Setup (Block Diagram of Configuration)	33
9.4 Measurement Result	34
10. AC Power Line Conducted Emission Test.....	35
10.1 Measurement Limits	35
10.2 Measurement Setup (Block Diagram of Configuration)	35
10.3 Preliminary Procedure of Line Conducted Emission Test	36
10.4 Final Procedure of Line Conducted Emission Test	36
10.5 Measurement Result	36
Appendix I: Photographs of Test Setup.....	39
Appendix II: Photographs of Test EUT	39

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

1. General Information

Applicant	Shenzhen EJEAS Intelligent Technology Co., Ltd.
Address	Room 3A, B 1, Zhonxin road 9, Taoyuan Community, Dalang street, Longhua district, Shenzhen city, Guangdong province, China
Manufacturer	Shenzhen EJEAS Intelligent Technology Co., Ltd.
Address	Room 3A, B 1, Zhonxin road 9, Taoyuan Community, Dalang street, Longhua district, Shenzhen city, Guangdong province, China
Factory	Shenzhen EJEAS Intelligent Technology Co., Ltd.
Address	Room 3A, B 1, Zhonxin road 9, Taoyuan Community, Dalang street, Longhua district, Shenzhen city, Guangdong province, China
Product Designation	Ski Helmet Intercom System
Brand Name	EJEAS
Test Model	S2
Series Model(s)	N/A
Difference Description	N/A
Date of receipt of test item	Aug. 07, 2025
Date of Test	Aug. 07, 2025~Sep. 08, 2025
Deviation from Standard	No any deviation from the test method
Condition of Test Sample	Normal
Test Result	Pass
Test Report Form No	AGCER-FCC-DWM/D-V1

Note: The test results of this report relate only to the tested sample identified in this report.

Prepared By



Cici Li
(Project Engineer)

Sep. 08, 2025

Reviewed By



Bibo Zhang
(Reviewer)

Sep. 08, 2025

Approved By



Angela Li
(Authorized Officer)

Sep. 08, 2025

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2. Product Information

2.1 Product Technical Description

Operation Frequency Range	471.0MHz-486.8MHz
Modulation Type	GFSK
Channel Separation	200kHz
Number of channels	80 of channels
Maximum Transmitter Power	-1.55dBm (Max E.I.R.P)
Hardware Version	S2Pro_V2
Software Version	V1.9.0
Antenna Designation	PCB Antenna
Antenna Gain	0.82dBi
Power Supply	DC 7.6V by battery or DC 5V from adapter

2.2 Test Frequency List

Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
01	471.0 MHz	41	479.0 MHz
02	471.2 MHz	42	479.2 MHz
03	471.4 MHz	43	479.4 MHz
04	471.6 MHz	44	479.6 MHz
05	471.8 MHz	45	479.8 MHz
06	472.0 MHz	46	480.0 MHz
07	472.2 MHz	47	480.2 MHz
08	472.4 MHz	48	480.4 MHz
09	472.6 MHz	49	480.6 MHz
10	472.8 MHz	50	480.8 MHz
11	473.0 MHz	51	481.0 MHz
12	473.2 MHz	52	481.2 MHz
13	473.4 MHz	53	481.4 MHz
14	473.6 MHz	54	481.6 MHz
15	473.8 MHz	55	481.8 MHz
16	474.0 MHz	56	482.0 MHz
17	474.2 MHz	57	482.2 MHz
18	474.4 MHz	58	482.4 MHz
19	474.6 MHz	59	482.6 MHz
20	474.8 MHz	60	482.8 MHz
21	475.0 MHz	61	483.0 MHz
22	475.2 MHz	62	483.2 MHz
23	475.4 MHz	63	483.4 MHz
24	475.6 MHz	64	483.6 MHz
25	475.8 MHz	65	483.8 MHz
26	476.0 MHz	66	484.0 MHz
27	476.2 MHz	67	484.2 MHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

28	476.4 MHz	68	484.4 MHz
29	476.6 MHz	69	484.6 MHz
30	476.8 MHz	70	484.8 MHz
31	477.0 MHz	71	485.0 MHz
32	477.2 MHz	72	485.2 MHz
33	477.4 MHz	73	485.4 MHz
34	477.6 MHz	74	485.6 MHz
35	477.8 MHz	75	485.8 MHz
36	478.0 MHz	76	486.0 MHz
37	478.2 MHz	77	486.2 MHz
38	478.4 MHz	78	486.4 MHz
39	478.6 MHz	79	486.6 MHz
40	478.8 MHz	80	486.8 MHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2.3 Related Submittal(S) / Grant (S)

This submittal(s) (test report) is intended for FCC ID: 2A9G2-EJEASS2, filing to comply with Part 2, Part 15 of the Federal Communication Commission rules.

2.4 Test Methodology

The tests were performed according to following standards:

No.	Identity	Document Title
1	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
2	FCC 47 CFR Part 15	Radio Frequency Devices
3	ANSI C63.10-2020	American National Standard for Testing Unlicensed Wireless Devices
4	KDB 206256	D01 Wireless Microphone Certification v03
5	ETSI EN 300 422-1 V2.2.1 (2021-11)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Audio PMSE Equipment up to 3 GHz; Harmonised Standard for access to radio spectrum

2.5 Special Accessories

Not available for this EUT intended for grant.

2.6 Equipment Modifications

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

3. Test Environment

3.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842(CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

3.3 Environmental Conditions

	Normal Conditions	Extreme Conditions
Temperature range (°C)	15 - 35	-20 - 50
Relative humidity range	20 % - 75 %	20 % - 75 %
Pressure range (kPa)	86 - 106	86 - 106
Power supply	DC 7.6V	LV: DC 6.84V/HV:DC 8.36V
Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.		

3.4 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Test Items	Measurement Uncertainty
Frequency stability	$\pm 0.5\%$
Transmitter power conducted	$\pm 0.8\text{dB}$
Transmitter power Radiated	$\pm 1.3\text{dB}$
Conducted spurious emission 9kHz-40 GHz	$\pm 2.7\text{dB}$
Conducted Emission	$\pm 3.2\text{ dB}$
Radiated Emission below 1GHz	$\pm 3.9\text{ dB}$
Radiated Emission above 1GHz	$\pm 4.8\text{ dB}$
Occupied Channel Bandwidth	$\pm 2\%$

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3.5 List of Equipment Used

● RF Conducted Test System							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-ER-E036	Spectrum Analyzer	Agilent	N9020A	MY49100060	2025-05-08	2026-05-07
☒	AGC-ER-E062	Power Sensor	Agilent	U2021XA	MY54110007	2025-05-08	2026-05-07
☒	AGC-ER-E063	Power Sensor	Agilent	U2021XA	MY54110009	2025-05-08	2026-05-07
☒	AGC-ER-A007	6dB Fixed Attenuator	Mini circuits	BW-S6-2W263A+	N/A	2025-01-30	2026-01-29
☒	N/A	RF Connection Cable	N/A	1#	N/A	Each time	N/A
☒	N/A	RF Connection Cable	N/A	2#	N/A	Each time	N/A

● Radiated Spurious Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-EM-E116	EMI Test Receiver	R&S	ESCI	100034	2025-05-08	2026-05-07
☒	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2025-05-08	2026-05-07
☒	AGC-EM-E086	Loop Antenna	ZHINAN	ZN30900C	18051	2024-03-05	2026-03-04
☒	AGC-ER-E005	Wideband Antenna	SCHWARZBECK	VULB9168	VULB9168-494	2025-01-15	2027-01-14
☒	AGC-EM-E029	Broadband Ridged Horn Antenna	ETS	3117	00034609	2025-03-27	2026-03-26
☒	AGC-EM-E082	Horn Antenna	SCHWARZBECK	BBHA 9170	#768	2023-09-24	2025-09-23
☒	AGC-EM-E146	Pre-amplifier	ETS	3117-PA	00246148	2024-07-24	2026-07-23
☒	AGC-EM-A088	UHF Filter	Microwave	N25155M2	498705	2025-05-21	2026-05-20
☒	AGC-EM-A139	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	2025-05-16	2027-05-15

● AC Power Line Conducted Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-EM-A171	Attenuator	Mini-Circuits	UNAT-10A+	N/A	2024-02-01	2026-01-31
☒	AGC-EM-E023	Artificial Mains Network	R&S	ESH2-Z5	100086	2025-05-08	2026-05-07
☒	AGC-EM-E116	Test Receiver	R&S	ESCI	100034	2025-05-08	2026-05-07

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

● Test Software					
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Version Information
☒	AGC-EM-S001	CE Test System	R&S	ES-K1	V1.71
☒	AGC-EM-S004	RE Test System	Tonscend	TS+Ver2.1(JS32-RE)	4.0.0.0
☒	AGC-EM-S011	RSE Test System	Tonscend	TS+-Ver2.1(JS36-RSE)	4.0.0.0

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

4. System Test Configuration

4.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

4.2 EUT Exercise


The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

4.3 Configuration of Tested System

Radiated Emission Configure:



Conducted Emission Configure:



4.4 Equipment Used In Tested System

The following peripheral devices and interface cables were connected during the measurement:

☒ Test Accessories Come From The Laboratory

No.	Equipment	Manufacturer	Model No.	Specification Information	Cable
1	Adapter	Apple	A2452	--	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

4.5 Summary of Test Results

Item	FCC Rules	Description of Test	Result
1	§15.236(d)(1)(i)	Equivalent Isotropic Radiated Power (E.I.R.P.)	Pass
2	§15.236(f)(1)(ii)	99% Occupied Bandwidth	Pass
3	§15.236(g)(2)	Emissions Within the Band	Pass
4	§15.236(g) (4)	Emissions Out Side in This Band	Pass
5	§15.236(f)(1)(iii)	Frequency stability	Pass
6	§15.207	AC Power-Line Conducted Emission	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5. Description of Test Modes

Summary table of Test Cases	
Test Item	Equipment Type / Modulation
	Wireless Microphones – GFSK
Radiated & Conducted Test Cases	Mode 1: DWM GFSK TX_CH01_471.0 MHz(Battery powered or AC/DC adapter) Mode 2: DWM GFSK TX_CH40_478.8 MHz(Battery powered or AC/DC adapter) Mode 3: DWM GFSK TX_CH80_486.8 MHz(Battery powered or AC/DC adapter)
AC Conducted Emission	Mode 1: Normal Transmitting (Connect adapter)

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.
2. The battery is full-charged during the test.
3. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
4. For Conducted Test method, a temporary antenna connector is provided by the manufacture.
5. The EUT adjusts the frequency through the button.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6. RF Conducted Power and Equivalent Isotropic Radiated Power (E.I.R.P.) Measurement

6.1 Provisions Applicable


According to FCC Part 15.236(d)(1)(2) description below:

Frequency bands	Transmit E.I.R.P. (mW)
Wireless microphones	50
Wireless multichannel audio systems with a bandwidth up to 1 MHz	
Wireless multichannel audio systems with a bandwidth greater than 1 MHz	100
In the 600 MHz guard band and the 600 MHz duplex gap	20

6.2 Measurement Procedure

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since this measurement is made only during the ON time of the transmitter, no duty cycle correction is required

6.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.4 Measurement Result

Test Data of Conducted Output Power and E.I.R.P.					
Test Mode	Test Frequency (MHz)	Peak Power (dBm)	EIRP (dBm)	Limits (dBm)	Pass or Fail
DWM_TX (GFSK)	471.000	-3.062	-2.242	≤ 16.99	Pass
	478.800	-2.786	-1.966	≤ 16.99	Pass
	486.800	-2.520	-1.700	≤ 16.99	Pass

Note:

1. E.I.R.P.=RF Conducted Power (Peak Power) + Ant Gain
2. The manufacturer of RF external cable claims that the cable loss is 0.5dB, and the cable loss and attenuator have been compensated into the Corrections Configuration of measuring equipment.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

7. 99% Occupied Bandwidth Measurement

7.1 Provisions Applicable

According to FCC Part 15.236(f)(1) description below:

Frequency bands	Maximum Bandwidth
54-72 MHz (VHF) (TV Band Ch 2-4)	not exceed 200 kHz
76-88 MHz (VHF) (TV Band Ch 5-6)	
174-216 MHz (VHF) (TV Band Ch 7-13)	
470-608 MHz (UHF) (TV Band Ch 14-36)	
614-616 MHz (guard band)	
657-663 MHz (duplex gap)	


7.2 Measurement Procedure

For occupied bandwidth measurements, the input digital signal should be set to the manufacturer's maximum rated input and modulation requirements for the modulator.

- The 99% bandwidth spectrum analyzer setting reference is as follows:

1. Span = 1.5 times to 5 times the OBW
2. Set RBW = 1% to 5% the OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = Max hold
6. Sweep = Auto couple
7. Allow the trace was allowed to stabilize

7.3 Measurement Setup (Block Diagram of Configuration)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7.4 Measurement Result

Test Data of Occupied Bandwidth					
Test Mode	Test Frequency (MHz)	99% Occupied Bandwidth (kHz)	-20dB Bandwidth (kHz)	Limits (kHz)	Pass or Fail
DWM_TX (GFSK)	471.000	157.74	162.5	<200	Pass
	478.800	157.80	162.6	<200	Pass
	486.800	156.70	162.2	<200	Pass

Test plot as follows:



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. Emissions Within the Band and Emissions Outside the Band

8.1 Provisions Applicable

Emissions within the band from one megahertz below to one megahertz above the carrier frequency shall comply with the emission mask in section 4.2.4.2.2 of ETSI EN 300 422-1 V2.2.1 (2021-11)

Emissions outside of this band shall comply with the limits specified in section 4.2.4.1.2 of ETSI EN 300 422-1 V2.2.1 (2021-11).

8.2 Measurement Procedure

Emission outside the band:

1. On a test site, the EUT shall be placed on a turntable, and in the position closest to the normal use as declared by the user.
2. The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
3. The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
4. The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
5. The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
6. The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
7. The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
8. The maximum signal level detected by the measuring receiver shall be noted.
9. The measurement shall be repeated with the test antenna set to horizontal polarization.
10. Replace the antenna with a proper Antenna (substitution antenna).
11. The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
12. The substitution antenna shall be connected to a calibrated signal generator.
13. If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
14. The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
15. The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
16. The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
17. The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

The following table is the setting of spectrum analyzer and receiver.

Spectrum Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP
Start ~Stop Frequency	1000MHz~6000MHz/RB 1MHz for QP


Receiver Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP
Start ~Stop Frequency	1000MHz~6000MHz/RB 1MHz for QP

Emission outside the band:

- ☐ Method of Measurement for Analogue Systems in ETSI EN 300 422-1 Subclass 4.2.4.2.2
☒ Method of Measurement for Digital Systems in ETSI EN 300 422-1 Subclass 4.2.4.1.2 and ETSI EN 300 422-1 Subclass 4.2.4.2.2

8.3 Measurement Setup (Block Diagram of Configuration)


☒ Emission within the band:




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

☒ Emission outside the band:

Radiated Emission Test Setup 9kHz-30MHz




Radiated Emissions Below 30MHz-1GHz Test Setup



Test setup for radiated emissions of tabletop equipment (30 MHz to 1 GHz)


Radiated Emissions Above 1GHz Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.4 Measurement Result


Test plot as follows:




Note:

- 1.The manufacturer declared that the channel bandwidth is 200kHz.
- 2.The carrier power is the ref level, and the factor had been edited in the “Input Correction” of the Spectrum Analyzer.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX: 471.000MHz			Polarity:			Horizontal	
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-86.87	-58.86	-54.00	4.86	28.01	110	Horizontal
2	63.95	-90.95	-65.56	-54.00	11.56	25.39	230	Horizontal
3	99.84	-86.79	-66.93	-54.00	12.93	19.86	110	Horizontal
4	125.06	-92.84	-69.13	-54.00	15.13	23.71	30	Horizontal
5	613.94	-101.24	-67.12	-54.00	13.12	34.12	290	Horizontal
6	820.55	-100.60	-63.82	-54.00	9.82	36.78	340	Horizontal

Test Mode:	TX: 471.000MHz			Polarity:			Vertical	
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-87.50	-59.49	-54.00	5.49	28.01	200	Vertical
2	63.95	-90.24	-64.85	-54.00	10.85	25.39	220	Vertical
3	99.84	-86.75	-66.89	-54.00	12.89	19.86	50	Vertical
4	125.06	-92.08	-68.37	-54.00	14.37	23.71	200	Vertical
5	656.62	-101.14	-67.03	-54.00	13.03	34.11	260	Vertical
6	823.46	-100.12	-63.38	-54.00	9.38	36.74	60	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX: 478.800MHz	Polarity:	Horizontal
------------	----------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-86.85	-58.84	-54.00	4.84	28.01	160	Horizontal
2	63.95	-90.73	-65.34	-54.00	11.34	25.39	240	Horizontal
3	94.99	-87.47	-66.60	-54.00	12.60	20.87	310	Horizontal
4	125.06	-93.08	-69.37	-54.00	15.37	23.71	110	Horizontal
5	603.27	-100.42	-66.38	-54.00	12.38	34.04	350	Horizontal
6	828.31	-100.88	-64.22	-54.00	10.22	36.66	340	Horizontal


Test Mode:	TX: 478.800MHz	Polarity:	Vertical
------------	----------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-87.27	-59.26	-54.00	5.26	28.01	340	Vertical
2	58.13	-93.68	-67.30	-54.00	13.30	26.38	100	Vertical
3	63.95	-90.14	-64.75	-54.00	10.75	25.39	230	Vertical
4	95.96	-87.09	-66.50	-54.00	12.50	20.59	80	Vertical
5	125.06	-92.70	-68.99	-54.00	14.99	23.71	100	Vertical
6	765.26	-99.40	-63.84	-54.00	9.84	35.56	0	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX: 486.800MHz	Polarity:	Horizontal
------------	----------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-86.85	-58.84	-54.00	4.84	28.01	330	Horizontal
2	63.95	-90.21	-64.82	-54.00	10.82	25.39	190	Horizontal
3	94.99	-88.05	-67.18	-54.00	13.18	20.87	20	Horizontal
4	125.06	-92.12	-68.41	-54.00	14.41	23.71	190	Horizontal
5	641.1	-100.66	-66.21	-54.00	12.21	34.45	100	Horizontal
6	786.6	-100.41	-63.93	-54.00	9.93	36.48	200	Horizontal

Test Mode:	TX: 486.800MHz	Polarity:	Vertical
------------	----------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.43	-86.80	-58.79	-54.00	4.79	28.01	250	Vertical
2	57.16	-94.07	-67.55	-54.00	13.55	26.52	270	Vertical
3	62.98	-90.72	-65.27	-54.00	11.27	25.45	120	Vertical
4	94.99	-87.73	-66.86	-54.00	12.86	20.87	280	Vertical
5	619.76	-100.78	-66.63	-54.00	12.63	34.15	240	Vertical
6	814.73	-101.41	-64.43	-54.00	10.43	36.98	70	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results Above 1GHz


EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 471.0MHz	Polarization	Horizontal



NO	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1799.7998	-61.31	-61.75	-30.00	31.75	-0.44	290	Horizontal
2	2658.4084	-64.61	-62.40	-30.00	32.40	2.21	60	Horizontal
3	3411.1612	-64.12	-61.97	-30.00	31.97	2.15	120	Horizontal
4	5175.4254	-66.43	-61.17	-30.00	31.17	5.26	80	Horizontal
5	6492.7427	-63.98	-56.33	-30.00	26.33	7.65	70	Horizontal
6	10503.5035	-65.83	-53.65	-30.00	23.65	12.18	30	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 471.0MHz	Polarization	Vertical



NO	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1176.4264	-62.88	-66.96	-30.00	36.96	-4.08	180	Vertical
2	2293.7938	-63.30	-60.98	-30.00	30.98	2.32	100	Vertical
3	3599.3493	-65.87	-63.54	-30.00	33.54	2.33	30	Vertical
4	5540.04	-64.36	-58.50	-30.00	28.50	5.86	340	Vertical
5	6963.2132	-63.79	-55.54	-30.00	25.54	8.25	340	Vertical
6	11773.7738	-66.07	-52.81	-30.00	22.81	13.26	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 478.8MHz	Polarization	Horizontal



NO	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1611.6116	-61.77	-64.53	-30.00	34.53	-2.76	100	Horizontal
2	2199.6997	-64.13	-61.91	-30.00	31.91	2.22	120	Horizontal
3	2881.8819	-63.12	-61.36	-30.00	31.36	1.76	180	Horizontal
4	6963.2132	-64.01	-55.76	-30.00	25.76	8.25	80	Horizontal
5	8421.6717	-63.64	-55.40	-30.00	25.40	8.24	50	Horizontal
6	10891.6416	-65.69	-52.22	-30.00	22.22	13.47	90	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 478.8MHz	Polarization	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1341.0911	-62.50	-66.60	-30.00	36.60	-4.10	190	Vertical
2	2199.6997	-62.77	-60.55	-30.00	30.55	2.22	160	Vertical
3	3270.02	-64.08	-62.15	-30.00	32.15	1.93	340	Vertical
4	5716.4665	-65.36	-59.18	-30.00	29.18	6.18	140	Vertical
5	8398.1481	-63.70	-55.51	-30.00	25.51	8.19	150	Vertical
6	12185.4354	-65.85	-52.65	-30.00	22.65	13.20	40	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 486.8MHz	Polarization	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1270.5205	-63.26	-67.36	-30.00	37.36	-4.10	330	Horizontal
2	2176.1762	-63.24	-61.04	-30.00	31.04	2.20	300	Horizontal
3	3493.4935	-65.28	-63.00	-30.00	33.00	2.28	110	Horizontal
4	6575.0751	-63.74	-55.99	-30.00	25.99	7.75	240	Horizontal
5	8621.6216	-64.46	-56.11	-30.00	26.11	8.35	90	Horizontal
6	10891.6416	-66.34	-52.87	-30.00	22.87	13.47	100	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EUT	Ski Helmet Intercom System	Model Name	S2
Temperature	21.6°C	Relative Humidity	53.4%
Pressure	960hPa	Test Voltage	DC 7.6V by battery
Test Mode	Transmitting at 486.8MHz	Polarization	Vertical



NO	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1235.2352	-63.03	-67.11	-30.00	37.11	-4.08	110	Vertical
2	2023.2733	-63.92	-61.88	-30.00	31.88	2.04	90	Vertical
3	3481.7317	-63.71	-61.45	-30.00	31.45	2.26	320	Vertical
4	5622.3724	-64.26	-58.25	-30.00	28.25	6.01	160	Vertical
5	8480.4805	-64.77	-56.45	-30.00	26.45	8.32	250	Vertical
6	10891.6416	-66.47	-53.00	-30.00	23.00	13.47	180	Vertical

RESULT: PASS

Note:

- The amplitude of other spurious emissions from 1G to 6 GHz which are attenuated more than 20 dB below the permissible value need not be reported.
- Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin = Emission Level - Limit.
- The “Factor” value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9. Frequency Stability Measurement

9.1 Provisions Applicable

According to FCC Part 15.236(f)(1) description below:


The frequency tolerance of the carrier signal shall be maintained within $\pm 0.005\%$ of the operating frequency over a temperature variation of -20 degrees to $+50$ degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. Battery operated equipment shall be tested using a new battery.

9.2 Measurement Procedure

The EUT was connected to a frequency counter or spectrum analyzer through the antenna output of each transmitter. The EUT was then placed in a temperature chamber.

1. The nominal frequency of the transmitter was measured and recorded.
2. The temperature chamber was then set to -30°C .
3. Once the temperature had reached -30°C the EUT was allowed to soak for 30 minutes.
4. After soaking at -30°C for thirty minutes the EUT was turned on and the transmit frequency was measured and recorded.
5. Steps (b) through (d) were repeated for each temperature in 10°C steps from -20°C to $+50^{\circ}\text{C}$.
6. The EUT was then removed from the temperature chamber and allowed to adjust to nominal room temperature (20°C).
7. The input voltage was checked and adjusted to the nominal level. The frequency was measured and recorded.
8. The input voltage was then varied to 85% of its nominal level. The frequency was measured and recorded.
9. The input voltage was then varied to 115% of its nominal level. The frequency was measured and recorded.
10. The fc is declaring of channel frequency. Then the frequency error formula is $(f_c - f)/f_c \times 10^6$ ppm and the limit is less than ± 50 ppm.

9.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9.4 Measurement Result

Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temperature (°C)	Test Frequency (MHz)				
		471.000	478.800	486.800		
7.6	-30	-4.58	-4.45	-5.45	± 50	Pass
	-20	-9.42	-6.63	-6.52		
	-10	-13.69	-0.28	-9.61		
	0	-12.53	-8.85	-11.35		
	10	-7.48	-10.53	-8.42		
	20	-4.46	-3.49	-4.52		
	30	-8.28	-7.45	-6.28		
	40	-12.42	-0.62	-10.46		
	50	-11.45	-0.58	-9.85		
8.74	20	-5.62	-8.97	-8.91		
6.46	20	-8.28	-9.53	-10.42		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

10. AC Power Line Conducted Emission Test


10.1 Measurement Limits

Frequency Range	Maximum RF Line Voltage	
	Q.P. (dB μ V)	Average (dB μ V)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

10.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

10.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
8. During the above scans, the emissions were maximized by cable manipulation.
9. The test mode(s) were scanned during the preliminary test.
10. Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

10.4 Final Procedure of Line Conducted Emission Test


1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
3. The test data of the worst case condition(s) was reported on the Summary Data page.

10.5 Measurement Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
-----------	--------	-----------	----------



MEASUREMENT RESULT: "agc_fin"

2025/8/14 9:29

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.294000	27.90	9.9	60	32.5	QP	L1
0.706000	23.50	9.9	56	32.5	QP	L1
1.122000	24.10	9.9	56	31.9	QP	L1
4.022000	24.10	10.0	56	31.9	QP	L1
4.118000	24.60	10.0	56	31.4	QP	L1
4.266000	21.70	10.0	56	34.3	QP	L1

MEASUREMENT RESULT: "agc_fin2"


2025/8/14 9:29

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.290000	23.80	9.9	51	26.7	AV	L1
0.518000	19.30	9.9	46	26.7	AV	L1
1.126000	18.90	9.9	46	27.1	AV	L1
4.022000	17.20	10.0	46	28.8	AV	L1
5.198000	11.20	10.0	50	38.8	AV	L1
29.234000	8.10	11.2	50	41.9	AV	L1

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
-----------	--------	-----------	--------------



x x x MES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/8/14 9:32

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.294000	27.90	9.9	60	32.5	QP	N
0.578000	23.80	9.9	56	32.2	QP	N
1.302000	24.50	9.9	56	31.5	QP	N
2.202000	18.50	9.9	56	37.5	QP	N
3.938000	23.30	10.0	56	32.7	QP	N
4.022000	24.20	10.0	56	31.8	QP	N

MEASUREMENT RESULT: "agc_fin2"

2025/8/14 9:32

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.286000	24.30	9.9	51	26.3	AV	N
0.618000	20.00	9.9	46	26.0	AV	N
1.198000	19.30	9.9	46	26.7	AV	N
4.022000	17.00	10.0	46	29.0	AV	N
9.326000	11.10	10.2	50	38.9	AV	N
29.142000	7.70	11.2	50	42.3	AV	N

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC00749250801AP02

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC00749250801AP03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.