


Radiated Emission Test Result

Memo : 11G 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1035.75	71.12	53.45	-17.67	74.00	20.55	Peak	VERTICAL
2	1069.75	65.45	47.26	-18.19	74.00	26.74	Peak	VERTICAL
3	1380.00	59.01	43.68	-15.33	74.00	30.32	Peak	VERTICAL
4	1726.75	57.89	42.76	-15.13	74.00	31.24	Peak	VERTICAL
5	1920.00	57.15	44.84	-12.31	74.00	29.16	Peak	VERTICAL
6	2385.50	59.88	49.34	-10.54	74.00	24.66	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1034.25	71.59	53.96	-17.63	74.00	20.04	Peak	HORIZONTAL
		52.37	34.74	-17.63	54.00	19.26	Av	HORIZONTAL
2	1437.00	59.06	43.21	-15.85	74.00	30.79	Peak	HORIZONTAL
3	1901.00	57.07	44.62	-12.45	74.00	29.38	Peak	HORIZONTAL
4	2235.75	61.38	49.96	-11.42	74.00	24.04	Peak	HORIZONTAL
5	2384.25	64.36	53.81	-10.55	74.00	20.19	Peak	HORIZONTAL
6	2513.50	62.90	52.21	-10.69	74.00	21.79	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.00	70.57	52.89	-17.68	74.00	21.11	Peak	VERTICAL
2	1149.50	60.27	43.37	-16.90	74.00	30.63	Peak	VERTICAL
3	1304.50	57.89	43.08	-14.81	74.00	30.92	Peak	VERTICAL
4	1908.00	56.07	43.67	-12.40	74.00	30.33	Peak	VERTICAL
5	2351.00	57.98	47.09	-10.89	74.00	26.91	Peak	VERTICAL
6	2510.25	58.12	47.47	-10.65	74.00	26.53	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1038.25	68.94	51.21	-17.73	74.00	22.79	Peak	HORIZONTAL
2	1440.75	60.75	44.86	-15.89	74.00	29.14	Peak	HORIZONTAL
3	1947.75	56.87	44.77	-12.10	74.00	29.23	Peak	HORIZONTAL
4	2226.50	60.82	49.35	-11.47	74.00	24.65	Peak	HORIZONTAL
5	2336.75	61.54	50.58	-10.96	74.00	23.42	Peak	HORIZONTAL
6	2514.00	64.56	53.87	-10.69	74.00	20.13	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1024.00	64.68	47.31	-17.37	74.00	26.69	Peak	VERTICAL
2	1035.50	66.92	49.26	-17.66	74.00	24.74	Peak	VERTICAL
3	1359.75	57.08	41.89	-15.19	74.00	32.11	Peak	VERTICAL
4	1955.50	57.01	44.96	-12.05	74.00	29.04	Peak	VERTICAL
5	2371.25	58.21	47.52	-10.69	74.00	26.48	Peak	VERTICAL
6	2514.75	56.54	45.84	-10.70	74.00	28.16	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.50	68.02	50.33	-17.69	74.00	23.67	Peak	HORIZONTAL
2	1439.75	59.72	43.84	-15.88	74.00	30.16	Peak	HORIZONTAL
3	1938.25	57.14	44.96	-12.18	74.00	29.04	Peak	HORIZONTAL
4	2299.50	65.37	54.22	-11.15	74.00	19.78	Peak	HORIZONTAL
		59.24	48.09	-11.15	54.00	5.91	Av	HORIZONTAL
5	2390.50	66.59	56.09	-10.50	74.00	17.91	Peak	HORIZONTAL
		54.15	43.65	-10.50	54.00	10.35	Av	HORIZONTAL
6	2512.00	60.98	50.31	-10.67	74.00	23.69	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1031.50	70.28	52.71	-17.57	74.00	21.29	Peak	VERTICAL
2	1050.25	71.15	53.12	-18.03	74.00	20.88	Peak	VERTICAL
3	1264.50	57.54	42.58	-14.96	74.00	31.42	Peak	VERTICAL
4	1474.50	57.89	41.81	-16.08	74.00	32.19	Peak	VERTICAL
5	1893.50	57.40	44.83	-12.57	74.00	29.17	Peak	VERTICAL
6	2381.25	58.75	48.17	-10.58	74.00	25.83	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1034.50	69.49	51.85	-17.64	74.00	22.15	Peak	HORIZONTAL
2	1439.75	59.66	43.78	-15.88	74.00	30.22	Peak	HORIZONTAL
3	1931.50	56.90	44.67	-12.23	74.00	29.33	Peak	HORIZONTAL
4	2233.25	59.63	48.20	-11.43	74.00	25.80	Peak	HORIZONTAL
5	2385.50	63.28	52.74	-10.54	74.00	21.26	Peak	HORIZONTAL
6	2571.00	61.80	50.66	-11.14	74.00	23.34	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1030.75	68.79	51.24	-17.55	74.00	22.76	Peak	VERTICAL
2	1318.00	56.55	41.64	-14.91	74.00	32.36	Peak	VERTICAL
3	1691.25	56.80	41.39	-15.41	74.00	32.61	Peak	VERTICAL
4	1877.00	56.33	43.52	-12.81	74.00	30.48	Peak	VERTICAL
5	2069.75	56.94	45.18	-11.76	74.00	28.82	Peak	VERTICAL
6	2514.00	57.36	46.67	-10.69	74.00	27.33	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1034.75	69.91	52.27	-17.64	74.00	21.73	Peak	HORIZONTAL
2	1440.00	59.50	43.62	-15.88	74.00	30.38	Peak	HORIZONTAL
3	1682.25	58.15	42.64	-15.51	74.00	31.36	Peak	HORIZONTAL
4	1920.00	57.84	45.53	-12.31	74.00	28.47	Peak	HORIZONTAL
5	2271.00	61.09	49.83	-11.26	74.00	24.17	Peak	HORIZONTAL
6	2509.50	64.48	53.83	-10.65	74.00	20.17	Peak	HORIZONTAL
		54.02	43.37	-10.65	54.00	10.63	Av	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2422MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.50	70.71	53.02	-17.69	74.00	20.98	Peak	VERTICAL
2	1327.25	56.21	41.25	-14.96	74.00	32.75	Peak	VERTICAL
3	1877.00	56.55	43.74	-12.81	74.00	30.26	Peak	VERTICAL
4	2091.25	57.07	45.35	-11.72	74.00	28.65	Peak	VERTICAL
5	2384.50	59.01	48.46	-10.55	74.00	25.54	Peak	VERTICAL
6	2514.75	57.34	46.64	-10.70	74.00	27.36	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2422MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1032.75	69.14	51.55	-17.59	74.00	22.45	Peak	HORIZONTAL
2	1439.75	60.23	44.35	-15.88	74.00	29.65	Peak	HORIZONTAL
3	1936.25	56.53	44.34	-12.19	74.00	29.66	Peak	HORIZONTAL
4	2299.75	62.10	50.95	-11.15	74.00	23.05	Peak	HORIZONTAL
5	2386.50	68.40	57.87	-10.53	74.00	16.13	Peak	HORIZONTAL
		54.27	43.74	-10.53	54.00	10.26	Av	HORIZONTAL
6	2558.00	60.70	49.65	-11.05	74.00	24.35	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2437MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1032.25	71.25	53.67	-17.58	74.00	20.33	Peak	VERTICAL
2	1218.00	57.79	41.90	-15.89	74.00	32.10	Peak	VERTICAL
3	1415.50	57.29	41.67	-15.62	74.00	32.33	Peak	VERTICAL
4	1886.75	57.00	44.34	-12.66	74.00	29.66	Peak	VERTICAL
5	2095.25	56.87	45.15	-11.72	74.00	28.85	Peak	VERTICAL
6	2386.00	57.87	47.33	-10.54	74.00	26.67	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.00	69.39	51.71	-17.68	74.00	22.29	Peak	HORIZONTAL
2	1439.00	59.44	43.57	-15.87	74.00	30.43	Peak	HORIZONTAL
3	1679.50	58.01	42.46	-15.55	74.00	31.54	Peak	HORIZONTAL
4	2233.00	59.89	48.46	-11.43	74.00	25.54	Peak	HORIZONTAL
5	2389.25	66.22	55.70	-10.52	74.00	18.30	Peak	HORIZONTAL
		53.48	42.96	-10.52	54.00	11.04	Av	HORIZONTAL
6	2512.00	67.02	56.35	-10.67	74.00	17.65	Peak	HORIZONTAL
		51.86	41.19	-10.67	54.00	12.81	Av	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2452MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1028.75	70.83	53.34	-17.49	74.00	20.66	Peak	VERTICAL
2	1379.25	58.33	43.01	-15.32	74.00	30.99	Peak	VERTICAL
3	1895.25	56.27	43.73	-12.54	74.00	30.27	Peak	VERTICAL
4	2114.50	56.83	45.12	-11.71	74.00	28.88	Peak	VERTICAL
5	2387.50	56.75	46.22	-10.53	74.00	27.78	Peak	VERTICAL
6	2517.25	56.93	46.21	-10.72	74.00	27.79	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2452MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1030.00	69.54	52.01	-17.53	74.00	21.99	Peak	HORIZONTAL
2	1260.25	58.69	43.71	-14.98	74.00	30.29	Peak	HORIZONTAL
3	1439.75	59.94	44.06	-15.88	74.00	29.94	Peak	HORIZONTAL
4	2024.50	56.90	45.13	-11.77	74.00	28.87	Peak	HORIZONTAL
5	2385.25	64.71	54.17	-10.54	74.00	19.83	Peak	HORIZONTAL
		50.87	40.33	-10.54	54.00	13.67	Av	HORIZONTAL
6	2515.25	69.12	58.42	-10.70	74.00	15.58	Peak	HORIZONTAL
		53.40	42.70	-10.70	54.00	11.30	Av	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.75	72.38	54.68	-17.70	74.00	19.32	Peak	VERTICAL
		53.70	36.00	-17.70	54.00	18.00	Av	VERTICAL
2	1150.75	62.70	45.81	-16.89	74.00	28.19	Peak	VERTICAL
3	1690.00	57.17	41.74	-15.43	74.00	32.26	Peak	VERTICAL
4	1948.75	56.52	44.43	-12.09	74.00	29.57	Peak	VERTICAL
5	2097.75	57.00	45.29	-11.71	74.00	28.71	Peak	VERTICAL
6	2369.75	57.41	46.71	-10.70	74.00	27.29	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1024.25	73.20	55.82	-17.38	74.00	18.18	Peak	HORIZONTAL
		57.79	40.41	-17.38	54.00	13.59	Av	HORIZONTAL
2	1264.00	57.89	42.93	-14.96	74.00	31.07	Peak	HORIZONTAL
3	1439.75	59.64	43.76	-15.88	74.00	30.24	Peak	HORIZONTAL
4	1680.50	58.87	43.34	-15.53	74.00	30.66	Peak	HORIZONTAL
5	1995.00	56.60	44.81	-11.79	74.00	29.19	Peak	HORIZONTAL
6	2387.50	63.48	52.95	-10.53	74.00	21.05	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1029.50	69.80	52.29	-17.51	74.00	21.71	Peak	VERTICAL
2	1150.25	63.76	46.86	-16.90	74.00	27.14	Peak	VERTICAL
3	1365.25	56.93	41.70	-15.23	74.00	32.30	Peak	VERTICAL
4	1857.00	56.92	43.80	-13.12	74.00	30.20	Peak	VERTICAL
5	2079.25	57.06	45.32	-11.74	74.00	28.68	Peak	VERTICAL
6	2380.25	57.30	46.70	-10.60	74.00	27.30	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1029.00	67.60	50.11	-17.49	74.00	23.89	Peak	HORIZONTAL
2	1439.50	60.00	44.12	-15.88	74.00	29.88	Peak	HORIZONTAL
3	1679.75	58.70	43.16	-15.54	74.00	30.84	Peak	HORIZONTAL
4	2029.00	56.99	45.21	-11.78	74.00	28.79	Peak	HORIZONTAL
5	2385.75	61.50	50.96	-10.54	74.00	23.04	Peak	HORIZONTAL
6	2514.25	60.69	49.99	-10.70	74.00	24.01	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2462MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1035.50	71.19	53.53	-17.66	74.00	20.47	Peak	VERTICAL
2	1251.50	56.71	41.68	-15.03	74.00	32.32	Peak	VERTICAL
3	1369.25	57.10	41.86	-15.24	74.00	32.14	Peak	VERTICAL
4	1953.25	57.32	45.26	-12.06	74.00	28.74	Peak	VERTICAL
5	2165.00	57.07	45.39	-11.68	74.00	28.61	Peak	VERTICAL
6	2760.00	57.21	46.79	-10.42	74.00	27.21	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX20 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1037.25	70.54	52.83	-17.71	74.00	21.17	Peak	HORIZONTAL
2	1440.00	59.94	44.06	-15.88	74.00	29.94	Peak	HORIZONTAL
3	1682.50	58.28	42.77	-15.51	74.00	31.23	Peak	HORIZONTAL
4	1920.50	57.07	44.76	-12.31	74.00	29.24	Peak	HORIZONTAL
5	2380.25	58.71	48.11	-10.60	74.00	25.89	Peak	HORIZONTAL
6	2513.00	63.95	53.26	-10.69	74.00	20.74	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2422MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1025.50	70.16	52.76	-17.40	74.00	21.24	Peak	VERTICAL
2	1439.75	59.41	43.53	-15.88	74.00	30.47	Peak	VERTICAL
3	2079.00	57.20	45.46	-11.74	74.00	28.54	Peak	VERTICAL
4	2256.25	59.51	48.19	-11.32	74.00	25.81	Peak	VERTICAL
5	2388.75	66.88	56.36	-10.52	74.00	17.64	Peak	VERTICAL
		53.83	43.31	-10.52	54.00	10.69	Av	VERTICAL
6	2579.50	60.31	49.13	-11.18	74.00	24.87	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2422MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1038.75	69.97	52.22	-17.75	74.00	21.78	Peak	HORIZONTAL
2	1440.00	59.86	43.98	-15.88	74.00	30.02	Peak	HORIZONTAL
3	1680.00	57.68	42.14	-15.54	74.00	31.86	Peak	HORIZONTAL
4	1920.00	57.28	44.97	-12.31	74.00	29.03	Peak	HORIZONTAL
5	2389.25	66.83	56.31	-10.52	74.00	17.69	Peak	HORIZONTAL
		52.57	42.05	-10.52	54.00	11.95	Av	HORIZONTAL
6	2514.00	61.52	50.83	-10.69	74.00	23.17	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1031.75	70.15	52.57	-17.58	74.00	21.43	Peak	VERTICAL
2	1150.25	58.33	41.43	-16.90	74.00	32.57	Peak	VERTICAL
3	1358.75	56.86	41.68	-15.18	74.00	32.32	Peak	VERTICAL
4	1885.00	57.24	44.55	-12.69	74.00	29.45	Peak	VERTICAL
5	2208.50	57.09	45.53	-11.56	74.00	28.47	Peak	VERTICAL
6	2524.00	55.95	45.18	-10.77	74.00	28.82	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1032.25	69.68	52.10	-17.58	74.00	21.90	Peak	HORIZONTAL
2	1439.50	60.35	44.47	-15.88	74.00	29.53	Peak	HORIZONTAL
3	1919.50	58.09	45.78	-12.31	74.00	28.22	Peak	HORIZONTAL
4	2284.50	59.17	47.96	-11.21	74.00	26.04	Peak	HORIZONTAL
5	2388.50	62.15	51.63	-10.52	74.00	22.37	Peak	HORIZONTAL
6	2575.50	60.07	48.92	-11.15	74.00	25.08	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2452MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1040.25	69.70	51.92	-17.78	74.00	22.08	Peak	VERTICAL
2	1138.25	59.37	42.11	-17.26	74.00	31.89	Peak	VERTICAL
3	1379.50	58.71	43.38	-15.33	74.00	30.62	Peak	VERTICAL
4	1873.75	57.02	44.16	-12.86	74.00	29.84	Peak	VERTICAL
5	2046.25	56.72	44.93	-11.79	74.00	29.07	Peak	VERTICAL
6	2300.50	62.13	50.98	-11.15	74.00	23.02	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11AX40 2452MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1036.75	72.33	54.63	-17.70	74.00	19.37	Peak	HORIZONTAL
		54.90	37.20	-17.70	54.00	16.80	Av	HORIZONTAL
2	1440.00	59.47	43.59	-15.88	74.00	30.41	Peak	HORIZONTAL
3	1680.00	58.43	42.89	-15.54	74.00	31.11	Peak	HORIZONTAL
4	2015.25	56.43	44.65	-11.78	74.00	29.35	Peak	HORIZONTAL
5	2380.25	59.54	48.94	-10.60	74.00	25.06	Peak	HORIZONTAL
6	2513.00	61.08	50.39	-10.69	74.00	23.61	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

2) For Radiated Emission test (3GHz -18GHz)

Radiated Emission Test Result

Memo : 11B 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3495.00	56.10	45.99	-10.11	74.00	28.01	Peak	VERTICAL
2	5520.00	51.94	44.63	-7.31	74.00	29.37	Peak	VERTICAL
3	7359.38	53.71	47.87	-5.84	74.00	26.13	Peak	VERTICAL
4	9371.25	50.37	47.37	-3.00	74.00	26.63	Peak	VERTICAL
5	12853.13	48.26	50.48	2.22	74.00	23.52	Peak	VERTICAL
6	17782.50	45.72	53.57	7.85	74.00	20.43	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11B 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3626.25	54.48	44.67	-9.81	74.00	29.33	Peak	HORIZONTAL
2	4509.38	52.95	44.74	-8.21	74.00	29.26	Peak	HORIZONTAL
3	7237.50	51.68	46.06	-5.62	74.00	27.94	Peak	HORIZONTAL
4	9144.38	51.38	48.16	-3.22	74.00	25.84	Peak	HORIZONTAL
5	12326.25	49.35	51.03	1.68	74.00	22.97	Peak	HORIZONTAL
6	17685.00	45.71	53.38	7.67	74.00	20.62	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11B 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3343.13	54.66	44.64	-10.02	74.00	29.36	Peak	VERTICAL
2	5518.13	52.05	44.73	-7.32	74.00	29.27	Peak	VERTICAL
3	7312.50	53.48	47.64	-5.84	74.00	26.36	Peak	VERTICAL
4	10378.13	49.58	48.48	-1.10	74.00	25.52	Peak	VERTICAL
5	14242.50	48.27	51.62	3.35	74.00	22.38	Peak	VERTICAL
6	17979.38	44.95	53.02	8.07	74.00	20.98	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11B 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	54.91	44.93	-9.98	74.00	29.07	Peak	HORIZONTAL
2	5520.00	53.22	45.91	-7.31	74.00	28.09	Peak	HORIZONTAL
3	7312.50	55.26	49.42	-5.84	74.00	24.58	Peak	HORIZONTAL
4	11720.63	48.90	49.68	0.78	74.00	24.32	Peak	HORIZONTAL
5	13447.50	49.07	51.28	2.21	74.00	22.72	Peak	HORIZONTAL
6	17964.38	45.08	53.10	8.02	74.00	20.90	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11B 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	57.59	47.61	-9.98	74.00	26.39	Peak	VERTICAL
2	6065.63	49.80	43.71	-6.09	74.00	30.29	Peak	VERTICAL
3	7359.38	53.35	47.51	-5.84	74.00	26.49	Peak	VERTICAL
4	12716.25	48.75	50.69	1.94	74.00	23.31	Peak	VERTICAL
5	16798.13	45.47	52.97	7.50	74.00	21.03	Peak	VERTICAL
6	17994.38	45.04	53.15	8.11	74.00	20.85	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11B 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	56.77	46.79	-9.98	74.00	27.21	Peak	HORIZONTAL
2	6033.75	51.15	44.92	-6.23	74.00	29.08	Peak	HORIZONTAL
3	7385.63	51.11	45.22	-5.89	74.00	28.78	Peak	HORIZONTAL
4	9532.50	50.27	47.62	-2.65	74.00	26.38	Peak	HORIZONTAL
5	13389.38	48.13	50.43	2.30	74.00	23.57	Peak	HORIZONTAL
6	17973.75	45.57	53.62	8.05	74.00	20.38	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	55.05	45.07	-9.98	74.00	28.93	Peak	VERTICAL
2	5520.00	53.42	46.11	-7.31	74.00	27.89	Peak	VERTICAL
3	7241.25	53.02	47.42	-5.60	74.00	26.58	Peak	VERTICAL
4	9926.25	50.60	48.65	-1.95	74.00	25.35	Peak	VERTICAL
5	11752.50	50.00	50.90	0.90	74.00	23.10	Peak	VERTICAL
6	16998.75	45.62	52.92	7.30	74.00	21.08	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2412MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3763.13	54.10	44.72	-9.38	74.00	29.28	Peak	HORIZONTAL
2	5520.00	52.78	45.47	-7.31	74.00	28.53	Peak	HORIZONTAL
3	7235.63	56.09	50.46	-5.63	74.00	23.54	Peak	HORIZONTAL
4	11360.63	49.14	49.80	0.66	74.00	24.20	Peak	HORIZONTAL
5	14443.13	47.47	51.09	3.62	74.00	22.91	Peak	HORIZONTAL
6	17688.75	45.69	53.36	7.67	74.00	20.64	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	56.28	46.30	-9.98	74.00	27.70	Peak	VERTICAL
2	4605.00	53.48	44.70	-8.78	74.00	29.30	Peak	VERTICAL
3	7297.50	53.05	47.22	-5.83	74.00	26.78	Peak	VERTICAL
4	9202.50	51.99	48.80	-3.19	74.00	25.20	Peak	VERTICAL
5	12260.63	49.36	50.85	1.49	74.00	23.15	Peak	VERTICAL
6	17790.00	44.90	52.78	7.88	74.00	21.22	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	55.26	45.28	-9.98	74.00	28.72	Peak	HORIZONTAL
2	5546.25	51.65	44.43	-7.22	74.00	29.57	Peak	HORIZONTAL
3	7316.25	56.05	50.21	-5.84	74.00	23.79	Peak	HORIZONTAL
4	11096.25	49.12	49.46	0.34	74.00	24.54	Peak	HORIZONTAL
5	14966.25	47.87	52.56	4.69	74.00	21.44	Peak	HORIZONTAL
6	17876.25	44.90	53.05	8.15	74.00	20.95	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2462MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3684.38	55.07	45.07	-10.00	74.00	28.93	Peak	VERTICAL
2	5520.00	54.79	47.48	-7.31	74.00	26.52	Peak	VERTICAL
3	7383.75	52.80	46.92	-5.88	74.00	27.08	Peak	VERTICAL
4	9521.25	50.54	47.84	-2.70	74.00	26.16	Peak	VERTICAL
5	12645.00	49.07	50.88	1.81	74.00	23.12	Peak	VERTICAL
6	17780.63	45.22	53.07	7.85	74.00	20.93	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11G 2462MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3168.75	55.07	44.90	-10.17	74.00	29.10	Peak	HORIZONTAL
2	4535.63	53.54	45.00	-8.54	74.00	29.00	Peak	HORIZONTAL
3	7387.50	55.87	49.98	-5.89	74.00	24.02	Peak	HORIZONTAL
4	10273.13	49.78	48.49	-1.29	74.00	25.51	Peak	HORIZONTAL
5	15939.38	45.95	51.77	5.82	74.00	22.23	Peak	HORIZONTAL
6	17480.63	45.69	53.43	7.74	74.00	20.57	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3043.13	55.65	45.48	-10.17	74.00	28.52	Peak	VERTICAL
2	6097.50	51.73	45.01	-6.72	74.00	28.99	Peak	VERTICAL
3	7361.25	52.22	46.37	-5.85	74.00	27.63	Peak	VERTICAL
4	9853.13	49.84	47.85	-1.99	74.00	26.15	Peak	VERTICAL
5	12656.25	48.71	50.53	1.82	74.00	23.47	Peak	VERTICAL
6	16708.13	46.14	53.27	7.13	74.00	20.73	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2412MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3515.63	58.72	48.69	-10.03	74.00	25.31	Peak	HORIZONTAL
2	4383.75	52.71	44.00	-8.71	74.00	30.00	Peak	HORIZONTAL
3	7239.38	51.91	46.30	-5.61	74.00	27.70	Peak	HORIZONTAL
4	9326.25	50.78	47.67	-3.11	74.00	26.33	Peak	HORIZONTAL
5	16404.38	46.58	53.02	6.44	74.00	20.98	Peak	HORIZONTAL
6	17986.88	45.05	53.13	8.08	74.00	20.87	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3061.88	55.27	45.08	-10.19	74.00	28.92	Peak	VERTICAL
2	4417.50	52.56	44.00	-8.56	74.00	30.00	Peak	VERTICAL
3	5465.63	52.31	44.83	-7.48	74.00	29.17	Peak	VERTICAL
4	9480.00	51.12	48.32	-2.80	74.00	25.68	Peak	VERTICAL
5	14943.75	47.06	51.68	4.62	74.00	22.32	Peak	VERTICAL
6	17859.38	44.67	52.79	8.12	74.00	21.21	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3045.00	54.89	44.72	-10.17	74.00	29.28	Peak	HORIZONTAL
2	5520.00	52.84	45.53	-7.31	74.00	28.47	Peak	HORIZONTAL
3	7303.13	51.62	45.77	-5.85	74.00	28.23	Peak	HORIZONTAL
4	12255.00	49.40	50.85	1.45	74.00	23.15	Peak	HORIZONTAL
5	16798.13	45.46	52.96	7.50	74.00	21.04	Peak	HORIZONTAL
6	17881.88	44.96	53.12	8.16	74.00	20.88	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2462MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3678.75	55.14	45.16	-9.98	74.00	28.84	Peak	VERTICAL
2	5231.25	53.63	45.74	-7.89	74.00	28.26	Peak	VERTICAL
3	7359.38	53.64	47.80	-5.84	74.00	26.20	Peak	VERTICAL
4	10629.38	49.36	48.79	-0.57	74.00	25.21	Peak	VERTICAL
5	14970.00	47.87	52.58	4.71	74.00	21.42	Peak	VERTICAL
6	17966.25	45.35	53.38	8.03	74.00	20.62	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N20 2462MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3633.75	54.24	44.42	-9.82	74.00	29.58	Peak	HORIZONTAL
2	4740.00	51.97	43.61	-8.36	74.00	30.39	Peak	HORIZONTAL
3	7372.50	52.22	46.35	-5.87	74.00	27.65	Peak	HORIZONTAL
4	8910.00	50.92	47.03	-3.89	74.00	26.97	Peak	HORIZONTAL
5	12268.13	48.52	50.08	1.56	74.00	23.92	Peak	HORIZONTAL
6	17655.00	45.64	53.28	7.64	74.00	20.72	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2422MHz




Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3511.88	54.70	44.64	-10.06	74.00	29.36	Peak	VERTICAL
2	4631.25	52.70	44.07	-8.63	74.00	29.93	Peak	VERTICAL
3	7241.25	50.68	45.08	-5.60	74.00	28.92	Peak	VERTICAL
4	11315.63	49.17	49.87	0.70	74.00	24.13	Peak	VERTICAL
5	16798.13	45.31	52.81	7.50	74.00	21.19	Peak	VERTICAL
6	17973.75	45.93	53.98	8.05	74.00	20.02	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2422MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3645.00	53.93	44.08	-9.85	74.00	29.92	Peak	HORIZONTAL
2	4710.00	52.34	44.12	-8.22	74.00	29.88	Peak	HORIZONTAL
3	11285.63	49.16	49.84	0.68	74.00	24.16	Peak	HORIZONTAL
4	16995.00	45.95	53.25	7.30	74.00	20.75	Peak	HORIZONTAL
5	17778.75	45.12	52.96	7.84	74.00	21.04	Peak	HORIZONTAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3661.88	54.33	44.42	-9.91	74.00	29.58	Peak	VERTICAL
2	4215.00	54.47	45.38	-9.09	74.00	28.62	Peak	VERTICAL
3	5274.38	52.54	44.50	-8.04	74.00	29.50	Peak	VERTICAL
4	7376.25	52.68	46.81	-5.87	74.00	27.19	Peak	VERTICAL
5	11715.00	48.99	49.75	0.76	74.00	24.25	Peak	VERTICAL
6	16783.13	45.86	53.33	7.47	74.00	20.67	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Margin = Result Level - Limit.

Radiated Emission Test Result

Memo : 11N40 2437MHz



Suspected Data List								
Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Level (dBμV/m)	Factor [dB/m]	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	3781.88	53.78	44.52	-9.26	74.00	29.48	Peak	HORIZONTAL
2	5525.63	51.08	43.79	-7.29	74.00	30.21	Peak	HORIZONTAL
3	9271.88	51.43	48.22	-3.21	74.00	25.78	Peak	HORIZONTAL
4	12146.25	50.00	51.27	1.27	74.00	22.73	Peak	HORIZONTAL
5	13451.25	48.37	50.59	2.22	74.00	23.41	Peak	HORIZONTAL
6	17482.50	45.75	53.47	7.72	74.00	20.53	Peak	HORIZONTAL

- Note:
1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level - Limit.