

Spurious Emission at Antenna Terminals


5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.18	-13	63.18	Pass	401
0.15	30	0.01	RMS	0.22	-78.33	-13	65.33	Pass	2986
30	689	0.1	RMS	603.4	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	703.06	15.26	60	44.74	Pass	401
726	1000	0.1	RMS	982.3	-69.47	-13	56.47	Pass	2741
1000	3000	1	RMS	1406	-53.32	-13	40.32	Pass	2001
3000	10000	1	RMS	9699	-45.35	-13	32.35	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.27	-77.91	-13	64.91	Pass	2986
30	689	0.1	RMS	682.5	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	703.06	14.43	60	45.57	Pass	401
726	1000	0.1	RMS	988	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	2999	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9707	-45.43	-13	32.43	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.18	-78.28	-13	65.28	Pass	2986
30	689	0.1	RMS	501.8	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	706.575	15.46	60	44.54	Pass	401
726	1000	0.1	RMS	937.5	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1413	-53.32	-13	40.32	Pass	2001
3000	10000	1	RMS	9700	-45.39	-13	32.39	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.18	-77.77	-13	64.77	Pass	2986
30	689	0.1	RMS	607.5	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	706.575	14.43	60	45.57	Pass	401
726	1000	0.1	RMS	844.8	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1413	-54.19	-13	41.19	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001



6. LTE_Band13


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.8	-13	63.8	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	767	0.1	RMS	766.7	-70.16	-13	57.16	Pass	7371
767	797	0.1	RMS	777.35	15.56	60	44.44	Pass	401
797	1000	0.1	RMS	848.5	-69.9	-13	56.9	Pass	2031
1000	3000	1	RMS	1554	-52.59	-13	39.59	Pass	2001
3000	10000	1	RMS	9702	-45.54	-13	32.54	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.39	-13	63.39	Pass	401
0.15	30	0.01	RMS	0.21	-77.92	-13	64.92	Pass	2986
30	767	0.1	RMS	764.9	-70.44	-13	57.44	Pass	7371
767	797	0.1	RMS	777.35	14.69	60	45.31	Pass	401
797	1000	0.1	RMS	927	-69.89	-13	56.89	Pass	2031
1000	3000	1	RMS	1554	-53.52	-13	40.52	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.37	-13	64.37	Pass	401
0.15	30	0.01	RMS	0.17	-77.97	-13	64.97	Pass	2986
30	767	0.1	RMS	758.8	-70.42	-13	57.42	Pass	7371
767	797	0.1	RMS	779.825	15.59	60	44.41	Pass	401
797	1000	0.1	RMS	975	-69.82	-13	56.82	Pass	2031
1000	3000	1	RMS	1559	-52.97	-13	39.97	Pass	2001
3000	10000	1	RMS	9699	-45.45	-13	32.45	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.54	-13	63.54	Pass	401
0.15	30	0.01	RMS	0.16	-77.92	-13	64.92	Pass	2986
30	767	0.1	RMS	753.2	-70.54	-13	57.54	Pass	7371
767	797	0.1	RMS	779.825	14.57	60	45.43	Pass	401
797	1000	0.1	RMS	970.9	-69.83	-13	56.83	Pass	2031
1000	3000	1	RMS	1559	-54.13	-13	41.13	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.25	-78.66	-13	65.66	Pass	2986
30	767	0.1	RMS	739.6	-70.57	-13	57.57	Pass	7371
767	797	0.1	RMS	782.375	15.15	60	44.85	Pass	401
797	1000	0.1	RMS	797.6	-69.77	-13	56.77	Pass	2031
1000	3000	1	RMS	1564	-52.14	-13	39.14	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.68	-13	63.68	Pass	401
0.15	30	0.01	RMS	0.17	-77.75	-13	64.75	Pass	2986
30	767	0.1	RMS	757.3	-70.37	-13	57.37	Pass	7371
767	797	0.1	RMS	782.375	14.37	60	45.63	Pass	401
797	1000	0.1	RMS	990.4	-69.83	-13	56.83	Pass	2031
1000	3000	1	RMS	1564	-53.3	-13	40.3	Pass	2001
3000	10000	1	RMS	9706	-45.52	-13	32.52	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.38	-13	63.38	Pass	401
0.15	30	0.01	RMS	0.18	-78.81	-13	65.81	Pass	2986
30	767	0.1	RMS	766.9	-70.24	-13	57.24	Pass	7371
767	797	0.1	RMS	777.575	15.5	60	44.5	Pass	401
797	1000	0.1	RMS	934.7	-69.74	-13	56.74	Pass	2031
1000	3000	1	RMS	1555	-53.06	-13	40.06	Pass	2001
3000	10000	1	RMS	9696	-45.54	-13	32.54	Pass	7001



6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.71	-13	63.71	Pass	401
0.15	30	0.01	RMS	0.23	-77.86	-13	64.86	Pass	2986
30	767	0.1	RMS	766.9	-70.35	-13	57.35	Pass	7371
767	797	0.1	RMS	777.575	14.75	60	45.25	Pass	401
797	1000	0.1	RMS	935.8	-69.84	-13	56.84	Pass	2031
1000	3000	1	RMS	1555	-53.82	-13	40.82	Pass	2001
3000	10000	1	RMS	9696	-45.51	-13	32.51	Pass	7001



7. LTE_Band17


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-13	64.99	Pass	2986
30	694	0.1	RMS	693.6	-70.3	-13	57.3	Pass	6641
694	726	0.1	RMS	704.32	15.42	60	44.58	Pass	401
726	1000	0.1	RMS	836	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1408	-53.04	-13	40.04	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.83	-13	63.83	Pass	401
0.15	30	0.01	RMS	0.24	-78.81	-13	65.81	Pass	2986
30	694	0.1	RMS	693.7	-70.7	-13	57.7	Pass	6641
694	726	0.1	RMS	704.32	14.3	60	45.7	Pass	401
726	1000	0.1	RMS	909.3	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1408	-54.01	-13	41.01	Pass	2001
3000	10000	1	RMS	9698	-45.55	-13	32.55	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.79	-13	63.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.39	-13	65.39	Pass	2986
30	694	0.1	RMS	624	-70.94	-13	57.94	Pass	6641
694	726	0.1	RMS	707.84	15.38	60	44.62	Pass	401
726	1000	0.1	RMS	942.8	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1415	-52.63	-13	39.63	Pass	2001
3000	10000	1	RMS	9706	-45.53	-13	32.53	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.86	-13	62.86	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	694	0.1	RMS	686.6	-70.86	-13	57.86	Pass	6641
694	726	0.1	RMS	707.84	14.38	60	45.62	Pass	401
726	1000	0.1	RMS	966.8	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1415	-53.67	-13	40.67	Pass	2001
3000	10000	1	RMS	9698	-45.47	-13	32.47	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.54	-13	64.54	Pass	401
0.15	30	0.01	RMS	0.16	-78.3	-13	65.3	Pass	2986
30	694	0.1	RMS	694	-70.87	-13	57.87	Pass	6641
694	726	0.1	RMS	711.36	15.23	60	44.77	Pass	401
726	1000	0.1	RMS	954.7	-69.49	-13	56.49	Pass	2741
1000	3000	1	RMS	1422	-52.93	-13	39.93	Pass	2001
3000	10000	1	RMS	9704	-45.51	-13	32.51	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.55	-13	63.55	Pass	401
0.15	30	0.01	RMS	0.16	-78.8	-13	65.8	Pass	2986
30	694	0.1	RMS	693.7	-70.77	-13	57.77	Pass	6641
694	726	0.1	RMS	711.36	14.41	60	45.59	Pass	401
726	1000	0.1	RMS	950.3	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1422	-53.81	-13	40.81	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.3	-13	64.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	694	0.1	RMS	693.9	-70.21	-13	57.21	Pass	6641
694	726	0.1	RMS	704.56	15.29	60	44.71	Pass	401
726	1000	0.1	RMS	860	-69.78	-13	56.78	Pass	2741
1000	3000	1	RMS	1409	-53.31	-13	40.31	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.15	-13	63.15	Pass	401
0.15	30	0.01	RMS	0.15	-78.28	-13	65.28	Pass	2986
30	694	0.1	RMS	693.9	-70.38	-13	57.38	Pass	6641
694	726	0.1	RMS	704.56	14.56	60	45.44	Pass	401
726	1000	0.1	RMS	978.6	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	1409	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.16	-78.41	-13	65.41	Pass	2986
30	694	0.1	RMS	692	-70.83	-13	57.83	Pass	6641
694	726	0.1	RMS	705.6	15.39	60	44.61	Pass	401
726	1000	0.1	RMS	929.2	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1411	-53.15	-13	40.15	Pass	2001
3000	10000	1	RMS	9699	-45.51	-13	32.51	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76	-13	63	Pass	401
0.15	30	0.01	RMS	0.19	-77.56	-13	64.56	Pass	2986
30	694	0.1	RMS	617.1	-71	-13	58	Pass	6641
694	726	0.1	RMS	705.6	14.7	60	45.3	Pass	401
726	1000	0.1	RMS	949.5	-69.52	-13	56.52	Pass	2741
1000	3000	1	RMS	1411	-54.17	-13	41.17	Pass	2001
3000	10000	1	RMS	9703	-45.47	-13	32.47	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.22	-13	64.22	Pass	401
0.15	30	0.01	RMS	0.17	-77.46	-13	64.46	Pass	2986
30	694	0.1	RMS	693.9	-70.49	-13	57.49	Pass	6641
694	726	0.1	RMS	706.56	15.26	60	44.74	Pass	401
726	1000	0.1	RMS	976.2	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1413	-53.39	-13	40.39	Pass	2001
3000	10000	1	RMS	9702	-45.52	-13	32.52	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.72	-13	62.72	Pass	401
0.15	30	0.01	RMS	0.23	-77.84	-13	64.84	Pass	2986
30	694	0.1	RMS	693.6	-70.94	-13	57.94	Pass	6641
694	726	0.1	RMS	706.56	14.36	60	45.64	Pass	401
726	1000	0.1	RMS	992.8	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1413	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001



8. LTE_Band19


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.21	-77.67	-13	64.67	Pass	2986
30	820	0.1	RMS	813.2	-68.69	-13	55.69	Pass	7901
820	856	0.1	RMS	830.35	15.54	60	44.46	Pass	401
856	1000	0.1	RMS	998.8	-69.86	-13	56.86	Pass	1441
1000	3000	1	RMS	1660	-52.4	-13	39.4	Pass	2001
3000	10000	1	RMS	9697	-45.5	-13	32.5	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.7	-13	61.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	820	0.1	RMS	819.6	-69.25	-13	56.25	Pass	7901
820	856	0.1	RMS	830.35	14.57	60	45.43	Pass	401
856	1000	0.1	RMS	894.9	-69.97	-13	56.97	Pass	1441
1000	3000	1	RMS	1660	-53.39	-13	40.39	Pass	2001
3000	10000	1	RMS	9702	-45.43	-13	32.43	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.34	-13	63.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	820	0.1	RMS	817.9	-69.37	-13	56.37	Pass	7901
820	856	0.1	RMS	835.3	15.3	60	44.7	Pass	401
856	1000	0.1	RMS	943.3	-69.83	-13	56.83	Pass	1441
1000	3000	1	RMS	1670	-51.78	-13	38.78	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-13	61.86	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	820	0.1	RMS	817.9	-69.57	-13	56.57	Pass	7901
820	856	0.1	RMS	835.3	14.27	60	45.73	Pass	401
856	1000	0.1	RMS	992.5	-69.93	-13	56.93	Pass	1441
1000	3000	1	RMS	1670	-52.93	-13	39.93	Pass	2001
3000	10000	1	RMS	9707	-45.48	-13	32.48	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.45	-13	64.45	Pass	401
0.15	30	0.01	RMS	0.15	-78.22	-13	65.22	Pass	2986
30	820	0.1	RMS	819.9	-69.71	-13	56.71	Pass	7901
820	856	0.1	RMS	840.34	15.49	60	44.51	Pass	401
856	1000	0.1	RMS	991.8	-69.85	-13	56.85	Pass	1441
1000	3000	1	RMS	1680	-51.3	-13	38.3	Pass	2001
3000	10000	1	RMS	9698	-45.49	-13	32.49	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.38	-13	62.38	Pass	401
0.15	30	0.01	RMS	0.16	-77.95	-13	64.95	Pass	2986
30	820	0.1	RMS	819.9	-70.05	-13	57.05	Pass	7901
820	856	0.1	RMS	840.34	14.79	60	45.21	Pass	401
856	1000	0.1	RMS	876.8	-69.84	-13	56.84	Pass	1441
1000	3000	1	RMS	1680	-52.21	-13	39.21	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.17	-13	63.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	820	0.1	RMS	819.9	-68.77	-13	55.77	Pass	7901
820	856	0.1	RMS	830.62	15.23	60	44.77	Pass	401
856	1000	0.1	RMS	997	-69.94	-13	56.94	Pass	1441
1000	3000	1	RMS	1661	-52.76	-13	39.76	Pass	2001
3000	10000	1	RMS	9705	-45.47	-13	32.47	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.9	-13	61.9	Pass	401
0.15	30	0.01	RMS	0.16	-78.25	-13	65.25	Pass	2986
30	820	0.1	RMS	819.9	-68.75	-13	55.75	Pass	7901
820	856	0.1	RMS	830.62	14.36	60	45.64	Pass	401
856	1000	0.1	RMS	933.8	-69.9	-13	56.9	Pass	1441
1000	3000	1	RMS	1661	-53.62	-13	40.62	Pass	2001
3000	10000	1	RMS	9710	-45.43	-13	32.43	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.67	-13	63.67	Pass	401
0.15	30	0.01	RMS	0.15	-77.6	-13	64.6	Pass	2986
30	820	0.1	RMS	819.6	-69.46	-13	56.46	Pass	7901
820	856	0.1	RMS	833.05	15.18	60	44.82	Pass	401
856	1000	0.1	RMS	937.3	-69.89	-13	56.89	Pass	1441
1000	3000	1	RMS	1666	-52.71	-13	39.71	Pass	2001
3000	10000	1	RMS	9705	-45.5	-13	32.5	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.28	-13	61.28	Pass	401
0.15	30	0.01	RMS	0.17	-78.02	-13	65.02	Pass	2986
30	820	0.1	RMS	819.8	-69.53	-13	56.53	Pass	7901
820	856	0.1	RMS	833.05	14.21	60	45.79	Pass	401
856	1000	0.1	RMS	945.1	-69.95	-13	56.95	Pass	1441
1000	3000	1	RMS	1666	-53.32	-13	40.32	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-13	65.36	Pass	2986
30	820	0.1	RMS	820	-69.72	-13	56.72	Pass	7901
820	856	0.1	RMS	835.57	15.63	60	44.37	Pass	401
856	1000	0.1	RMS	889.4	-69.78	-13	56.78	Pass	1441
1000	3000	1	RMS	1671	-52.08	-13	39.08	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.17	-13	62.17	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	820	0.1	RMS	819.9	-69.86	-13	56.86	Pass	7901
820	856	0.1	RMS	835.57	14.67	60	45.33	Pass	401
856	1000	0.1	RMS	929	-69.83	-13	56.83	Pass	1441
1000	3000	1	RMS	1671	-53.16	-13	40.16	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.46	-13	64.46	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	820	0.1	RMS	820	-68.59	-13	55.59	Pass	7901
820	856	0.1	RMS	830.8	15.01	60	44.99	Pass	401
856	1000	0.1	RMS	970.2	-69.94	-13	56.94	Pass	1441
1000	3000	1	RMS	1661	-52.75	-13	39.75	Pass	2001
3000	10000	1	RMS	9697	-45.44	-13	32.44	Pass	7001



8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.07	-13	62.07	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	820	0.1	RMS	819.3	-69.09	-13	56.09	Pass	7901
820	856	0.1	RMS	830.8	13.94	60	46.06	Pass	401
856	1000	0.1	RMS	988.9	-69.95	-13	56.95	Pass	1441
1000	3000	1	RMS	1661	-53.5	-13	40.5	Pass	2001
3000	10000	1	RMS	9702	-45.53	-13	32.53	Pass	7001



9. LTE_Band25


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	995.697	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-56.87	-13	43.87	Pass	841
1840	1925	1	RMS	1850.2	19.34	60	40.66	Pass	401
1925	3000	1	RMS	2993	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19386	-34.92	-13	21.92	Pass	8001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.06	-13	63.06	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-13	65.1	Pass	2986
30	1000	0.1	RMS	982.989	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-57.13	-13	44.13	Pass	841
1840	1925	1	RMS	1850.2	18.55	60	41.45	Pass	401
1925	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11996	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19349	-34.91	-13	21.91	Pass	8001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.69	-13	63.69	Pass	401
0.15	30	0.01	RMS	0.17	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	851.101	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1881.863	19.06	60	40.94	Pass	401
1925	3000	1	RMS	2992	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11997	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19333	-34.94	-13	21.94	Pass	8001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.84	-13	62.84	Pass	401
0.15	30	0.01	RMS	0.16	-77.86	-13	64.86	Pass	2986
30	1000	0.1	RMS	970.581	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1840	-57.66	-13	44.66	Pass	841
1840	1925	1	RMS	1881.863	18.28	60	41.72	Pass	401
1925	3000	1	RMS	2994	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11901	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19492	-34.96	-13	21.96	Pass	8001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.47	-13	62.47	Pass	401
0.15	30	0.01	RMS	0.17	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	946.164	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1837	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1913.738	19.31	60	40.69	Pass	401
1925	3000	1	RMS	2995	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11902	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19399	-34.9	-13	21.9	Pass	8001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.33	-13	62.33	Pass	401
0.15	30	0.01	RMS	0.17	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	921.048	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1913.738	18.46	60	41.54	Pass	401
1925	3000	1	RMS	2974	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11995	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19304	-34.91	-13	21.91	Pass	8001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.83	-13	63.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	996.798	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1840	-56.99	-13	43.99	Pass	841
1840	1925	1	RMS	1850.2	19.21	60	40.79	Pass	401
1925	3000	1	RMS	2999	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11897	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19345	-34.97	-13	21.97	Pass	8001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.01	-13	62.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.2	-13	64.2	Pass	2986
30	1000	0.1	RMS	925.351	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.01	-13	44.01	Pass	841
1840	1925	1	RMS	1850.2	18.35	60	41.65	Pass	401
1925	3000	1	RMS	2997	-54.24	-13	41.24	Pass	1076
3000	12000	1	RMS	11905	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19388	-34.93	-13	21.93	Pass	8001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	1000	0.1	RMS	995.397	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1838	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1881.225	19.27	60	40.73	Pass	401
1925	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11991	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19338	-34.93	-13	21.93	Pass	8001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.95	-13	62.95	Pass	401
0.15	30	0.01	RMS	0.17	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	997.098	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1839	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1881.225	18.33	60	41.67	Pass	401
1925	3000	1	RMS	2991	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11996	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19401	-34.95	-13	21.95	Pass	8001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.15	-76.7	-13	63.7	Pass	2986
30	1000	0.1	RMS	938.259	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1912.038	19.25	60	40.75	Pass	401
1925	3000	1	RMS	2991	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11997	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19338	-34.93	-13	21.93	Pass	8001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.09	-13	62.09	Pass	401
0.15	30	0.01	RMS	0.19	-78.75	-13	65.75	Pass	2986
30	1000	0.1	RMS	983.189	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1839	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1912.038	18.24	60	41.76	Pass	401
1925	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11998	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19410	-34.97	-13	21.97	Pass	8001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.73	-13	63.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	932.856	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-56.88	-13	43.88	Pass	841
1840	1925	1	RMS	1850.2	19.27	60	40.73	Pass	401
1925	3000	1	RMS	2997	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11996	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19324	-34.92	-13	21.92	Pass	8001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.18	-13	63.18	Pass	401
0.15	30	0.01	RMS	0.17	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	966.678	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1840	-57.07	-13	44.07	Pass	841
1840	1925	1	RMS	1850.2	18.4	60	41.6	Pass	401
1925	3000	1	RMS	2970	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11998	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19334	-34.96	-13	21.96	Pass	8001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.14	-13	64.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	1000	0.1	RMS	945.764	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1880.163	19.19	60	40.81	Pass	401
1925	3000	1	RMS	2975	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11899	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19399	-34.96	-13	21.96	Pass	8001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.99	-13	62.99	Pass	401
0.15	30	0.01	RMS	0.2	-77.18	-13	64.18	Pass	2986
30	1000	0.1	RMS	969.58	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1839	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1880.163	18.18	60	41.82	Pass	401
1925	3000	1	RMS	2996	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11996	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19400	-34.97	-13	21.97	Pass	8001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.4	-13	63.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	981.388	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1839	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1910.125	19.28	60	40.72	Pass	401
1925	3000	1	RMS	2998	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11899	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19301	-34.93	-13	21.93	Pass	8001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.4	-13	62.4	Pass	401
0.15	30	0.01	RMS	0.18	-78.43	-13	65.43	Pass	2986
30	1000	0.1	RMS	931.655	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1835	-57.66	-13	44.66	Pass	841
1840	1925	1	RMS	1910.125	18.47	60	41.53	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19384	-34.98	-13	21.98	Pass	8001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77	-13	64	Pass	401
0.15	30	0.01	RMS	0.16	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	971.181	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-56.96	-13	43.96	Pass	841
1840	1925	1	RMS	1850.413	19.23	60	40.77	Pass	401
1925	3000	1	RMS	2988	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11901	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19434	-34.92	-13	21.92	Pass	8001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.19	-13	63.19	Pass	401
0.15	30	0.01	RMS	0.16	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	949.867	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-56.95	-13	43.95	Pass	841
1840	1925	1	RMS	1850.413	18.33	60	41.67	Pass	401
1925	3000	1	RMS	2997	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11902	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19433	-34.89	-13	21.89	Pass	8001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.48	-13	63.48	Pass	401
0.15	30	0.01	RMS	0.17	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	965.277	-69.69	-13	56.69	Pass	9701
1000	1840	1	RMS	1838	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1878.038	19.14	60	40.86	Pass	401
1925	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11999	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19361	-34.96	-13	21.96	Pass	8001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.44	-13	62.44	Pass	401
0.15	30	0.01	RMS	0.18	-78.1	-13	65.1	Pass	2986
30	1000	0.1	RMS	930.054	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1840	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1878.038	18.32	60	41.68	Pass	401
1925	3000	1	RMS	3000	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11896	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19410	-34.9	-13	21.9	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.78	-13	63.78	Pass	401
0.15	30	0.01	RMS	0.15	-76.67	-13	63.67	Pass	2986
30	1000	0.1	RMS	946.164	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1839	-57.66	-13	44.66	Pass	841
1840	1925	1	RMS	1905.45	19.35	60	40.65	Pass	401
1925	3000	1	RMS	2998	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	12000	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19310	-34.93	-13	21.93	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.8	-13	62.8	Pass	401
0.15	30	0.01	RMS	0.15	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	954.57	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1838	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1905.45	18.37	60	41.63	Pass	401
1925	3000	1	RMS	2977	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11999	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19348	-34.94	-13	21.94	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.52	-13	63.52	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	1000	0.1	RMS	943.362	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1838	-56.15	-13	43.15	Pass	841
1840	1925	1	RMS	1850.838	19.24	60	40.76	Pass	401
1925	3000	1	RMS	2992	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11995	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19318	-34.95	-13	21.95	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.03	-13	63.03	Pass	401
0.15	30	0.01	RMS	0.16	-77.37	-13	64.37	Pass	2986
30	1000	0.1	RMS	942.862	-69.77	-13	56.77	Pass	9701
1000	1840	1	RMS	1838	-56.61	-13	43.61	Pass	841
1840	1925	1	RMS	1850.625	18.2	60	41.8	Pass	401
1925	3000	1	RMS	2997	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11994	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19342	-34.94	-13	21.94	Pass	8001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.86	-13	63.86	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	1000	0.1	RMS	966.378	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1838	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1875.7	18.91	60	41.09	Pass	401
1925	3000	1	RMS	2994	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	11999	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19333	-34.94	-13	21.94	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.02	-13	63.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	983.689	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1838	-57.53	-13	44.53	Pass	841
1840	1925	1	RMS	1875.7	18.23	60	41.77	Pass	401
1925	3000	1	RMS	2972	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11907	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19363	-34.83	-13	21.83	Pass	8001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.86	-13	63.86	Pass	401
0.15	30	0.01	RMS	0.15	-77.23	-13	64.23	Pass	2986
30	1000	0.1	RMS	994.296	-69.74	-13	56.74	Pass	9701
1000	1840	1	RMS	1839	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1900.775	19.08	60	40.92	Pass	401
1925	3000	1	RMS	2995	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19404	-34.9	-13	21.9	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.91	-13	62.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	1000	0.1	RMS	927.052	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1835	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1900.775	18.31	60	41.69	Pass	401
1925	3000	1	RMS	2997	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11999	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19399	-34.89	-13	21.89	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.59	-13	63.59	Pass	401
0.15	30	0.01	RMS	0.15	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	929.453	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1836	-56.88	-13	43.88	Pass	841
1840	1925	1	RMS	1851.05	19.04	60	40.96	Pass	401
1925	3000	1	RMS	3000	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11984	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19305	-34.89	-13	21.89	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.21	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	985.991	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1840	-56.69	-13	43.69	Pass	841
1840	1925	1	RMS	1851.05	18.35	60	41.65	Pass	401
1925	3000	1	RMS	2970	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	17842	-34.93	-13	21.93	Pass	8001




9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	1000	0.1	RMS	956.171	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1839	-57.44	-13	44.44	Pass	841
1840	1925	1	RMS	1873.575	18.92	60	41.08	Pass	401
1925	3000	1	RMS	2971	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11998	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	17835	-34.92	-13	21.92	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.61	-13	61.61	Pass	401
0.15	30	0.01	RMS	0.17	-77.94	-13	64.94	Pass	2986
30	1000	0.1	RMS	839.3	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1839	-57.53	-13	44.53	Pass	841
1840	1925	1	RMS	1873.575	17.88	60	42.12	Pass	401
1925	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11983	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19297	-34.94	-13	21.94	Pass	8001




9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	1000	0.1	RMS	936.958	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1839	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1896.1	19.07	60	40.93	Pass	401
1925	3000	1	RMS	2996	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19373	-34.92	-13	21.92	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.11	-13	62.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.81	-13	64.81	Pass	2986
30	1000	0.1	RMS	943.463	-69.96	-13	56.96	Pass	9701
1000	1840	1	RMS	1840	-57.56	-13	44.56	Pass	841
1840	1925	1	RMS	1895.888	18.27	60	41.73	Pass	401
1925	3000	1	RMS	2995	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11996	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19361	-34.9	-13	21.9	Pass	8001



10. LTE_Band26(part22)


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.43	-13	63.43	Pass	401
0.15	30	0.01	RMS	0.16	-77.84	-13	64.84	Pass	2986
30	814	0.1	RMS	813.6	-69.36	-13	56.36	Pass	7841
814	860	0.1	RMS	824.2	14.87	60	45.13	Pass	461
860	1000	0.1	RMS	998.9	-70	-13	57	Pass	1401
1000	3000	1	RMS	1648	-51.9	-13	38.9	Pass	2001
3000	10000	1	RMS	9701	-45.56	-13	32.56	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	814	0.1	RMS	813.5	-69.37	-13	56.37	Pass	7841
814	860	0.1	RMS	824.2	13.8	60	46.2	Pass	461
860	1000	0.1	RMS	942.5	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1648	-52.8	-13	39.8	Pass	2001
3000	10000	1	RMS	9698	-45.59	-13	32.59	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.87	-13	63.87	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	813.6	-70	-13	57	Pass	7841
814	860	0.1	RMS	836	14.76	60	45.24	Pass	461
860	1000	0.1	RMS	984.4	-69.75	-13	56.75	Pass	1401
1000	3000	1	RMS	1672	-52.54	-13	39.54	Pass	2001
3000	10000	1	RMS	9706	-45.57	-13	32.57	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.5	-13	62.5	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	814	0.1	RMS	813.4	-70.11	-13	57.11	Pass	7841
814	860	0.1	RMS	836	14.01	60	45.99	Pass	461
860	1000	0.1	RMS	981.3	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1672	-53.36	-13	40.36	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.82	-13	63.82	Pass	401
0.15	30	0.01	RMS	0.15	-78.4	-13	65.4	Pass	2986
30	814	0.1	RMS	811	-70.26	-13	57.26	Pass	7841
814	860	0.1	RMS	847.9	14.81	60	45.19	Pass	461
860	1000	0.1	RMS	929.9	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1695	-52.12	-13	39.12	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	61.28	Pass	401
0.15	30	0.01	RMS	0.19	-78.49	-13	65.49	Pass	2986
30	814	0.1	RMS	813.6	-70.31	-13	57.31	Pass	7841
814	860	0.1	RMS	847.8	13.83	60	46.17	Pass	461
860	1000	0.1	RMS	967.8	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1695	-53	-13	40	Pass	2001
3000	10000	1	RMS	9706	-45.6	-13	32.6	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.05	-13	63.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	814	0.1	RMS	813.5	-69.19	-13	56.19	Pass	7841
814	860	0.1	RMS	824.2	15	60	45	Pass	461
860	1000	0.1	RMS	870.4	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1648	-51.94	-13	38.94	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	60.94	Pass	401
0.15	30	0.01	RMS	0.21	-78.89	-13	65.89	Pass	2986
30	814	0.1	RMS	813.6	-69.32	-13	56.32	Pass	7841
814	860	0.1	RMS	824.2	14.23	60	45.77	Pass	461
860	1000	0.1	RMS	891.8	-70.09	-13	57.09	Pass	1401
1000	3000	1	RMS	1648	-52.74	-13	39.74	Pass	2001
3000	10000	1	RMS	9697	-45.51	-13	32.51	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	0.21	-78.21	-13	65.21	Pass	2986
30	814	0.1	RMS	813.3	-70.09	-13	57.09	Pass	7841
814	860	0.1	RMS	835.2	15.08	60	44.92	Pass	461
860	1000	0.1	RMS	983.7	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1670	-51.64	-13	38.64	Pass	2001
3000	10000	1	RMS	9699	-45.63	-13	32.63	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	61.56	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	814	0.1	RMS	814	-70.14	-13	57.14	Pass	7841
814	860	0.1	RMS	835.2	14.36	60	45.64	Pass	461
860	1000	0.1	RMS	920.5	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1670	-52.56	-13	39.56	Pass	2001
3000	10000	1	RMS	9702	-45.61	-13	32.61	Pass	7001

