

Spurious Emission at Antenna Terminals

10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.1	-13	63.1	Pass	401
0.15	30	0.01	RMS	0.16	-77.79	-13	64.79	Pass	2986
30	814	0.1	RMS	813.8	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	846.2	14.97	60	45.03	Pass	461
860	1000	0.1	RMS	998.1	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1692	-52.38	-13	39.38	Pass	2001
3000	10000	1	RMS	9699	-45.55	-13	32.55	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76	-13	63	Pass	401
0.15	30	0.01	RMS	0.15	-78.03	-13	65.03	Pass	2986
30	814	0.1	RMS	812	-70.12	-13	57.12	Pass	7841
814	860	0.1	RMS	846.2	14.17	60	45.83	Pass	461
860	1000	0.1	RMS	939.7	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1692	-53.33	-13	40.33	Pass	2001
3000	10000	1	RMS	9698	-45.63	-13	32.63	Pass	7001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-76.43	-13	63.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-13	64.75	Pass	2986
30	814	0.1	RMS	813.6	-69.37	-13	56.37	Pass	7841
814	860	0.1	RMS	824.3	15.29	60	44.71	Pass	461
860	1000	0.1	RMS	930.7	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1648	-52.17	-13	39.17	Pass	2001
3000	10000	1	RMS	9703	-45.56	-13	32.56	Pass	7001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.16	-78.6	-13	65.6	Pass	2986
30	814	0.1	RMS	813.6	-69.39	-13	56.39	Pass	7841
814	860	0.1	RMS	824.3	14.07	60	45.93	Pass	461
860	1000	0.1	RMS	861.1	-70.11	-13	57.11	Pass	1401
1000	3000	1	RMS	1648	-52.81	-13	39.81	Pass	2001
3000	10000	1	RMS	9700	-45.61	-13	32.61	Pass	7001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.82	-13	62.82	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	814	0.1	RMS	813.9	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	834.3	15.21	60	44.79	Pass	461
860	1000	0.1	RMS	962.8	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1668	-52.05	-13	39.05	Pass	2001
3000	10000	1	RMS	9694	-45.61	-13	32.61	Pass	7001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-13	61.13	Pass	401
0.15	30	0.01	RMS	0.16	-78.75	-13	65.75	Pass	2986
30	814	0.1	RMS	813.2	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	834.3	14.21	60	45.79	Pass	461
860	1000	0.1	RMS	982.6	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1668	-52.91	-13	39.91	Pass	2001
3000	10000	1	RMS	9705	-45.51	-13	32.51	Pass	7001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.02	-13	64.02	Pass	401
0.15	30	0.01	RMS	0.42	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	812.9	-70.04	-13	57.04	Pass	7841
814	860	0.1	RMS	844.3	15.27	60	44.73	Pass	461
860	1000	0.1	RMS	942.2	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1688	-52.11	-13	39.11	Pass	2001
3000	10000	1	RMS	9699	-45.55	-13	32.55	Pass	7001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.16	-79	-13	66	Pass	2986
30	814	0.1	RMS	810.9	-70.2	-13	57.2	Pass	7841
814	860	0.1	RMS	844.3	14.17	60	45.83	Pass	461
860	1000	0.1	RMS	865.6	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1688	-53.15	-13	40.15	Pass	2001
3000	10000	1	RMS	9702	-45.6	-13	32.6	Pass	7001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.99	-13	63.99	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	814	0.1	RMS	811.7	-68.53	-13	55.53	Pass	7841
814	860	0.1	RMS	824.6	15.41	60	44.59	Pass	461
860	1000	0.1	RMS	872.5	-70	-13	57	Pass	1401
1000	3000	1	RMS	1649	-52.54	-13	39.54	Pass	2001
3000	10000	1	RMS	9710	-45.58	-13	32.58	Pass	7001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-13	61.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	814	0.1	RMS	812	-68.57	-13	55.57	Pass	7841
814	860	0.1	RMS	824.6	14.57	60	45.43	Pass	461
860	1000	0.1	RMS	929.2	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1649	-53.35	-13	40.35	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.08	-13	63.08	Pass	401
0.15	30	0.01	RMS	0.17	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	812.5	-70.12	-13	57.12	Pass	7841
814	860	0.1	RMS	832.1	15.58	60	44.42	Pass	461
860	1000	0.1	RMS	965.5	-70	-13	57	Pass	1401
1000	3000	1	RMS	1664	-52.75	-13	39.75	Pass	2001
3000	10000	1	RMS	9701	-45.58	-13	32.58	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.16	-77.69	-13	64.69	Pass	2986
30	814	0.1	RMS	814	-69.96	-13	56.96	Pass	7841
814	860	0.1	RMS	832.1	14.64	60	45.36	Pass	461
860	1000	0.1	RMS	990.6	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1664	-53.47	-13	40.47	Pass	2001
3000	10000	1	RMS	9703	-45.58	-13	32.58	Pass	7001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.38	-13	63.38	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	814	0.1	RMS	813.3	-70.15	-13	57.15	Pass	7841
814	860	0.1	RMS	839.6	15.64	60	44.36	Pass	461
860	1000	0.1	RMS	936	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1679	-51.68	-13	38.68	Pass	2001
3000	10000	1	RMS	9702	-45.61	-13	32.61	Pass	7001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.06	-13	62.06	Pass	401
0.15	30	0.01	RMS	0.2	-78.27	-13	65.27	Pass	2986
30	814	0.1	RMS	811.2	-70.29	-13	57.29	Pass	7841
814	860	0.1	RMS	839.6	14.56	60	45.44	Pass	461
860	1000	0.1	RMS	961.3	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1679	-52.64	-13	39.64	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.08	-13	63.08	Pass	401
0.15	30	0.01	RMS	0.3	-78.03	-13	65.03	Pass	2986
30	814	0.1	RMS	813.8	-69.03	-13	56.03	Pass	7841
814	860	0.1	RMS	824.8	14.86	60	45.14	Pass	461
860	1000	0.1	RMS	931	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1649	-52.5	-13	39.5	Pass	2001
3000	10000	1	RMS	9701	-45.54	-13	32.54	Pass	7001



10.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.18	-13	62.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	814	0.1	RMS	813.6	-69.4	-13	56.4	Pass	7841
814	860	0.1	RMS	824.8	13.87	60	46.13	Pass	461
860	1000	0.1	RMS	937.7	-70.07	-13	57.07	Pass	1401
1000	3000	1	RMS	1649	-53.33	-13	40.33	Pass	2001
3000	10000	1	RMS	9700	-45.58	-13	32.58	Pass	7001



10.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.91	-13	62.91	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	814	0.1	RMS	813.5	-69.68	-13	56.68	Pass	7841
814	860	0.1	RMS	829.8	14.79	60	45.21	Pass	461
860	1000	0.1	RMS	881.3	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1659	-52.91	-13	39.91	Pass	2001
3000	10000	1	RMS	9702	-45.56	-13	32.56	Pass	7001



10.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.64	-13	61.64	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	813.7	-69.99	-13	56.99	Pass	7841
814	860	0.1	RMS	829.8	13.83	60	46.17	Pass	461
860	1000	0.1	RMS	945.5	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1659	-53.8	-13	40.8	Pass	2001
3000	10000	1	RMS	9702	-45.56	-13	32.56	Pass	7001



10.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.76	-13	62.76	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	814	0.1	RMS	811.7	-69.99	-13	56.99	Pass	7841
814	860	0.1	RMS	834.8	14.91	60	45.09	Pass	461
860	1000	0.1	RMS	960.1	-70.1	-13	57.1	Pass	1401
1000	3000	1	RMS	1669	-52.39	-13	39.39	Pass	2001
3000	10000	1	RMS	9707	-45.5	-13	32.5	Pass	7001



10.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.89	-13	61.89	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	814	0.1	RMS	813.2	-70.08	-13	57.08	Pass	7841
814	860	0.1	RMS	834.8	13.95	60	46.05	Pass	461
860	1000	0.1	RMS	977.2	-70.15	-13	57.15	Pass	1401
1000	3000	1	RMS	1669	-53.33	-13	40.33	Pass	2001
3000	10000	1	RMS	9706	-45.54	-13	32.54	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-70.97	-13	57.97	Pass	401
0.15	30	0.01	Peak	0.19	-70.67	-13	57.67	Pass	2986
30	809	0.1	Peak	749.1	-59.69	-13	46.69	Pass	7791
809	829	0.1	Peak	814.35	20.23	60	39.77	Pass	401
829	1000	0.1	Peak	946.1	-58.74	-13	45.74	Pass	1711
1000	3000	1	Peak	2985	-42.27	-13	29.27	Pass	2001
3000	10000	1	Peak	7408	-33.66	-13	20.66	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.18	-13	58.18	Pass	401
0.15	30	0.01	Peak	0.19	-70.87	-13	57.87	Pass	2986
30	809	0.1	Peak	776.2	-59.45	-13	46.45	Pass	7791
809	829	0.1	Peak	814.25	20.64	60	39.36	Pass	401
829	1000	0.1	Peak	934.7	-59.11	-13	46.11	Pass	1711
1000	3000	1	Peak	1628	-42.07	-13	29.07	Pass	2001
3000	10000	1	Peak	7253	-33.79	-13	20.79	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.24	-13	58.24	Pass	401
0.15	30	0.01	Peak	0.39	-70.57	-13	57.57	Pass	2986
30	809	0.1	Peak	701.3	-59.33	-13	46.33	Pass	7791
809	829	0.1	Peak	818.65	20.18	60	39.82	Pass	401
829	1000	0.1	Peak	864.3	-58.56	-13	45.56	Pass	1711
1000	3000	1	Peak	1637	-41.95	-13	28.95	Pass	2001
3000	10000	1	Peak	7948	-33.71	-13	20.71	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.94	-13	57.94	Pass	401
0.15	30	0.01	Peak	0.16	-70.88	-13	57.88	Pass	2986
30	809	0.1	Peak	784.7	-59.89	-13	46.89	Pass	7791
809	829	0.1	Peak	818.6	20.51	60	39.49	Pass	401
829	1000	0.1	Peak	832.2	-58.46	-13	45.46	Pass	1711
1000	3000	1	Peak	1637	-41.94	-13	28.94	Pass	2001
3000	10000	1	Peak	7481	-33.75	-13	20.75	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72.34	-13	59.34	Pass	401
0.15	30	0.01	Peak	0.29	-71.23	-13	58.23	Pass	2986
30	809	0.1	Peak	728.8	-59.23	-13	46.23	Pass	7791
809	829	0.1	Peak	822.8	20.28	60	39.72	Pass	401
829	1000	0.1	Peak	829.5	-58.28	-13	45.28	Pass	1711
1000	3000	1	Peak	1646	-40.87	-13	27.87	Pass	2001
3000	10000	1	Peak	9267	-33.38	-13	20.38	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.14	-13	57.14	Pass	401
0.15	30	0.01	Peak	0.19	-70.64	-13	57.64	Pass	2986
30	809	0.1	Peak	770.4	-59.57	-13	46.57	Pass	7791
809	829	0.1	Peak	822.8	20.9	60	39.1	Pass	401
829	1000	0.1	Peak	946.5	-58.78	-13	45.78	Pass	1711
1000	3000	1	Peak	1646	-41.24	-13	28.24	Pass	2001
3000	10000	1	Peak	9270	-33.54	-13	20.54	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	Peak	0.17	-70.63	-13	57.63	Pass	2986
30	809	0.1	Peak	804	-59.38	-13	46.38	Pass	7791
809	829	0.1	Peak	814.2	20.03	60	39.97	Pass	401
829	1000	0.1	Peak	877.7	-58.42	-13	45.42	Pass	1711
1000	3000	1	Peak	2998	-42.63	-13	29.63	Pass	2001
3000	10000	1	Peak	7657	-34.01	-13	21.01	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.51	-13	58.51	Pass	401
0.15	30	0.01	Peak	0.15	-70.28	-13	57.28	Pass	2986
30	809	0.1	Peak	809	-56.07	-13	43.07	Pass	7791
809	829	0.1	Peak	814.3	21.07	60	38.93	Pass	401
829	1000	0.1	Peak	993.5	-59.04	-13	46.04	Pass	1711
1000	3000	1	Peak	1629	-42.06	-13	29.06	Pass	2001
3000	10000	1	Peak	7497	-33.81	-13	20.81	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.08	-13	58.08	Pass	401
0.15	30	0.01	Peak	0.25	-71.11	-13	58.11	Pass	2986
30	809	0.1	Peak	734.8	-59.33	-13	46.33	Pass	7791
809	829	0.1	Peak	817.7	20.01	60	39.99	Pass	401
829	1000	0.1	Peak	862.9	-59.18	-13	46.18	Pass	1711
1000	3000	1	Peak	1636	-41.76	-13	28.76	Pass	2001
3000	10000	1	Peak	9542	-33.38	-13	20.38	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	Peak	0.17	-69.22	-13	56.22	Pass	2986
30	809	0.1	Peak	759.1	-59.35	-13	46.35	Pass	7791
809	829	0.1	Peak	817.8	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	929.4	-58.44	-13	45.44	Pass	1711
1000	3000	1	Peak	1636	-41.77	-13	28.77	Pass	2001
3000	10000	1	Peak	7499	-33.4	-13	20.4	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.61	-13	56.61	Pass	401
0.15	30	0.01	Peak	0.5	-70.4	-13	57.4	Pass	2986
30	809	0.1	Peak	729.5	-59.36	-13	46.36	Pass	7791
809	829	0.1	Peak	821.3	20.4	60	39.6	Pass	401
829	1000	0.1	Peak	948.7	-58.9	-13	45.9	Pass	1711
1000	3000	1	Peak	1643	-42.13	-13	29.13	Pass	2001
3000	10000	1	Peak	6774	-33.99	-13	20.99	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.42	-13	58.42	Pass	401
0.15	30	0.01	Peak	0.33	-70.58	-13	57.58	Pass	2986
30	809	0.1	Peak	757.4	-59.01	-13	46.01	Pass	7791
809	829	0.1	Peak	821.2	20.83	60	39.17	Pass	401
829	1000	0.1	Peak	831.3	-50.34	-13	37.34	Pass	1711
1000	3000	1	Peak	1643	-41.98	-13	28.98	Pass	2001
3000	10000	1	Peak	6871	-33.12	-13	20.12	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-71.46	-13	58.46	Pass	401
0.15	30	0.01	Peak	0.15	-69.96	-13	56.96	Pass	2986
30	809	0.1	Peak	606.7	-59.11	-13	46.11	Pass	7791
809	829	0.1	Peak	814.4	20.17	60	39.83	Pass	401
829	1000	0.1	Peak	831.6	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	2752	-42.99	-13	29.99	Pass	2001
3000	10000	1	Peak	7044	-32.98	-13	19.98	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.12	-13	58.12	Pass	401
0.15	30	0.01	Peak	0.15	-69.79	-13	56.79	Pass	2986
30	809	0.1	Peak	808.6	-51.84	-13	38.84	Pass	7791
809	829	0.1	Peak	814.4	20.66	60	39.34	Pass	401
829	1000	0.1	Peak	831.5	-52.45	-13	39.45	Pass	1711
1000	3000	1	Peak	2947	-42.71	-13	29.71	Pass	2001
3000	10000	1	Peak	8638	-33.66	-13	20.66	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	Peak	0.15	-70.14	-13	57.14	Pass	2986
30	809	0.1	Peak	712.5	-59.3	-13	46.3	Pass	7791
809	829	0.1	Peak	816.95	20.21	60	39.79	Pass	401
829	1000	0.1	Peak	979.4	-58.37	-13	45.37	Pass	1711
1000	3000	1	Peak	1634	-42.68	-13	29.68	Pass	2001
3000	10000	1	Peak	7255	-33.27	-13	20.27	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-72.5	-13	59.5	Pass	401
0.15	30	0.01	Peak	0.15	-69.8	-13	56.8	Pass	2986
30	809	0.1	Peak	808.3	-55.04	-13	42.04	Pass	7791
809	829	0.1	Peak	816.9	21.39	60	38.61	Pass	401
829	1000	0.1	Peak	829.1	-57.44	-13	44.44	Pass	1711
1000	3000	1	Peak	1634	-42.63	-13	29.63	Pass	2001
3000	10000	1	Peak	6962	-32.9	-13	19.9	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	Peak	0.15	-68.77	-13	55.77	Pass	2986
30	809	0.1	Peak	792.9	-58.51	-13	45.51	Pass	7791
809	829	0.1	Peak	819.4	20	60	40	Pass	401
829	1000	0.1	Peak	835.1	-59.09	-13	46.09	Pass	1711
1000	3000	1	Peak	1639	-41.74	-13	28.74	Pass	2001
3000	10000	1	Peak	6698	-33.76	-13	20.76	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	Peak	0.24	-69.49	-13	56.49	Pass	2986
30	809	0.1	Peak	516.8	-59.48	-13	46.48	Pass	7791
809	829	0.1	Peak	819.3	20.67	60	39.33	Pass	401
829	1000	0.1	Peak	829.1	-55.05	-13	42.05	Pass	1711
1000	3000	1	Peak	1639	-41.14	-13	28.14	Pass	2001
3000	10000	1	Peak	9270	-33.25	-13	20.25	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	Peak	0.36	-69.48	-13	56.48	Pass	2986
30	809	0.1	Peak	802.5	-59.49	-13	46.49	Pass	7791
809	829	0.1	Peak	814.65	20.33	60	39.67	Pass	401
829	1000	0.1	Peak	837.4	-58.99	-13	45.99	Pass	1711
1000	3000	1	Peak	1629	-42.4	-13	29.4	Pass	2001
3000	10000	1	Peak	6966	-33.79	-13	20.79	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-70.54	-13	57.54	Pass	401
0.15	30	0.01	Peak	0.22	-69.98	-13	56.98	Pass	2986
30	809	0.1	Peak	809	-50.27	-13	37.27	Pass	7791
809	829	0.1	Peak	814.55	20.72	60	39.28	Pass	401
829	1000	0.1	Peak	829.8	-52.96	-13	39.96	Pass	1711
1000	3000	1	Peak	2889	-42.53	-13	29.53	Pass	2001
3000	10000	1	Peak	7930	-33.51	-13	20.51	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.91	-13	58.91	Pass	401
0.15	30	0.01	Peak	0.15	-69.69	-13	56.69	Pass	2986
30	809	0.1	Peak	720.5	-59.15	-13	46.15	Pass	7791
809	829	0.1	Peak	814.55	20.05	60	39.95	Pass	401
829	1000	0.1	Peak	865.7	-58.52	-13	45.52	Pass	1711
1000	3000	1	Peak	1629	-42.47	-13	29.47	Pass	2001
3000	10000	1	Peak	7243	-33.13	-13	20.13	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.73	-13	58.73	Pass	401
0.15	30	0.01	Peak	0.21	-70.16	-13	57.16	Pass	2986
30	809	0.1	Peak	809	-51.25	-13	38.25	Pass	7791
809	829	0.1	Peak	814.65	20.61	60	39.39	Pass	401
829	1000	0.1	Peak	851.5	-59.09	-13	46.09	Pass	1711
1000	3000	1	Peak	1629	-41.8	-13	28.8	Pass	2001
3000	10000	1	Peak	9525	-33.68	-13	20.68	Pass	7001




1.23 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.32	-13	57.32	Pass	401
0.15	30	0.01	Peak	0.16	-69.87	-13	56.87	Pass	2986
30	809	0.1	Peak	802.4	-57.98	-13	44.98	Pass	7791
809	829	0.1	Peak	814.55	19.99	60	40.01	Pass	401
829	1000	0.1	Peak	900.9	-59.01	-13	46.01	Pass	1711
1000	3000	1	Peak	1629	-42.67	-13	29.67	Pass	2001
3000	10000	1	Peak	6982	-33.77	-13	20.77	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-72.68	-13	59.68	Pass	401
0.15	30	0.01	Peak	0.21	-69.75	-13	56.75	Pass	2986
30	809	0.1	Peak	808.9	-55.32	-13	42.32	Pass	7791
809	829	0.1	Peak	814.7	21.04	60	38.96	Pass	401
829	1000	0.1	Peak	829.7	-54.76	-13	41.76	Pass	1711
1000	3000	1	Peak	1629	-42.48	-13	29.48	Pass	2001
3000	10000	1	Peak	6987	-34.08	-13	21.08	Pass	7001



11. LTE_Band66


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.43	-13	63.43	Pass	401
0.15	30	0.01	RMS	0.16	-78.11	-13	65.11	Pass	2986
30	1000	0.1	RMS	867.912	-69.98	-13	56.98	Pass	9701
1000	1700	1	RMS	1700	-57.54	-13	44.54	Pass	701
1700	1790	1	RMS	1710.125	18.54	60	41.46	Pass	401
1790	3000	1	RMS	2964	-54.41	-13	41.41	Pass	1211
3000	12000	1	RMS	12000	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19317	-35.01	-13	22.01	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.88	-13	62.88	Pass	401
0.15	30	0.01	RMS	0.16	-77.73	-13	64.73	Pass	2986
30	1000	0.1	RMS	983.689	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-57.66	-13	44.66	Pass	701
1700	1790	1	RMS	1710.125	17.59	60	42.41	Pass	401
1790	3000	1	RMS	2997	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	11998	-43.26	-13	30.26	Pass	9002
12000	20000	1	RMS	19432	-34.97	-13	21.97	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.29	-77.91	-13	64.91	Pass	2986
30	1000	0.1	RMS	851.502	-69.96	-13	56.96	Pass	9701
1000	1700	1	RMS	1689	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1744.55	18.32	60	41.68	Pass	401
1790	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	11998	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19393	-34.97	-13	21.97	Pass	8001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.84	-13	62.84	Pass	401
0.15	30	0.01	RMS	0.19	-78.14	-13	65.14	Pass	2986
30	1000	0.1	RMS	876.918	-69.99	-13	56.99	Pass	9701
1000	1700	1	RMS	1693	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1744.55	17.51	60	42.49	Pass	401
1790	3000	1	RMS	2999	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19387	-34.97	-13	21.97	Pass	8001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.76	-13	63.76	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	1000	0.1	RMS	998.799	-69.94	-13	56.94	Pass	9701
1000	1700	1	RMS	1698	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1778.75	18.46	60	41.54	Pass	401
1790	3000	1	RMS	2996	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	11901	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19382	-34.99	-13	21.99	Pass	8001




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.72	-13	62.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	1000	0.1	RMS	937.459	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1681	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1778.75	17.43	60	42.57	Pass	401
1790	3000	1	RMS	2968	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	11997	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19407	-34.97	-13	21.97	Pass	8001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-76.93	-13	63.93	Pass	2986
30	1000	0.1	RMS	946.465	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-57.53	-13	44.53	Pass	701
1700	1790	1	RMS	1710.125	18.31	60	41.69	Pass	401
1790	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	12000	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19314	-34.89	-13	21.89	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.76	-13	62.76	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	950.867	-69.94	-13	56.94	Pass	9701
1000	1700	1	RMS	1700	-57.63	-13	44.63	Pass	701
1700	1790	1	RMS	1710.125	17.49	60	42.51	Pass	401
1790	3000	1	RMS	2991	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	11999	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19491	-34.98	-13	21.98	Pass	8001



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.1	-13	64.1	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	967.078	-69.71	-13	56.71	Pass	9701
1000	1700	1	RMS	1698	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1743.65	18.49	60	41.51	Pass	401
1790	3000	1	RMS	2999	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	12000	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19328	-34.95	-13	21.95	Pass	8001



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.83	-13	62.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	1000	0.1	RMS	947.865	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1687	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1743.65	17.59	60	42.41	Pass	401
1790	3000	1	RMS	3000	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	11898	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	17850	-34.97	-13	21.97	Pass	8001



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	954.47	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1694	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1777.175	18.42	60	41.58	Pass	401
1790	3000	1	RMS	2997	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11998	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19405	-34.95	-13	21.95	Pass	8001



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.7	-13	63.7	Pass	401
0.15	30	0.01	RMS	0.16	-78.47	-13	65.47	Pass	2986
30	1000	0.1	RMS	853.603	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1695	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1777.175	17.45	60	42.55	Pass	401
1790	3000	1	RMS	2997	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	11899	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19425	-34.93	-13	21.93	Pass	8001



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.96	-13	63.96	Pass	401
0.15	30	0.01	RMS	0.15	-76.66	-13	63.66	Pass	2986
30	1000	0.1	RMS	961.675	-69.96	-13	56.96	Pass	9701
1000	1700	1	RMS	1700	-57.48	-13	44.48	Pass	701
1700	1790	1	RMS	1710.125	18.31	60	41.69	Pass	401
1790	3000	1	RMS	2999	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11903	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19355	-34.94	-13	21.94	Pass	8001



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.29	-13	62.29	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	960.574	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1700	-57.54	-13	44.54	Pass	701
1700	1790	1	RMS	1710.125	17.35	60	42.65	Pass	401
1790	3000	1	RMS	2994	-54.4	-13	41.4	Pass	1211
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19328	-34.99	-13	21.99	Pass	8001



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.25	-13	63.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	832.6	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1691	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1742.75	18.49	60	41.51	Pass	401
1790	3000	1	RMS	2992	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11900	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19423	-34.96	-13	21.96	Pass	8001



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.1	-13	62.1	Pass	401
0.15	30	0.01	RMS	0.2	-78.11	-13	65.11	Pass	2986
30	1000	0.1	RMS	958.873	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1697	-58.07	-13	45.07	Pass	701
1700	1790	1	RMS	1742.75	17.53	60	42.47	Pass	401
1790	3000	1	RMS	3000	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	11999	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19337	-34.92	-13	21.92	Pass	8001



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.11	-13	64.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	922.549	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1683	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1775.15	18.42	60	41.58	Pass	401
1790	3000	1	RMS	2976	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19460	-34.93	-13	21.93	Pass	8001



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.44	-13	63.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	983.689	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1680	-58.05	-13	45.05	Pass	701
1700	1790	1	RMS	1775.15	17.46	60	42.54	Pass	401
1790	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	11992	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	17850	-34.93	-13	21.93	Pass	8001



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:132022, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.19	-13	63.19	Pass	401
0.15	30	0.01	RMS	0.15	-77.12	-13	64.12	Pass	2986
30	1000	0.1	RMS	959.673	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1697	-57.46	-13	44.46	Pass	701
1700	1790	1	RMS	1710.575	18.36	60	41.64	Pass	401
1790	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11897	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19341	-34.92	-13	21.92	Pass	8001



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.93	-13	62.93	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-13	65.1	Pass	2986
30	1000	0.1	RMS	942.062	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1698	-57.17	-13	44.17	Pass	701
1700	1790	1	RMS	1710.575	17.36	60	42.64	Pass	401
1790	3000	1	RMS	2991	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	11999	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19344	-34.9	-13	21.9	Pass	8001



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:132322, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.3	-13	64.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	919.847	-70.02	-13	57.02	Pass	9701
1000	1700	1	RMS	1689	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1740.5	18.51	60	41.49	Pass	401
1790	3000	1	RMS	2977	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	11995	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19339	-34.89	-13	21.89	Pass	8001



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75	-13	62	Pass	401
0.15	30	0.01	RMS	0.26	-78.16	-13	65.16	Pass	2986
30	1000	0.1	RMS	927.252	-69.67	-13	56.67	Pass	9701
1000	1700	1	RMS	1691	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1740.5	17.65	60	42.35	Pass	401
1790	3000	1	RMS	2979	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	11997	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19294	-34.97	-13	21.97	Pass	8001



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:132622, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.23	-13	64.23	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-13	65.16	Pass	2986
30	1000	0.1	RMS	855.704	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1693	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1770.425	18.42	60	41.58	Pass	401
1790	3000	1	RMS	2984	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	11906	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19365	-34.97	-13	21.97	Pass	8001



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.99	-13	62.99	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	935.457	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1680	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1770.425	17.35	60	42.65	Pass	401
1790	3000	1	RMS	2985	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	11999	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19335	-34.94	-13	21.94	Pass	8001



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.37	-13	64.37	Pass	401
0.15	30	0.01	RMS	0.15	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	993.095	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1698	-56.96	-13	43.96	Pass	701
1700	1790	1	RMS	1710.8	18.19	60	41.81	Pass	401
1790	3000	1	RMS	2983	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	12000	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19372	-34.97	-13	21.97	Pass	8001



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:132047, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.59	-13	61.59	Pass	401
0.15	30	0.01	RMS	0.17	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	976.685	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1697	-57.16	-13	44.16	Pass	701
1700	1790	1	RMS	1710.8	17.53	60	42.47	Pass	401
1790	3000	1	RMS	2993	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	11993	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19395	-34.93	-13	21.93	Pass	8001



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.15	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	964.276	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1679	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1738.25	18.21	60	41.79	Pass	401
1790	3000	1	RMS	2988	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11901	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19292	-34.96	-13	21.96	Pass	8001



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-13	62.49	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	1000	0.1	RMS	931.254	-69.71	-13	56.71	Pass	9701
1000	1700	1	RMS	1693	-58.02	-13	45.02	Pass	701
1700	1790	1	RMS	1738.25	17.36	60	42.64	Pass	401
1790	3000	1	RMS	2986	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	11998	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19423	-34.91	-13	21.91	Pass	8001



11.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.32	-13	63.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	987.792	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1695	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1765.7	18.15	60	41.85	Pass	401
1790	3000	1	RMS	2991	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	11996	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19326	-34.93	-13	21.93	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:132597, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.16	-13	62.16	Pass	401
0.15	30	0.01	RMS	0.18	-77.56	-13	64.56	Pass	2986
30	1000	0.1	RMS	994.396	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1680	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1765.7	17.28	60	42.72	Pass	401
1790	3000	1	RMS	2996	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11995	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19393	-34.92	-13	21.92	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.79	-13	63.79	Pass	401
0.15	30	0.01	RMS	0.16	-78.43	-13	65.43	Pass	2986
30	1000	0.1	RMS	967.478	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1693	-56.99	-13	43.99	Pass	701
1700	1790	1	RMS	1711.025	18.24	60	41.76	Pass	401
1790	3000	1	RMS	2970	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11998	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19336	-34.88	-13	21.88	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.15	-13	63.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	999.8	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1696	-57.33	-13	44.33	Pass	701
1700	1790	1	RMS	1711.025	17.32	60	42.68	Pass	401
1790	3000	1	RMS	2997	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	11990	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19326	-34.9	-13	21.9	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.89	-13	63.89	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	1000	0.1	RMS	925.951	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1700	-57.98	-13	44.98	Pass	701
1700	1790	1	RMS	1736	18.2	60	41.8	Pass	401
1790	3000	1	RMS	2996	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19299	-34.96	-13	21.96	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.4	-13	61.4	Pass	401
0.15	30	0.01	RMS	0.17	-78.44	-13	65.44	Pass	2986
30	1000	0.1	RMS	968.379	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1697	-58.02	-13	45.02	Pass	701
1700	1790	1	RMS	1736	17.21	60	42.79	Pass	401
1790	3000	1	RMS	2987	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11991	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19304	-34.94	-13	21.94	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.53	-13	63.53	Pass	401
0.15	30	0.01	RMS	0.17	-78.27	-13	65.27	Pass	2986
30	1000	0.1	RMS	993.396	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1691	-58.05	-13	45.05	Pass	701
1700	1790	1	RMS	1760.975	18.23	60	41.77	Pass	401
1790	3000	1	RMS	2994	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11910	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19327	-34.95	-13	21.95	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.22	-13	61.22	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-13	64.83	Pass	2986
30	1000	0.1	RMS	969.88	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1698	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1760.975	17.34	60	42.66	Pass	401
1790	3000	1	RMS	2987	-54.25	-13	41.25	Pass	1211
3000	12000	1	RMS	11996	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19305	-34.92	-13	21.92	Pass	8001



12. LTE_Band71


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.14	-13	64.14	Pass	401
0.15	30	0.01	RMS	0.16	-77.54	-13	64.54	Pass	2986
30	653	0.1	RMS	652.6	-70.58	-13	57.58	Pass	6231
653	709	0.1	RMS	663.3	15.07	60	44.93	Pass	561
709	1000	0.1	RMS	981.9	-69.64	-13	56.64	Pass	2911
1000	3000	1	RMS	1326	-51.97	-13	38.97	Pass	2001
3000	10000	1	RMS	9706	-45.49	-13	32.49	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-13	61.86	Pass	401
0.15	30	0.01	RMS	0.18	-78.41	-13	65.41	Pass	2986
30	653	0.1	RMS	652.6	-70.61	-13	57.61	Pass	6231
653	709	0.1	RMS	663.3	14.11	60	45.89	Pass	561
709	1000	0.1	RMS	980.2	-69.47	-13	56.47	Pass	2911
1000	3000	1	RMS	1326	-51.92	-13	38.92	Pass	2001
3000	10000	1	RMS	9706	-45.5	-13	32.5	Pass	7001



12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.72	-13	63.72	Pass	401
0.15	30	0.01	RMS	0.15	-78.07	-13	65.07	Pass	2986
30	653	0.1	RMS	535.5	-70.96	-13	57.96	Pass	6231
653	709	0.1	RMS	678.3	14.75	60	45.25	Pass	561
709	1000	0.1	RMS	984	-69.64	-13	56.64	Pass	2911
1000	3000	1	RMS	1356	-53.64	-13	40.64	Pass	2001
3000	10000	1	RMS	9705	-45.46	-13	32.46	Pass	7001



12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.27	-13	62.27	Pass	401
0.15	30	0.01	RMS	0.15	-77.3	-13	64.3	Pass	2986
30	653	0.1	RMS	602.8	-70.91	-13	57.91	Pass	6231
653	709	0.1	RMS	678.3	13.75	60	46.25	Pass	561
709	1000	0.1	RMS	950.7	-69.61	-13	56.61	Pass	2911
1000	3000	1	RMS	3000	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001

