

Spurious Emission at Antenna Terminals


3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.5	-65.64	-13	52.64	Pass	7841
814	859	0.1	RMS	848	3.71	60	56.29	Pass	451
859	1000	0.1	RMS	971	-65.51	-13	52.51	Pass	1411
1000	3000	1	RMS	2936	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.6	-13	50.6	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.9	-65.64	-13	52.64	Pass	7841
814	859	0.1	RMS	844.3	16.77	60	43.23	Pass	451
859	1000	0.1	RMS	985.3	-65.47	-13	52.47	Pass	1411
1000	3000	1	RMS	2938	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8745	-65.98	-13	52.98	Pass	7001




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.39	-13	50.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	807.1	-65.72	-13	52.72	Pass	7841
814	859	0.1	RMS	848.6	16.3	60	43.7	Pass	451
859	1000	0.1	RMS	982.6	-65.45	-13	52.45	Pass	1411
1000	3000	1	RMS	2937	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8748	-65.97	-13	52.97	Pass	7001




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.19	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	814	-47.92	-13	34.92	Pass	7841
814	859	0.1	RMS	838.3	-0.68	60	60.68	Pass	451
859	1000	0.1	RMS	933.4	-65.57	-13	52.57	Pass	1411
1000	3000	1	RMS	2934	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8746	-65.98	-13	52.98	Pass	7001




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.91	-13	50.91	Pass	401
0.15	30	0.01	RMS	0.19	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.8	-64.22	-13	51.22	Pass	7841
814	859	0.1	RMS	824.5	17.11	60	42.89	Pass	451
859	1000	0.1	RMS	979.8	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	2948	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8749	-65.97	-13	52.97	Pass	7001




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.87	-13	50.87	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	812.2	-65.48	-13	52.48	Pass	7841
814	859	0.1	RMS	838.5	17.21	60	42.79	Pass	451
859	1000	0.1	RMS	890.9	-65.56	-13	52.56	Pass	1411
1000	3000	1	RMS	2936	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8752	-66.03	-13	53.03	Pass	7001




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	813.8	-51.92	-13	38.92	Pass	7841
814	859	0.1	RMS	838	-1	60	61	Pass	451
859	1000	0.1	RMS	864.1	-65.44	-13	52.44	Pass	1411
1000	3000	1	RMS	2937	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8744	-65.95	-13	52.95	Pass	7001




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.24	-13	50.24	Pass	401
0.15	30	0.01	RMS	0.18	-72	-13	59	Pass	2986
30	814	0.1	RMS	812.1	-65.15	-13	52.15	Pass	7841
814	859	0.1	RMS	829.5	17	60	43	Pass	451
859	1000	0.1	RMS	932.6	-65.47	-13	52.47	Pass	1411
1000	3000	1	RMS	2934	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8746	-65.99	-13	52.99	Pass	7001




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.4	-13	50.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	811	-65.45	-13	52.45	Pass	7841
814	859	0.1	RMS	843.5	17.06	60	42.94	Pass	451
859	1000	0.1	RMS	951.7	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2935	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.91	-13	52.91	Pass	7001




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.18	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.7	-54.55	-13	41.55	Pass	7841
814	859	0.1	RMS	835.4	-0.77	60	60.77	Pass	451
859	1000	0.1	RMS	998.3	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2932	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8745	-65.98	-13	52.98	Pass	7001




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.44	-13	50.44	Pass	401
0.15	30	0.01	RMS	0.23	-72.86	-13	59.86	Pass	2986
30	814	0.1	RMS	813.9	-65.28	-13	52.28	Pass	7841
814	859	0.1	RMS	834.5	16.91	60	43.09	Pass	451
859	1000	0.1	RMS	896.2	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	2932	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8745	-65.96	-13	52.96	Pass	7001




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.23	-13	51.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.8	-65.66	-13	52.66	Pass	7841
814	859	0.1	RMS	848.5	16.99	60	43.01	Pass	451
859	1000	0.1	RMS	873.2	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2935	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.99	-13	52.99	Pass	7001




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	814	-47.66	-13	34.66	Pass	7841
814	859	0.1	RMS	837.4	-2.03	60	62.03	Pass	451
859	1000	0.1	RMS	969.2	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2942	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.61	-13	50.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.7	-64.23	-13	51.23	Pass	7841
814	859	0.1	RMS	824.5	16.83	60	43.17	Pass	451
859	1000	0.1	RMS	864.3	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2932	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8748	-65.93	-13	52.93	Pass	7001




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.39	-13	50.39	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	812.7	-64.91	-13	51.91	Pass	7841
814	859	0.1	RMS	843.4	16.6	60	43.4	Pass	451
859	1000	0.1	RMS	928.5	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2931	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8745	-65.95	-13	52.95	Pass	7001




3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.22	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.8	-49.33	-13	36.33	Pass	7841
814	859	0.1	RMS	839.3	-2.19	60	62.19	Pass	451
859	1000	0.1	RMS	935.9	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2931	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8748	-65.99	-13	52.99	Pass	7001




3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.86	-13	49.86	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-13	58.19	Pass	2986
30	814	0.1	RMS	812.5	-64.76	-13	51.76	Pass	7841
814	859	0.1	RMS	827	16.79	60	43.21	Pass	451
859	1000	0.1	RMS	992.1	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	2936	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8741	-66	-13	53	Pass	7001




3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.19	-13	50.19	Pass	401
0.15	30	0.01	RMS	0.2	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	812.9	-65.49	-13	52.49	Pass	7841
814	859	0.1	RMS	845.9	16.62	60	43.38	Pass	451
859	1000	0.1	RMS	859.6	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2942	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.96	-13	52.96	Pass	7001




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	812.9	-50.89	-13	37.89	Pass	7841
814	859	0.1	RMS	835.8	-2.23	60	62.23	Pass	451
859	1000	0.1	RMS	862.5	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2930	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8742	-65.93	-13	52.93	Pass	7001




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.76	-13	49.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.5	-64.98	-13	51.98	Pass	7841
814	859	0.1	RMS	829.5	16.71	60	43.29	Pass	451
859	1000	0.1	RMS	886.4	-65.44	-13	52.44	Pass	1411
1000	3000	1	RMS	2933	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8748	-66	-13	53	Pass	7001



3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.2	-13	51.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	811.4	-65.43	-13	52.43	Pass	7841
814	859	0.1	RMS	848.4	16.53	60	43.47	Pass	451
859	1000	0.1	RMS	867.8	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2941	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8748	-65.97	-13	52.97	Pass	7001



4. n66


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	856.705	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	39.24	Pass	701
1700	1790	1	RMS	1713.5	13.55	60	46.45	Pass	401
1790	3000	1	RMS	2932	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	6980	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19402	-53.87	-13	40.87	Pass	13002




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.26	-13	52.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	975.784	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1710.125	19.68	60	40.32	Pass	401
1790	3000	1	RMS	2930	-49.86	-13	36.86	Pass	1211
3000	7000	1	RMS	3421	-64.72	-13	51.72	Pass	4001
7000	20000	1	RMS	19406	-53.89	-13	40.89	Pass	13002




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	842.8	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1714.625	19.64	60	40.36	Pass	401
1790	3000	1	RMS	2938	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	6973	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19499	-53.9	-13	40.9	Pass	13002




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.21	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	817.3	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1675	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1745.9	13.3	60	46.7	Pass	401
1790	3000	1	RMS	2957	-49.89	-13	36.89	Pass	1211
3000	7000	1	RMS	6974	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19374	-53.9	-13	40.9	Pass	13002




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	847.9	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1673	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1742.75	19.39	60	40.61	Pass	401
1790	3000	1	RMS	2930	-49.95	-13	36.95	Pass	1211
3000	7000	1	RMS	3486	-63.71	-13	50.71	Pass	4001
7000	20000	1	RMS	19321	-53.91	-13	40.91	Pass	13002




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	845.5	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1676	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1747.025	19.42	60	40.58	Pass	401
1790	3000	1	RMS	2933	-49.95	-13	36.95	Pass	1211
3000	7000	1	RMS	3494	-64.79	-13	51.79	Pass	4001
7000	20000	1	RMS	19350	-53.87	-13	40.87	Pass	13002




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	996.998	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1671	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1776.275	12.97	60	47.03	Pass	401
1790	3000	1	RMS	2942	-49.86	-13	36.86	Pass	1211
3000	7000	1	RMS	6979	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19315	-53.89	-13	40.89	Pass	13002




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.78	-13	53.78	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	850.201	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1673	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1775.15	19	60	41	Pass	401
1790	3000	1	RMS	2937	-49.97	-13	36.97	Pass	1211
3000	7000	1	RMS	3551	-66.39	-13	53.39	Pass	4001
7000	20000	1	RMS	19352	-53.89	-13	40.89	Pass	13002




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	890.427	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1673	-54.15	-13	41.15	Pass	701
1700	1790	1	RMS	1779.65	18.9	60	41.1	Pass	401
1790	3000	1	RMS	2938	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	6978	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19318	-53.88	-13	40.88	Pass	13002




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	881.021	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1700	-39.19	-13	26.19	Pass	701
1700	1790	1	RMS	1711.475	8.89	60	51.11	Pass	401
1790	3000	1	RMS	2936	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	6973	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19369	-53.89	-13	40.89	Pass	13002




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.09	-13	53.09	Pass	401
0.15	30	0.01	RMS	0.22	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	907.439	-65.48	-13	52.48	Pass	9701
1000	1700	1	RMS	1696	-52.73	-13	39.73	Pass	701
1700	1790	1	RMS	1710.35	19.8	60	40.2	Pass	401
1790	3000	1	RMS	2955	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	3421	-63.92	-13	50.92	Pass	4001
7000	20000	1	RMS	19445	-53.83	-13	40.83	Pass	13002




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.42	-13	50.42	Pass	401
0.15	30	0.01	RMS	0.26	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	844.2	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1697	-53.59	-13	40.59	Pass	701
1700	1790	1	RMS	1724.3	19.55	60	40.45	Pass	401
1790	3000	1	RMS	2941	-49.9	-13	36.9	Pass	1211
3000	7000	1	RMS	3465	-54.74	-13	41.74	Pass	4001
7000	20000	1	RMS	19336	-53.86	-13	40.86	Pass	13002




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	974.283	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1699	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1750.4	8.69	60	51.31	Pass	401
1790	3000	1	RMS	2940	-49.85	-13	36.85	Pass	1211
3000	7000	1	RMS	6976	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19290	-53.9	-13	40.9	Pass	13002




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	981.788	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1671	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1737.8	19.41	60	40.59	Pass	401
1790	3000	1	RMS	2938	-49.88	-13	36.88	Pass	1211
3000	7000	1	RMS	3476	-62.85	-13	49.85	Pass	4001
7000	20000	1	RMS	19398	-53.91	-13	40.91	Pass	13002




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	976.985	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1670	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1751.975	19.21	60	40.79	Pass	401
1790	3000	1	RMS	2940	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	6969	-66.49	-13	53.49	Pass	4001
7000	20000	1	RMS	19307	-53.89	-13	40.89	Pass	13002




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	981.688	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1676	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1776.725	8.09	60	51.91	Pass	401
1790	3000	1	RMS	1790	-42.95	-13	29.95	Pass	1211
3000	7000	1	RMS	6977	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19426	-53.83	-13	40.83	Pass	13002




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.94	-13	51.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	916.044	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1672	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1765.25	18.94	60	41.06	Pass	401
1790	3000	1	RMS	2944	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	6978	-66.5	-13	53.5	Pass	4001
7000	20000	1	RMS	19327	-53.88	-13	40.88	Pass	13002




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.46	-13	52.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	975.784	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1674	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1779.425	19.03	60	40.97	Pass	401
1790	3000	1	RMS	2945	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	3559	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19301	-53.96	-13	40.96	Pass	13002




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	925.951	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-37.65	-13	24.65	Pass	701
1700	1790	1	RMS	1711.475	7.85	60	52.15	Pass	401
1790	3000	1	RMS	2936	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	6979	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19329	-53.85	-13	40.85	Pass	13002




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.84	-13	52.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	979.286	-65.52	-13	52.52	Pass	9701
1000	1700	1	RMS	1692	-53.07	-13	40.07	Pass	701
1700	1790	1	RMS	1710.35	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2934	-49.89	-13	36.89	Pass	1211
3000	7000	1	RMS	3421	-64.03	-13	51.03	Pass	4001
7000	20000	1	RMS	19305	-53.82	-13	40.82	Pass	13002




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.63	-13	50.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	973.983	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1692	-53.37	-13	40.37	Pass	701
1700	1790	1	RMS	1729.25	19.45	60	40.55	Pass	401
1790	3000	1	RMS	2930	-49.94	-13	36.94	Pass	1211
3000	7000	1	RMS	3459	-66.18	-13	53.18	Pass	4001
7000	20000	1	RMS	19321	-53.9	-13	40.9	Pass	13002




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	853.103	-65.48	-13	52.48	Pass	9701
1000	1700	1	RMS	1700	-53.08	-13	40.08	Pass	701
1700	1790	1	RMS	1752.425	7.44	60	52.56	Pass	401
1790	3000	1	RMS	2938	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	6974	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19472	-53.86	-13	40.86	Pass	13002




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.26	-13	51.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	944.363	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1673	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1735.325	19.33	60	40.67	Pass	401
1790	3000	1	RMS	2931	-49.95	-13	36.95	Pass	1211
3000	7000	1	RMS	3471	-63.31	-13	50.31	Pass	4001
7000	20000	1	RMS	19316	-53.86	-13	40.86	Pass	13002




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.55	-13	53.55	Pass	401
0.15	30	0.01	RMS	0.23	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	873.316	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1669	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1754.225	19.06	60	40.94	Pass	401
1790	3000	1	RMS	2938	-49.89	-13	36.89	Pass	1211
3000	7000	1	RMS	6977	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19297	-53.86	-13	40.86	Pass	13002




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.18	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	981.788	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1673	-54.15	-13	41.15	Pass	701
1700	1790	1	RMS	1776.95	7.16	60	52.84	Pass	401
1790	3000	1	RMS	1790	-42.07	-13	29.07	Pass	1211
3000	7000	1	RMS	6970	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19344	-53.88	-13	40.88	Pass	13002




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	980.487	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1673	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1760.525	19.05	60	40.95	Pass	401
1790	3000	1	RMS	2938	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	6971	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19278	-53.9	-13	40.9	Pass	13002



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	846.4	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1674	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1779.425	18.93	60	41.07	Pass	401
1790	3000	1	RMS	2939	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	3559	-66.51	-13	53.51	Pass	4001
7000	20000	1	RMS	19403	-53.84	-13	40.84	Pass	13002



5. n71


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	59.03	Pass	2986
30	653	0.1	RMS	493.1	-66.18	-13	53.18	Pass	6231
653	708	0.1	RMS	667.1	4.16	60	55.84	Pass	551
708	1000	0.1	RMS	939.6	-65.18	-13	52.18	Pass	2921
1000	3000	1	RMS	2936	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8745	-65.91	-13	52.91	Pass	7001




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	652.6	-66.15	-13	53.15	Pass	6231
653	708	0.1	RMS	663.3	17.04	60	42.96	Pass	551
708	1000	0.1	RMS	953.4	-65.03	-13	52.03	Pass	2921
1000	3000	1	RMS	1326	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	8739	-65.96	-13	52.96	Pass	7001




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	653	0.1	RMS	506.3	-66.24	-13	53.24	Pass	6231
653	708	0.1	RMS	667.7	16.54	60	43.46	Pass	551
708	1000	0.1	RMS	868.9	-65.15	-13	52.15	Pass	2921
1000	3000	1	RMS	2932	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8748	-65.93	-13	52.93	Pass	7001




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-13	59.52	Pass	2986
30	653	0.1	RMS	491.7	-66.03	-13	53.03	Pass	6231
653	708	0.1	RMS	682	3.77	60	56.23	Pass	551
708	1000	0.1	RMS	846.4	-65.11	-13	52.11	Pass	2921
1000	3000	1	RMS	2932	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8748	-65.95	-13	52.95	Pass	7001




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	653	0.1	RMS	507.5	-66.17	-13	53.17	Pass	6231
653	708	0.1	RMS	678.3	16.89	60	43.11	Pass	551
708	1000	0.1	RMS	985	-65.29	-13	52.29	Pass	2921
1000	3000	1	RMS	2940	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	8736	-65.91	-13	52.91	Pass	7001




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.22	-72.81	-13	59.81	Pass	2986
30	653	0.1	RMS	489.7	-66.18	-13	53.18	Pass	6231
653	708	0.1	RMS	682.7	16.31	60	43.69	Pass	551
708	1000	0.1	RMS	869.8	-65.3	-13	52.3	Pass	2921
1000	3000	1	RMS	2940	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8747	-65.92	-13	52.92	Pass	7001




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	653	0.1	RMS	506.9	-66.17	-13	53.17	Pass	6231
653	708	0.1	RMS	694.2	3.63	60	56.37	Pass	551
708	1000	0.1	RMS	708.2	-58.8	-13	45.8	Pass	2921
1000	3000	1	RMS	2935	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	8740	-65.93	-13	52.93	Pass	7001




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.22	-13	53.22	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	653	0.1	RMS	490.1	-66.21	-13	53.21	Pass	6231
653	708	0.1	RMS	693.3	16.68	60	43.32	Pass	551
708	1000	0.1	RMS	949.5	-65.2	-13	52.2	Pass	2921
1000	3000	1	RMS	2930	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8759	-65.92	-13	52.92	Pass	7001




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.55	-13	53.55	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	508.8	-66.12	-13	53.12	Pass	6231
653	708	0.1	RMS	697.7	16.21	60	43.79	Pass	551
708	1000	0.1	RMS	957.2	-64.99	-13	51.99	Pass	2921
1000	3000	1	RMS	2938	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8744	-65.94	-13	52.94	Pass	7001




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	605.5	-66.16	-13	53.16	Pass	6231
653	708	0.1	RMS	670.3	0.91	60	59.09	Pass	551
708	1000	0.1	RMS	708.2	-65.02	-13	52.02	Pass	2921
1000	3000	1	RMS	2942	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8747	-65.91	-13	52.91	Pass	7001




**5.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:133600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.79	-13	51.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	59.09	Pass	2986
30	653	0.1	RMS	652.7	-65.89	-13	52.89	Pass	6231
653	708	0.1	RMS	663.4	17.37	60	42.63	Pass	551
708	1000	0.1	RMS	967.2	-65.08	-13	52.08	Pass	2921
1000	3000	1	RMS	1326	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8739	-65.94	-13	52.94	Pass	7001




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.7	-13	53.7	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	58.9	Pass	2986
30	653	0.1	RMS	511.5	-66.18	-13	53.18	Pass	6231
653	708	0.1	RMS	672.6	17.04	60	42.96	Pass	551
708	1000	0.1	RMS	819.6	-65.14	-13	52.14	Pass	2921
1000	3000	1	RMS	2931	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.94	-13	52.94	Pass	7001




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	653	0.1	RMS	596.9	-66.23	-13	53.23	Pass	6231
653	708	0.1	RMS	676.1	0.56	60	59.44	Pass	551
708	1000	0.1	RMS	708	-60.9	-13	47.9	Pass	2921
1000	3000	1	RMS	2943	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8741	-65.95	-13	52.95	Pass	7001




**5.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.21	-71.99	-13	58.99	Pass	2986
30	653	0.1	RMS	507.6	-66.05	-13	53.05	Pass	6231
653	708	0.1	RMS	675.9	17.17	60	42.83	Pass	551
708	1000	0.1	RMS	839.4	-65.19	-13	52.19	Pass	2921
1000	3000	1	RMS	2943	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8749	-65.91	-13	52.91	Pass	7001




5.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.81	-13	53.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	653	0.1	RMS	604	-66.17	-13	53.17	Pass	6231
653	708	0.1	RMS	685.1	16.94	60	43.06	Pass	551
708	1000	0.1	RMS	983.7	-65.18	-13	52.18	Pass	2921
1000	3000	1	RMS	2942	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




5.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-13	59.34	Pass	2986
30	653	0.1	RMS	643.7	-66.2	-13	53.2	Pass	6231
653	708	0.1	RMS	695.3	0.51	60	59.49	Pass	551
708	1000	0.1	RMS	708.4	-51.68	-13	38.68	Pass	2921
1000	3000	1	RMS	2935	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8746	-65.92	-13	52.92	Pass	7001




**5.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:138600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	653	0.1	RMS	499.1	-66.16	-13	53.16	Pass	6231
653	708	0.1	RMS	688.4	17.13	60	42.87	Pass	551
708	1000	0.1	RMS	988.3	-65.22	-13	52.22	Pass	2921
1000	3000	1	RMS	2931	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	8743	-65.99	-13	52.99	Pass	7001




5.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.89	-13	54.89	Pass	401
0.15	30	0.01	RMS	0.2	-71.7	-13	58.7	Pass	2986
30	653	0.1	RMS	493.1	-66.11	-13	53.11	Pass	6231
653	708	0.1	RMS	697.6	16.89	60	43.11	Pass	551
708	1000	0.1	RMS	926.3	-65.27	-13	52.27	Pass	2921
1000	3000	1	RMS	2943	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8744	-65.98	-13	52.98	Pass	7001




5.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	653	0.1	RMS	597.8	-66.06	-13	53.06	Pass	6231
653	708	0.1	RMS	676.4	-2.25	60	62.25	Pass	551
708	1000	0.1	RMS	708	-54.57	-13	41.57	Pass	2921
1000	3000	1	RMS	2939	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8745	-66	-13	53	Pass	7001




5.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.95	-13	51.95	Pass	401
0.15	30	0.01	RMS	0.18	-71.12	-13	58.12	Pass	2986
30	653	0.1	RMS	512.6	-66.08	-13	53.08	Pass	6231
653	708	0.1	RMS	663.5	16.88	60	43.12	Pass	551
708	1000	0.1	RMS	814.6	-63.62	-13	50.62	Pass	2921
1000	3000	1	RMS	1327	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	8744	-65.9	-13	52.9	Pass	7001




5.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.19	-72.57	-13	59.57	Pass	2986
30	653	0.1	RMS	610	-66.16	-13	53.16	Pass	6231
653	708	0.1	RMS	682.4	16.66	60	43.34	Pass	551
708	1000	0.1	RMS	830.9	-65.04	-13	52.04	Pass	2921
1000	3000	1	RMS	2943	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	8743	-65.97	-13	52.97	Pass	7001




5.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.3	-72.02	-13	59.02	Pass	2986
30	653	0.1	RMS	485.4	-66.2	-13	53.2	Pass	6231
653	708	0.1	RMS	675.6	-2.51	60	62.51	Pass	551
708	1000	0.1	RMS	708	-51.66	-13	38.66	Pass	2921
1000	3000	1	RMS	2943	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8742	-65.96	-13	52.96	Pass	7001




5.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.93	-13	52.93	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	58.83	Pass	2986
30	653	0.1	RMS	504.8	-66.16	-13	53.16	Pass	6231
653	708	0.1	RMS	671	16.75	60	43.25	Pass	551
708	1000	0.1	RMS	865.9	-65.31	-13	52.31	Pass	2921
1000	3000	1	RMS	2938	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	8745	-65.93	-13	52.93	Pass	7001




**5.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.08	-13	53.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	653	0.1	RMS	607.4	-66.23	-13	53.23	Pass	6231
653	708	0.1	RMS	689.9	16.58	60	43.42	Pass	551
708	1000	0.1	RMS	826.1	-65.21	-13	52.21	Pass	2921
1000	3000	1	RMS	2939	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8746	-65.93	-13	52.93	Pass	7001




**5.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	653	0.1	RMS	512.2	-66.11	-13	53.11	Pass	6231
653	708	0.1	RMS	694	-2.61	60	62.61	Pass	551
708	1000	0.1	RMS	708.5	-49.99	-13	36.99	Pass	2921
1000	3000	1	RMS	2929	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8745	-65.92	-13	52.92	Pass	7001




5.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	653	0.1	RMS	605.9	-66.09	-13	53.09	Pass	6231
653	708	0.1	RMS	678.5	16.58	60	43.42	Pass	551
708	1000	0.1	RMS	933.7	-65.02	-13	52.02	Pass	2921
1000	3000	1	RMS	2942	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	8749	-65.96	-13	52.96	Pass	7001



5.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.34	-13	53.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	653	0.1	RMS	488.7	-66.23	-13	53.23	Pass	6231
653	708	0.1	RMS	697.4	16.5	60	43.5	Pass	551
708	1000	0.1	RMS	708.2	-65.12	-13	52.12	Pass	2921
1000	3000	1	RMS	2931	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8756	-65.94	-13	52.94	Pass	7001



6. n2


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	917.846	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1853.4	13.59	60	46.41	Pass	401
1920	3000	1	RMS	2949	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6976	-66.68	-13	53.68	Pass	4001
7000	20000	1	RMS	19327	-53.95	-13	40.95	Pass	13002




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	856.605	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.6	-13	40.6	Pass	841
1840	1920	1	RMS	1850.2	19.71	60	40.29	Pass	401
1920	3000	1	RMS	2928	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6975	-66.68	-13	53.68	Pass	4001
7000	20000	1	RMS	19330	-53.91	-13	40.91	Pass	13002




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.48	-13	55.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	965.577	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1839	-53.75	-13	40.75	Pass	841
1840	1920	1	RMS	1854.6	19.6	60	40.4	Pass	401
1920	3000	1	RMS	2939	-50.02	-13	37.02	Pass	1081
3000	7000	1	RMS	3709	-63.96	-13	50.96	Pass	4001
7000	20000	1	RMS	19327	-54	-13	41	Pass	13002




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.38	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	852.702	-65.62	-13	52.62	Pass	9701
1000	1840	1	RMS	1836	-54.09	-13	41.09	Pass	841
1840	1920	1	RMS	1881.2	13.65	60	46.35	Pass	401
1920	3000	1	RMS	2939	-49.96	-13	36.96	Pass	1081
3000	7000	1	RMS	3760	-65.16	-13	52.16	Pass	4001
7000	20000	1	RMS	19360	-53.95	-13	40.95	Pass	13002




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.23	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	849.3	-65.55	-13	52.55	Pass	9701
1000	1840	1	RMS	1840	-54.01	-13	41.01	Pass	841
1840	1920	1	RMS	1877.8	19.72	60	40.28	Pass	401
1920	3000	1	RMS	2932	-50.06	-13	37.06	Pass	1081
3000	7000	1	RMS	3756	-61.3	-13	48.3	Pass	4001
7000	20000	1	RMS	19395	-53.97	-13	40.97	Pass	13002




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.49	-13	55.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	898.233	-65.69	-13	52.69	Pass	9701
1000	1840	1	RMS	1836	-54.09	-13	41.09	Pass	841
1840	1920	1	RMS	1882	19.74	60	40.26	Pass	401
1920	3000	1	RMS	2940	-50.07	-13	37.07	Pass	1081
3000	7000	1	RMS	3764	-61.53	-13	48.53	Pass	4001
7000	20000	1	RMS	19317	-53.96	-13	40.96	Pass	13002




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	857.806	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1839	-54.04	-13	41.04	Pass	841
1840	1920	1	RMS	1906.4	13.48	60	46.52	Pass	401
1920	3000	1	RMS	2936	-49.98	-13	36.98	Pass	1081
3000	7000	1	RMS	3815	-62.21	-13	49.21	Pass	4001
7000	20000	1	RMS	19375	-53.97	-13	40.97	Pass	13002



6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.82	-13	53.82	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	895.331	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1837	-54.13	-13	41.13	Pass	841
1840	1920	1	RMS	1905.2	19.68	60	40.32	Pass	401
1920	3000	1	RMS	2936	-50.02	-13	37.02	Pass	1081
3000	7000	1	RMS	3811	-58.43	-13	45.43	Pass	4001
7000	20000	1	RMS	19339	-53.97	-13	40.97	Pass	13002



6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	937.559	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1839	-54.01	-13	41.01	Pass	841
1840	1920	1	RMS	1909.6	19.52	60	40.48	Pass	401
1920	3000	1	RMS	2931	-50	-13	37	Pass	1081
3000	7000	1	RMS	3819	-57.51	-13	44.51	Pass	4001
7000	20000	1	RMS	19379	-53.94	-13	40.94	Pass	13002

