


Spurious Emission at Antenna Terminals


9.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.25	-69.19	-13	56.19	Pass	2986
30	1000	0.1	RMS	861.508	-62.35	-13	49.35	Pass	9701
1000	3000	1	RMS	2928	-49.64	-13	36.64	Pass	2001
3000	3690	1	RMS	3686	-49.2	-13	36.2	Pass	691
3690	3990	1	RMS	3867.75	2.91	60	57.09	Pass	401
3990	7000	1	RMS	4224	-49.47	-13	36.47	Pass	3011
7000	26500	1	RMS	25460	-49.69	-13	36.69	Pass	19503




**9.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.32	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	840.7	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2945	-49.6	-13	36.6	Pass	2001
3000	3690	1	RMS	3504	-46.02	-13	33.02	Pass	691
3690	3990	1	RMS	3810.75	17.89	60	42.11	Pass	401
3990	7000	1	RMS	4224	-49.59	-13	36.59	Pass	3011
7000	26500	1	RMS	25500	-49.98	-13	36.98	Pass	19503




**9.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.23	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	770.6	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2936	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3562	-45.26	-13	32.26	Pass	691
3690	3990	1	RMS	3869.25	18.04	60	41.96	Pass	401
3990	7000	1	RMS	4225	-49.43	-13	36.43	Pass	3011
7000	26500	1	RMS	25856	-49.92	-13	36.92	Pass	19503




**9.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.17	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	983.789	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2935	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3686	-49.54	-13	36.54	Pass	691
3690	3990	1	RMS	3975	2.92	60	57.08	Pass	401
3990	7000	1	RMS	3992	-33.58	-13	20.58	Pass	3011
7000	26500	1	RMS	25532	-50.1	-13	37.1	Pass	19503




**9.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.96	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	904.437	-63.13	-13	50.13	Pass	9701
1000	3000	1	RMS	2942	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3614	-45.4	-13	32.4	Pass	691
3690	3990	1	RMS	3921	18.7	60	41.3	Pass	401
3990	7000	1	RMS	4228	-48.46	-13	35.46	Pass	3011
7000	26500	1	RMS	25446	-50.19	-13	37.19	Pass	19503




**9.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.22	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	877.719	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2948	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3672	-46.77	-13	33.77	Pass	691
3690	3990	1	RMS	3978.75	18.31	60	41.69	Pass	401




**9.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.57	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	998.499	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2945	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3690	-39.64	-13	26.64	Pass	691
3690	3990	1	RMS	3726.75	0.62	60	59.38	Pass	401
3990	7000	1	RMS	4223	-48.57	-13	35.57	Pass	3011
7000	26500	1	RMS	25499	-49.94	-13	36.94	Pass	19503




**9.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.22	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	874.217	-62.11	-13	49.11	Pass	9701
1000	3000	1	RMS	2932	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3686	-48.14	-13	35.14	Pass	691
3690	3990	1	RMS	3701.25	18.65	60	41.35	Pass	401
3990	7000	1	RMS	4224	-48.4	-13	35.4	Pass	3011
7000	26500	1	RMS	25894	-50.09	-13	37.09	Pass	19503




**9.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.29	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	955.17	-63.17	-13	50.17	Pass	9701
1000	3000	1	RMS	2948	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3389	-47.38	-13	34.38	Pass	691
3690	3990	1	RMS	3798.75	18.4	60	41.6	Pass	401
3990	7000	1	RMS	4224	-48.25	-13	35.25	Pass	3011
7000	26500	1	RMS	25498	-49.66	-13	36.66	Pass	19503




**9.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.19	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	947.565	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2962	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3686	-48.2	-13	35.2	Pass	691
3690	3990	1	RMS	3879.75	0.61	60	59.39	Pass	401
3990	7000	1	RMS	4224	-48.99	-13	35.99	Pass	3011
7000	26500	1	RMS	25507	-49.9	-13	36.9	Pass	19503




9.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.16	-69.84	-13	56.84	Pass	2986
30	1000	0.1	RMS	986.791	-62.57	-13	49.57	Pass	9701
1000	3000	1	RMS	2972	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3381	-48.08	-13	35.08	Pass	691
3690	3990	1	RMS	3791.25	17.86	60	42.14	Pass	401
3990	7000	1	RMS	4224	-49.01	-13	36.01	Pass	3011
7000	26500	1	RMS	25848	-49.83	-13	36.83	Pass	19503




**9.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	819.9	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2938	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3479	-47.37	-13	34.37	Pass	691
3690	3990	1	RMS	3888.75	18.67	60	41.33	Pass	401
3990	7000	1	RMS	4224	-49.45	-13	36.45	Pass	3011
7000	26500	1	RMS	25497	-49.65	-13	36.65	Pass	19503




**9.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.5	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	967.779	-63.2	-13	50.2	Pass	9701
1000	3000	1	RMS	2956	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3686	-49.41	-13	36.41	Pass	691
3690	3990	1	RMS	3975	0.45	60	59.55	Pass	401
3990	7000	1	RMS	3990	-35.52	-13	22.52	Pass	3011
7000	26500	1	RMS	25506	-49.88	-13	36.88	Pass	19503




**9.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.24	-70.21	-13	57.21	Pass	2986
30	1000	0.1	RMS	957.072	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2935	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3471	-48.92	-13	35.92	Pass	691
3690	3990	1	RMS	3881.25	18.47	60	41.53	Pass	401
3990	7000	1	RMS	4224	-49.35	-13	36.35	Pass	3011
7000	26500	1	RMS	25476	-49.56	-13	36.56	Pass	19503



**9.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.19	-70.16	-13	57.16	Pass	2986
30	1000	0.1	RMS	821.6	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2933	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3569	-47.67	-13	34.67	Pass	691
3690	3990	1	RMS	3978.75	18.39	60	41.61	Pass	401
3990	7000	1	RMS	4224	-49.61	-13	36.61	Pass	3011
7000	26500	1	RMS	25503	-49.78	-13	36.78	Pass	19503




10. n77 (3450-3550)

10.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	1.64	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	905.738	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2932	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3440	-37.63	-13	24.63	Pass	441
3440	3560	1	RMS	3467	7.78	60	52.22	Pass	401
3560	7000	1	RMS	4490	-58.95	-13	45.95	Pass	3441
7000	26500	1	RMS	25897	-49.68	-13	36.68	Pass	19503




**10.2 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	57.36	Pass	2986
30	1000	0.1	RMS	843.5	-62.76	-13	49.76	Pass	9701
1000	3000	1	RMS	2935	-49.75	-13	36.75	Pass	2001
3000	3440	1	RMS	3246	-48.2	-13	35.2	Pass	441
3440	3560	1	RMS	3451.1	18.97	60	41.03	Pass	401
3560	7000	1	RMS	3656	-53	-13	40	Pass	3441
7000	26500	1	RMS	25538	-49.62	-13	36.62	Pass	19503




10.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.23	-69.91	-13	56.91	Pass	2986
30	1000	0.1	RMS	826.3	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2935	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3264	-47.93	-13	34.93	Pass	441
3440	3560	1	RMS	3469.1	19.25	60	40.75	Pass	401
3560	7000	1	RMS	3674	-52.52	-13	39.52	Pass	3441
7000	26500	1	RMS	25515	-49.69	-13	36.69	Pass	19503




**10.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.53	-13	56.53	Pass	401
0.15	30	0.01	RMS	0.31	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	801.1	-63.09	-13	50.09	Pass	9701
1000	3000	1	RMS	2941	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3160	-50.35	-13	37.35	Pass	441
3440	3560	1	RMS	3507.2	7.89	60	52.11	Pass	401
3560	7000	1	RMS	4491	-58.53	-13	45.53	Pass	3441
7000	26500	1	RMS	25519	-50.1	-13	37.1	Pass	19503




**10.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	56.77	Pass	2986
30	1000	0.1	RMS	998.399	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2944	-49.69	-13	36.69	Pass	2001
3000	3440	1	RMS	3184	-48.58	-13	35.58	Pass	441
3440	3560	1	RMS	3491	19.32	60	40.68	Pass	401
3560	7000	1	RMS	3798	-53.09	-13	40.09	Pass	3441
7000	26500	1	RMS	25471	-49.65	-13	36.65	Pass	19503




**10.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.27	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	572.5	-63.44	-13	50.44	Pass	9701
1000	3000	1	RMS	2941	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3202	-48.31	-13	35.31	Pass	441
3440	3560	1	RMS	3509	19.52	60	40.48	Pass	401
3560	7000	1	RMS	3714	-54.64	-13	41.64	Pass	3441
7000	26500	1	RMS	25857	-49.86	-13	36.86	Pass	19503




**10.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	56.41	Pass	2986
30	1000	0.1	RMS	975.484	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2955	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3160	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3533	7.91	60	52.09	Pass	401
3560	7000	1	RMS	3560	-37.45	-13	24.45	Pass	3441
7000	26500	1	RMS	25524	-50.04	-13	37.04	Pass	19503




10.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.48	-70.39	-13	57.39	Pass	2986
30	1000	0.1	RMS	854.404	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2951	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3224	-48.55	-13	35.55	Pass	441
3440	3560	1	RMS	3530.9	19.29	60	40.71	Pass	401
3560	7000	1	RMS	3567	-51.07	-13	38.07	Pass	3441
7000	26500	1	RMS	25513	-50.05	-13	37.05	Pass	19503




10.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.24	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	973.082	-63.07	-13	50.07	Pass	9701
1000	3000	1	RMS	2934	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3242	-48.15	-13	35.15	Pass	441
3440	3560	1	RMS	3548.9	19.37	60	40.63	Pass	401
3560	7000	1	RMS	3567	-52.9	-13	39.9	Pass	3441
7000	26500	1	RMS	25857	-50.11	-13	37.11	Pass	19503




**10.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	945.764	-62.5	-13	49.5	Pass	9701
1000	3000	1	RMS	2959	-49.82	-13	36.82	Pass	2001
3000	3440	1	RMS	3439	-37.48	-13	24.48	Pass	441
3440	3560	1	RMS	3458.6	2.67	60	57.33	Pass	401
3560	7000	1	RMS	4224	-47.4	-13	34.4	Pass	3441
7000	26500	1	RMS	25502	-49.62	-13	36.62	Pass	19503




**10.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.18	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	896.131	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2943	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3144	-46.44	-13	33.44	Pass	441
3440	3560	1	RMS	3451.1	18.85	60	41.15	Pass	401
3560	7000	1	RMS	4224	-46.99	-13	33.99	Pass	3441
7000	26500	1	RMS	25502	-49.92	-13	36.92	Pass	19503




**10.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	754.5	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2950	-49.55	-13	36.55	Pass	2001
3000	3440	1	RMS	3202	-46.45	-13	33.45	Pass	441
3440	3560	1	RMS	3509	19.16	60	40.84	Pass	401
3560	7000	1	RMS	3816	-46.95	-13	33.95	Pass	3441
7000	26500	1	RMS	25501	-49.39	-13	36.39	Pass	19503




**10.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.4	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	903.536	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2954	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3440	-41.08	-13	28.08	Pass	441
3440	3560	1	RMS	3471.8	2.77	60	57.23	Pass	401
3560	7000	1	RMS	3561	-41.85	-13	28.85	Pass	3441
7000	26500	1	RMS	25502	-49.12	-13	36.12	Pass	19503




**10.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.17	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	375.9	-62.71	-13	49.71	Pass	9701
1000	3000	1	RMS	2944	-49.81	-13	36.81	Pass	2001
3000	3440	1	RMS	3164	-45.38	-13	32.38	Pass	441
3440	3560	1	RMS	3470.9	18.94	60	41.06	Pass	401
3560	7000	1	RMS	4224	-46.78	-13	33.78	Pass	3441
7000	26500	1	RMS	25495	-49.67	-13	36.67	Pass	19503




**10.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.2	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	908.439	-62.93	-13	49.93	Pass	9701
1000	3000	1	RMS	2968	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3222	-44.93	-13	31.93	Pass	441
3440	3560	1	RMS	3528.8	18.95	60	41.05	Pass	401
3560	7000	1	RMS	3836	-47.09	-13	34.09	Pass	3441
7000	26500	1	RMS	25483	-49.95	-13	36.95	Pass	19503




**10.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	947.865	-63.08	-13	50.08	Pass	9701
1000	3000	1	RMS	2931	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3440	-47.69	-13	34.69	Pass	441
3440	3560	1	RMS	3495.5	2.97	60	57.03	Pass	401
3560	7000	1	RMS	3562	-38.03	-13	25.03	Pass	3441
7000	26500	1	RMS	25542	-50.15	-13	37.15	Pass	19503




**10.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.4	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	636.4	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2943	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3184	-45.51	-13	32.51	Pass	441
3440	3560	1	RMS	3491	19.09	60	40.91	Pass	401
3560	7000	1	RMS	3798	-47.25	-13	34.25	Pass	3441
7000	26500	1	RMS	25524	-49.64	-13	36.64	Pass	19503




**10.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.28	-70.61	-13	57.61	Pass	2986
30	1000	0.1	RMS	862.009	-62.85	-13	49.85	Pass	9701
1000	3000	1	RMS	2941	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3242	-46.42	-13	33.42	Pass	441
3440	3560	1	RMS	3548.9	19.16	60	40.84	Pass	401
3560	7000	1	RMS	4224	-46.95	-13	33.95	Pass	3441
7000	26500	1	RMS	25507	-49.88	-13	36.88	Pass	19503




**10.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.26	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	817.4	-62.21	-13	49.21	Pass	9701
1000	3000	1	RMS	2948	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3439	-38.38	-13	25.38	Pass	441
3440	3560	1	RMS	3461	0.43	60	59.57	Pass	401
3560	7000	1	RMS	3563	-39.86	-13	26.86	Pass	3441
7000	26500	1	RMS	25462	-49.89	-13	36.89	Pass	19503




**10.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.17	-69.6	-13	56.6	Pass	2986
30	1000	0.1	RMS	734	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2938	-49.58	-13	36.58	Pass	2001
3000	3440	1	RMS	3353	-49.22	-13	36.22	Pass	441
3440	3560	1	RMS	3451.1	18.76	60	41.24	Pass	401
3560	7000	1	RMS	4224	-47.32	-13	34.32	Pass	3441
7000	26500	1	RMS	25491	-49.96	-13	36.96	Pass	19503



**10.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.25	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	986.191	-63.24	-13	50.24	Pass	9701
1000	3000	1	RMS	2939	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3139	-46.72	-13	33.72	Pass	441
3440	3560	1	RMS	3548.9	19.14	60	40.86	Pass	401
3560	7000	1	RMS	4224	-47.55	-13	34.55	Pass	3441
7000	26500	1	RMS	25482	-50.03	-13	37.03	Pass	19503




11. n78 (3450-3550)

11.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	0.2	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	900.434	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2929	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3440	-37.64	-13	24.64	Pass	441
3440	3560	1	RMS	3467	7.8	60	52.2	Pass	401
3560	7000	1	RMS	4491	-58.85	-13	45.85	Pass	3441
7000	26500	1	RMS	25533	-50.04	-13	37.04	Pass	19503




11.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.45	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	853.203	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2941	-49.86	-13	36.86	Pass	2001
3000	3440	1	RMS	3144	-48.63	-13	35.63	Pass	441
3440	3560	1	RMS	3451.1	19.07	60	40.93	Pass	401
3560	7000	1	RMS	3758	-51.59	-13	38.59	Pass	3441
7000	26500	1	RMS	25920	-50.14	-13	37.14	Pass	19503




11.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.19	-70.31	-13	57.31	Pass	2986
30	1000	0.1	RMS	959.073	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2952	-49.94	-13	36.94	Pass	2001
3000	3440	1	RMS	3264	-49.22	-13	36.22	Pass	441
3440	3560	1	RMS	3469.1	19.21	60	40.79	Pass	401
3560	7000	1	RMS	3776	-52.85	-13	39.85	Pass	3441
7000	26500	1	RMS	25514	-49.73	-13	36.73	Pass	19503




11.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.28	-69.91	-13	56.91	Pass	2986
30	1000	0.1	RMS	911.842	-63.11	-13	50.11	Pass	9701
1000	3000	1	RMS	2926	-49.84	-13	36.84	Pass	2001
3000	3440	1	RMS	3159	-50.44	-13	37.44	Pass	441
3440	3560	1	RMS	3493.1	7.91	60	52.09	Pass	401
3560	7000	1	RMS	4490	-58.28	-13	45.28	Pass	3441
7000	26500	1	RMS	25898	-50.07	-13	37.07	Pass	19503




**11.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.41	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	905.738	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2928	-49.98	-13	36.98	Pass	2001
3000	3440	1	RMS	3184	-48.88	-13	35.88	Pass	441
3440	3560	1	RMS	3491	19.32	60	40.68	Pass	401
3560	7000	1	RMS	3798	-52.95	-13	39.95	Pass	3441
7000	26500	1	RMS	25908	-50.2	-13	37.2	Pass	19503




**11.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.39	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	978.586	-62.21	-13	49.21	Pass	9701
1000	3000	1	RMS	2941	-49.88	-13	36.88	Pass	2001
3000	3440	1	RMS	3202	-48.6	-13	35.6	Pass	441
3440	3560	1	RMS	3509	19.41	60	40.59	Pass	401
3560	7000	1	RMS	3816	-53.23	-13	40.23	Pass	3441
7000	26500	1	RMS	25472	-49.9	-13	36.9	Pass	19503




**11.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	1.29	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	655.7	-63.08	-13	50.08	Pass	9701
1000	3000	1	RMS	2945	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3160	-50.32	-13	37.32	Pass	441
3440	3560	1	RMS	3531.8	7.9	60	52.1	Pass	401
3560	7000	1	RMS	3560	-37.62	-13	24.62	Pass	3441
7000	26500	1	RMS	25502	-50.06	-13	37.06	Pass	19503




11.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.24	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	886.625	-63.13	-13	50.13	Pass	9701
1000	3000	1	RMS	2955	-49.88	-13	36.88	Pass	2001
3000	3440	1	RMS	3326	-49.13	-13	36.13	Pass	441
3440	3560	1	RMS	3530.9	19.22	60	40.78	Pass	401
3560	7000	1	RMS	3567	-50.88	-13	37.88	Pass	3441
7000	26500	1	RMS	25899	-49.87	-13	36.87	Pass	19503




11.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	827.6	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2943	-49.78	-13	36.78	Pass	2001
3000	3440	1	RMS	3242	-48.92	-13	35.92	Pass	441
3440	3560	1	RMS	3548.9	19.15	60	40.85	Pass	401
3560	7000	1	RMS	3567	-53.68	-13	40.68	Pass	3441
7000	26500	1	RMS	25502	-50.1	-13	37.1	Pass	19503




**11.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69	-13	56	Pass	401
0.15	30	0.01	RMS	0.52	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	992.695	-63.31	-13	50.31	Pass	9701
1000	3000	1	RMS	2937	-49.9	-13	36.9	Pass	2001
3000	3440	1	RMS	3438	-37.98	-13	24.98	Pass	441
3440	3560	1	RMS	3458.3	2.66	60	57.34	Pass	401
3560	7000	1	RMS	4224	-46.67	-13	33.67	Pass	3441
7000	26500	1	RMS	25490	-49.86	-13	36.86	Pass	19503




**11.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.16	-70.95	-13	57.95	Pass	2986
30	1000	0.1	RMS	889.927	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2935	-49.81	-13	36.81	Pass	2001
3000	3440	1	RMS	3144	-47.14	-13	34.14	Pass	441
3440	3560	1	RMS	3451.1	18.73	60	41.27	Pass	401
3560	7000	1	RMS	4224	-47.15	-13	34.15	Pass	3441
7000	26500	1	RMS	25534	-49.96	-13	36.96	Pass	19503




**11.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.19	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	936.758	-63.03	-13	50.03	Pass	9701
1000	3000	1	RMS	2923	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3201	-47.72	-13	34.72	Pass	441
3440	3560	1	RMS	3509	19.19	60	40.81	Pass	401
3560	7000	1	RMS	4224	-47.2	-13	34.2	Pass	3441
7000	26500	1	RMS	25502	-50.03	-13	37.03	Pass	19503




**11.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.25	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	885.424	-62.62	-13	49.62	Pass	9701
1000	3000	1	RMS	2968	-49.92	-13	36.92	Pass	2001
3000	3440	1	RMS	3440	-40.99	-13	27.99	Pass	441
3440	3560	1	RMS	3472.7	2.84	60	57.16	Pass	401
3560	7000	1	RMS	3561	-41.71	-13	28.71	Pass	3441
7000	26500	1	RMS	25911	-49.52	-13	36.52	Pass	19503




**11.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.18	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	974.883	-62.37	-13	49.37	Pass	9701
1000	3000	1	RMS	2940	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3164	-46.41	-13	33.41	Pass	441
3440	3560	1	RMS	3470.9	18.97	60	41.03	Pass	401
3560	7000	1	RMS	4224	-47.29	-13	34.29	Pass	3441
7000	26500	1	RMS	25468	-49.98	-13	36.98	Pass	19503




**11.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.19	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	884.423	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2947	-49.78	-13	36.78	Pass	2001
3000	3440	1	RMS	3222	-46.37	-13	33.37	Pass	441
3440	3560	1	RMS	3529.1	18.74	60	41.26	Pass	401
3560	7000	1	RMS	3836	-47.31	-13	34.31	Pass	3441
7000	26500	1	RMS	25502	-49.94	-13	36.94	Pass	19503




**11.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	1.12	-70.01	-13	57.01	Pass	2986
30	1000	0.1	RMS	823.9	-61.77	-13	48.77	Pass	9701
1000	3000	1	RMS	2952	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3440	-47.71	-13	34.71	Pass	441
3440	3560	1	RMS	3499.1	2.96	60	57.04	Pass	401
3560	7000	1	RMS	3560	-37.69	-13	24.69	Pass	3441
7000	26500	1	RMS	25833	-50.08	-13	37.08	Pass	19503




**11.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	991.294	-62.85	-13	49.85	Pass	9701
1000	3000	1	RMS	2961	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3184	-46.17	-13	33.17	Pass	441
3440	3560	1	RMS	3491	19.11	60	40.89	Pass	401
3560	7000	1	RMS	3798	-47	-13	34	Pass	3441
7000	26500	1	RMS	25417	-50.03	-13	37.03	Pass	19503




**11.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.83	-70.52	-13	57.52	Pass	2986
30	1000	0.1	RMS	966.678	-63.05	-13	50.05	Pass	9701
1000	3000	1	RMS	2936	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3242	-47.24	-13	34.24	Pass	441
3440	3560	1	RMS	3548.9	18.97	60	41.03	Pass	401




**11.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.91	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	846.8	-63.28	-13	50.28	Pass	9701
1000	3000	1	RMS	2931	-49.88	-13	36.88	Pass	2001
3000	3440	1	RMS	3439	-38.55	-13	25.55	Pass	441
3440	3560	1	RMS	3461	0.32	60	59.68	Pass	401
3560	7000	1	RMS	3560	-39.69	-13	26.69	Pass	3441
7000	26500	1	RMS	25488	-49.83	-13	36.83	Pass	19503




**11.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.66	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	723.7	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2954	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3353	-49.41	-13	36.41	Pass	441
3440	3560	1	RMS	3451.1	18.68	60	41.32	Pass	401
3560	7000	1	RMS	4224	-47.67	-13	34.67	Pass	3441
7000	26500	1	RMS	25879	-49.67	-13	36.67	Pass	19503



**11.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-13	57.67	Pass	401
0.15	30	0.01	RMS	0.33	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	845.1	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2962	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3139	-46.71	-13	33.71	Pass	441
3440	3560	1	RMS	3548.9	19.1	60	40.9	Pass	401
3560	7000	1	RMS	4224	-47.31	-13	34.31	Pass	3441
7000	26500	1	RMS	25901	-50.01	-13	37.01	Pass	19503




12. n78 (3700-3800)

12.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.26	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	800.3	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2933	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3690	-36.2	-13	23.2	Pass	691
3690	3810	1	RMS	3717.9	8.59	60	51.41	Pass	401
3810	7000	1	RMS	4491	-58.58	-13	45.58	Pass	3191
7000	26500	1	RMS	25840	-50.04	-13	37.04	Pass	19503




12.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.23	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	994.997	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2942	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3394	-47.96	-13	34.96	Pass	691
3690	3810	1	RMS	3701.1	19.95	60	40.05	Pass	401
3810	7000	1	RMS	3906	-54.03	-13	41.03	Pass	3191
7000	26500	1	RMS	7402	-49.25	-13	36.25	Pass	19503




12.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.71	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	814.9	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2939	-49.87	-13	36.87	Pass	2001
3000	3690	1	RMS	3617	-49.31	-13	36.31	Pass	691
3690	3810	1	RMS	3719.1	20.01	60	39.99	Pass	401
3810	7000	1	RMS	4026	-51.71	-13	38.71	Pass	3191
7000	26500	1	RMS	25445	-50.15	-13	37.15	Pass	19503




**12.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.2	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	871.215	-63.09	-13	50.09	Pass	9701
1000	3000	1	RMS	2941	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3158	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3742.8	8.33	60	51.67	Pass	401
3810	7000	1	RMS	4492	-58.44	-13	45.44	Pass	3191
7000	26500	1	RMS	25506	-49.99	-13	36.99	Pass	19503




**12.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	57.54	Pass	2986
30	1000	0.1	RMS	868.413	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2927	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3434	-48.68	-13	35.68	Pass	691
3690	3810	1	RMS	3741	19.89	60	40.11	Pass	401
3810	7000	1	RMS	4048	-51.76	-13	38.76	Pass	3191
7000	26500	1	RMS	25528	-50.08	-13	37.08	Pass	19503




12.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	1.96	-70.61	-13	57.61	Pass	2986
30	1000	0.1	RMS	975.484	-62.85	-13	49.85	Pass	9701
1000	3000	1	RMS	2959	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3657	-48.93	-13	35.93	Pass	691
3690	3810	1	RMS	3759	19.87	60	40.13	Pass	401
3810	7000	1	RMS	4066	-52.51	-13	39.51	Pass	3191
7000	26500	1	RMS	25512	-50.12	-13	37.12	Pass	19503




**12.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.23	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	804.8	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2936	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3159	-50.3	-13	37.3	Pass	691
3690	3810	1	RMS	3798	8.14	60	51.86	Pass	401
3810	7000	1	RMS	3810	-36.36	-13	23.36	Pass	3191
7000	26500	1	RMS	25595	-50.05	-13	37.05	Pass	19503




**12.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.22	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	827.6	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2929	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3474	-48.7	-13	35.7	Pass	691
3690	3810	1	RMS	3780.9	19.15	60	40.85	Pass	401
3810	7000	1	RMS	4088	-51.98	-13	38.98	Pass	3191
7000	26500	1	RMS	25797	-50	-13	37	Pass	19503




12.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.44	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	985.891	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2929	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3492	-48.64	-13	35.64	Pass	691
3690	3810	1	RMS	3798.9	19.64	60	40.36	Pass	401
3810	7000	1	RMS	4106	-51.79	-13	38.79	Pass	3191
7000	26500	1	RMS	25488	-50	-13	37	Pass	19503




**12.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.45	-68.76	-13	55.76	Pass	2986
30	1000	0.1	RMS	935.057	-63.15	-13	50.15	Pass	9701
1000	3000	1	RMS	2952	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3689	-36.75	-13	23.75	Pass	691
3690	3810	1	RMS	3703.2	3.35	60	56.65	Pass	401
3810	7000	1	RMS	4224	-47.38	-13	34.38	Pass	3191
7000	26500	1	RMS	25478	-49.92	-13	36.92	Pass	19503




**12.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.54	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	833.3	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2964	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3394	-47.52	-13	34.52	Pass	691
3690	3810	1	RMS	3701.1	19.63	60	40.37	Pass	401
3810	7000	1	RMS	4224	-47.22	-13	34.22	Pass	3191
7000	26500	1	RMS	25559	-49.74	-13	36.74	Pass	19503




**12.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.24	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	800.8	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2947	-49.54	-13	36.54	Pass	2001
3000	3690	1	RMS	3452	-45.3	-13	32.3	Pass	691
3690	3810	1	RMS	3759	19.64	60	40.36	Pass	401
3810	7000	1	RMS	4224	-47.03	-13	34.03	Pass	3191
7000	26500	1	RMS	25547	-49.98	-13	36.98	Pass	19503




**12.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	0.55	-70.28	-13	57.28	Pass	2986
30	1000	0.1	RMS	801.4	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2941	-49.84	-13	36.84	Pass	2001
3000	3690	1	RMS	3690	-40.18	-13	27.18	Pass	691
3690	3810	1	RMS	3723	3.46	60	56.54	Pass	401
3810	7000	1	RMS	3810	-40.42	-13	27.42	Pass	3191
7000	26500	1	RMS	25498	-50.06	-13	37.06	Pass	19503




**12.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	57.63	Pass	2986
30	1000	0.1	RMS	786	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2943	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3414	-46.75	-13	33.75	Pass	691
3690	3810	1	RMS	3720.9	19.63	60	40.37	Pass	401
3810	7000	1	RMS	4028	-46.18	-13	33.18	Pass	3191
7000	26500	1	RMS	25502	-49.82	-13	36.82	Pass	19503




**12.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	1.08	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	978.986	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2950	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3472	-48.4	-13	35.4	Pass	691
3690	3810	1	RMS	3778.8	18.8	60	41.2	Pass	401
3810	7000	1	RMS	4086	-45.69	-13	32.69	Pass	3191
7000	26500	1	RMS	25824	-50.1	-13	37.1	Pass	19503




**12.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	0.65	-70	-13	57	Pass	2986
30	1000	0.1	RMS	904.837	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2964	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3686	-45.87	-13	32.87	Pass	691
3690	3810	1	RMS	3742.8	3.21	60	56.79	Pass	401
3810	7000	1	RMS	3810	-36.55	-13	23.55	Pass	3191
7000	26500	1	RMS	25488	-49.8	-13	36.8	Pass	19503




**12.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.22	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	849.1	-62.49	-13	49.49	Pass	9701
1000	3000	1	RMS	2941	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3434	-44.91	-13	31.91	Pass	691
3690	3810	1	RMS	3741	19.58	60	40.42	Pass	401
3810	7000	1	RMS	4048	-45.99	-13	32.99	Pass	3191
7000	26500	1	RMS	25398	-50.04	-13	37.04	Pass	19503




**12.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.27	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	943.362	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2930	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3492	-46.93	-13	33.93	Pass	691
3690	3810	1	RMS	3798.9	19.42	60	40.58	Pass	401




**12.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	816.2	-63.31	-13	50.31	Pass	9701
1000	3000	1	RMS	2930	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3689	-38.11	-13	25.11	Pass	691
3690	3810	1	RMS	3711	0.86	60	59.14	Pass	401
3810	7000	1	RMS	3813	-38.49	-13	25.49	Pass	3191
7000	26500	1	RMS	25511	-49.81	-13	36.81	Pass	19503



**12.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.28	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	953.969	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2936	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3291	-47.39	-13	34.39	Pass	691
3690	3810	1	RMS	3701.1	19.6	60	40.4	Pass	401
3810	7000	1	RMS	4225	-47.78	-13	34.78	Pass	3191
7000	26500	1	RMS	7402	-49.95	-13	36.95	Pass	19503



**12.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	2.2	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	910.441	-63.13	-13	50.13	Pass	9701
1000	3000	1	RMS	2941	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3389	-46.79	-13	33.79	Pass	691
3690	3810	1	RMS	3798.9	19.36	60	40.64	Pass	401
3810	7000	1	RMS	4224	-47.57	-13	34.57	Pass	3191
7000	26500	1	RMS	25487	-50.02	-13	37.02	Pass	19503

