

Field Strength of Spurious Radiation

Band: NSA DC-26A-N41A (PART90)


RSE(SG NSA FCC)_NSA_5A_n41A(Low) & 5A_n7A & 7A_n5A_814-849&2496-2570_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
159.786	-72.44	-18.15	-25.0	47.44	109.00	Horizontal	Horizontal	Pass
816.815	-54.99	5.15	-25.0	29.99	252.00	Horizontal	Horizontal	N/A
864.540	-44.34	5.55	-25.0	19.34	187.00	Horizontal	Horizontal	N/A
2996.800	-42.90	11.09	-25.0	17.90	355.00	Horizontal	Horizontal	Pass
7925.250	-35.96	19.18	-25.0	10.96	328.00	Horizontal	Horizontal	Pass
13801.312	-46.64	10.36	-25.0	21.64	249.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-26A-N78A (PART22)(3450-3550)


RSE(SG NSA FCC)_NSA_5A_n78A_814-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
169.680	-75.63	-17.08	-13.0	62.63	318.00	Vertical	Horizontal	Pass
834.421	-64.01	5.65	-13.0	51.01	211.00	Vertical	Horizontal	N/A
879.575	-33.88	5.86	-13.0	20.88	326.00	Vertical	Horizontal	N/A
1668.600	-61.43	-3.61	-13.0	48.43	1.00	Vertical	Horizontal	Pass
7409.000	-43.87	19.10	-13.0	30.87	82.00	Vertical	Horizontal	Pass
14827.425	-40.45	24.29	-13.0	27.45	347.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N78A (PART22) (3450-3550)


RSE[5G NSA FCC]_NSA_5A_n78A_614-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.174	-76.23	-18.08	-13.0	63.23	110.00	Horizontal	Horizontal	Pass
834.276	-63.62	5.65	-13.0	50.62	244.00	Horizontal	Horizontal	N/A
881.563	-42.33	5.76	-13.0	29.33	49.00	Horizontal	Horizontal	N/A
1668.700	-54.77	-3.61	-13.0	41.77	332.00	Horizontal	Horizontal	Pass
7405.500	-44.19	19.03	-13.0	31.19	278.00	Horizontal	Horizontal	Pass
14820.076	-39.57	24.55	-13.0	26.57	207.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-26A-N78A (PART90)(3450-3550)


RSE(SG NSA FCC)_NSA_5A_n78A_814-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
177.246	-75.51	-16.21	-13.0	62.51	303.00	Vertical	Horizontal	Pass
816.864	-56.63	5.15	-13.0	43.63	116.00	Vertical	Horizontal	N/A
863.424	-36.72	5.59	-13.0	23.72	21.00	Vertical	Horizontal	N/A
1633.600	-61.07	-3.78	-13.0	48.07	209.00	Vertical	Horizontal	Pass
7235.500	-44.25	18.21	-13.0	31.25	211.00	Vertical	Horizontal	Pass
14821.650	-40.61	24.49	-13.0	27.61	41.00	Vertical	Horizontal	Pass

Band:NSA DC-26A-N78A (PART90) (3450-3550)


RSE[5G NSA FCC]_NSA_5A_n78A_614-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.222	-76.39	-18.07	-13.0	63.39	88.00	Horizontal	Horizontal	Pass
816.815	-56.98	5.15	-13.0	43.98	96.00	Horizontal	Horizontal	N/A
862.551	-43.46	5.61	-13.0	30.46	191.00	Horizontal	Horizontal	N/A
1633.800	-58.15	-3.77	-13.0	45.15	327.00	Horizontal	Horizontal	Pass
7908.000	-43.23	19.31	-13.0	30.23	7.00	Horizontal	Horizontal	Pass
14820.600	-40.19	24.53	-13.0	27.19	183.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-26A-N78A (PART22)(3700-3800)


RSE(SG NSA FCC)_NSA_5A_n78A_814-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.368	-75.77	-18.05	-13.0	62.77	326.00	Vertical	Horizontal	Pass
879.478	-34.01	5.87	-13.0	21.01	245.00	Vertical	Horizontal	N/A
1668.800	-60.94	-3.61	-13.0	47.94	359.00	Vertical	Horizontal	N/A
3137.000	-56.38	4.94	-13.0	43.38	273.00	Vertical	Horizontal	Pass
7900.000	-43.49	19.17	-13.0	30.49	269.00	Vertical	Horizontal	Pass
14828.213	-40.59	24.26	-13.0	27.59	115.00	Vertical	Horizontal	Pass

Band:NSA DC-26A-N78A (PART22) (3700-3800)


RSE[5G NSA FCC]_NSA_5A_n78A_614-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
159.980	-76.04	-18.11	-13.0	63.04	126.00	Horizontal	Horizontal	Pass
834.276	-62.80	5.65	-13.0	49.80	156.00	Horizontal	Horizontal	N/A
883.503	-41.90	5.74	-13.0	28.90	194.00	Horizontal	Horizontal	N/A
1668.500	-53.49	-3.61	-13.0	40.49	331.00	Horizontal	Horizontal	Pass
7409.750	-43.74	19.11	-13.0	30.74	271.00	Horizontal	Horizontal	Pass
14817.713	-40.72	24.53	-13.0	27.72	301.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-26A-N78A (PART90)(3700-3800)


RSE(SG NSA FCC)_NSA_5A_n78A_814-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
177.537	-76.22	-16.18	-13.0	63.22	297.00	Vertical	Horizontal	Pass
816.767	-58.04	5.15	-13.0	45.04	153.00	Vertical	Horizontal	N/A
866.188	-37.11	5.49	-13.0	24.11	122.00	Vertical	Horizontal	N/A
1633.700	-61.05	-3.77	-13.0	48.05	215.00	Vertical	Horizontal	Pass
7417.750	-43.98	18.77	-13.0	30.98	198.00	Vertical	Horizontal	Pass
14706.413	-40.45	23.46	-13.0	27.45	360.00	Vertical	Horizontal	Pass

Band:NSA DC-26A-N78A (PART90) (3700-3800)


RSE(SG NSA FCC)_NSA_5A_n78A_814-849&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
168.710	-76.17	-17.14	-13.0	63.17	116.00	Horizontal	Horizontal	Pass
816.767	-56.53	5.15	-13.0	43.53	100.00	Horizontal	Horizontal	N/A
862.890	-45.42	5.60	-13.0	32.42	184.00	Horizontal	Horizontal	N/A
1633.600	-58.48	-3.78	-13.0	45.48	329.00	Horizontal	Horizontal	Pass
7999.750	-43.29	20.20	-13.0	30.29	139.00	Horizontal	Horizontal	Pass
14827.688	-40.62	24.28	-13.0	27.62	147.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-38A-N78A (3450-3550)


RSE[5G NSA FCC]_NSA 66A_n38A_1710-1780&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.024	-77.99	-19.69	-13.0	64.99	74.00	Vertical	Horizontal	Pass
307.323	-65.48	-13.33	-13.0	52.48	40.00	Vertical	Horizontal	Pass
2592.800	-38.16	8.50	-13.0	25.16	166.00	Vertical	Horizontal	N/A
4357.250	-53.57	8.98	-13.0	40.57	146.00	Vertical	Horizontal	Pass
7417.250	-43.73	18.80	-13.0	30.73	124.00	Vertical	Horizontal	Pass
10371.200	-38.97	15.26	-13.0	25.97	333.00	Vertical	Horizontal	Pass

Band: NSA DC-38A-N78A (3450-3550)


RSE[5G NSA FCC]_NSA_66A_n38A_1710-1780&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
165.848	-74.41	-19.18	-13.0	61.41	110.00	Horizontal	Horizontal	Pass
308.438	-68.41	-13.37	-13.0	55.41	110.00	Horizontal	Horizontal	Pass
2592.900	-31.38	8.50	-13.0	18.38	326.00	Horizontal	Horizontal	N/A
5448.250	-51.40	11.19	-13.0	38.40	145.00	Horizontal	Horizontal	Pass
7906.500	-43.59	19.29	-13.0	30.59	360.00	Horizontal	Horizontal	Pass
12964.200	-39.87	18.09	-13.0	26.87	308.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-38A-N78A (3700-3800)


RSE(SG NSA FCC)_NSA_66A_n38A_1710-1780&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.592	-78.05	-19.61	-13.0	65.05	34.00	Vertical	Horizontal	Pass
304.365	-65.36	-13.23	-13.0	52.36	17.00	Vertical	Horizontal	Pass
2592.900	-38.26	8.50	-13.0	25.26	164.00	Vertical	Horizontal	N/A
7402.750	-43.49	18.98	-13.0	30.49	75.00	Vertical	Horizontal	Pass
10371.200	-40.00	15.26	-13.0	27.00	347.00	Vertical	Horizontal	Pass
12964.200	-42.16	18.09	-13.0	29.16	52.00	Vertical	Horizontal	Pass

Band:NSA DC-38A-N78A (3700-3800)


RSE(SG NSA FCC)_NSA_66A_n38A_1710-1780&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
157.118	-73.23	-20.55	-13.0	60.23	323.00	Horizontal	Horizontal	Pass
310.912	-68.73	-13.40	-13.0	55.73	64.00	Horizontal	Horizontal	Pass
2592.700	-30.69	8.50	-13.0	17.69	340.00	Horizontal	Horizontal	N/A
7410.250	-43.75	19.10	-13.0	30.75	65.00	Horizontal	Horizontal	Pass
10371.200	-43.91	15.26	-13.0	30.91	222.00	Horizontal	Horizontal	Pass
12963.937	-42.78	18.09	-13.0	29.78	212.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-41A-N77A (3450-3550)


RSE[5G NSA FCC]_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.544	-75.25	-19.61	-25.0	50.25	16.00	Vertical	Horizontal	Pass
307.662	-64.64	-13.35	-25.0	39.64	34.00	Vertical	Horizontal	Pass
2591.500	-41.29	8.51	-25.0	16.29	160.00	Vertical	Horizontal	N/A
7371.000	-37.17	18.28	-25.0	12.17	49.00	Vertical	Horizontal	Pass
10363.837	-48.13	3.73	-25.0	23.13	337.00	Vertical	Horizontal	Pass
12954.488	-44.79	8.50	-25.0	19.79	45.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3450-3550)


RSE[5G NSA FCC]_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
91.983	-77.25	-19.13	-25.0	52.25	50.00	Horizontal	Horizontal	Pass
312.076	-67.16	-13.37	-25.0	42.16	113.00	Horizontal	Horizontal	Pass
2591.600	-34.63	8.51	-25.0	9.63	329.00	Horizontal	Horizontal	N/A
4770.250	-45.03	10.97	-25.0	20.03	146.00	Horizontal	Horizontal	Pass
7397.500	-36.89	18.81	-25.0	11.89	239.00	Horizontal	Horizontal	Pass
12954.488	-45.94	8.50	-25.0	20.94	299.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-41A-N77A (3700-3980)


RSE(SG NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
77.384	-74.75	-19.53	-25.0	49.75	40.00	Vertical	Horizontal	Pass
307.081	-65.01	-13.33	-25.0	40.01	40.00	Vertical	Horizontal	Pass
2591.800	-41.70	8.51	-25.0	16.70	162.00	Vertical	Horizontal	N/A
4505.250	-46.20	9.40	-25.0	21.20	156.00	Vertical	Horizontal	Pass
7924.750	-36.74	19.19	-25.0	11.74	183.00	Vertical	Horizontal	Pass
12623.175	-46.93	8.51	-25.0	21.93	258.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3700-3980)


RSE[5G NSA FCC]_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
91.353	-77.79	-19.26	-25.0	52.79	359.00	Horizontal	Horizontal	Pass
308.002	-67.19	-13.36	-25.0	42.19	114.00	Horizontal	Horizontal	Pass
2591.700	-34.48	8.51	-25.0	9.48	334.00	Horizontal	Horizontal	N/A
4825.000	-45.16	10.53	-25.0	20.16	202.00	Horizontal	Horizontal	Pass
7929.250	-36.21	19.13	-25.0	11.21	300.00	Horizontal	Horizontal	Pass
12954.750	-45.72	8.50	-25.0	20.72	306.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-41A-N78A (3450-3550)


RSE(SG NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.805	-74.32	-19.59	-25.0	49.32	49.00	Vertical	Horizontal	Pass
308.535	-65.26	-13.37	-25.0	40.26	46.00	Vertical	Horizontal	Pass
2592.800	-40.67	8.50	-25.0	15.67	164.00	Vertical	Horizontal	N/A
4680.750	-45.99	9.44	-25.0	20.99	194.00	Vertical	Horizontal	Pass
7912.250	-36.81	19.33	-25.0	11.81	186.00	Vertical	Horizontal	Pass
12955.013	-44.70	8.50	-25.0	19.70	41.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N78A (3450-3550)


RSE[5G NSA FCC]_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
157.749	-71.51	-20.44	-25.0	46.51	104.00	Horizontal	Horizontal	Pass
309.845	-68.13	-13.42	-25.0	43.13	114.00	Horizontal	Horizontal	Pass
2591.700	-34.90	8.51	-25.0	9.90	336.00	Horizontal	Horizontal	N/A
4760.500	-44.96	11.11	-25.0	19.96	163.00	Horizontal	Horizontal	Pass
7905.000	-36.64	19.26	-25.0	11.64	185.00	Horizontal	Horizontal	Pass
12955.013	-45.28	8.50	-25.0	20.28	90.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-41A-N78A (3700-3800)


RSE(SG NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.392	-75.14	-19.79	-25.0	50.14	63.00	Vertical	Horizontal	Pass
310.039	-66.07	-13.42	-25.0	41.07	23.00	Vertical	Horizontal	Pass
2591.900	-40.12	8.51	-25.0	15.12	166.00	Vertical	Horizontal	N/A
4760.750	-44.14	11.11	-25.0	19.14	359.00	Vertical	Horizontal	Pass
7923.250	-36.37	19.21	-25.0	11.37	359.00	Vertical	Horizontal	Pass
10364.075	-47.60	3.73	-25.0	22.60	340.00	Vertical	Horizontal	Pass

Band:NSA DC-41A-N78A (3700-3800)


RSE[5G NSA FCC]_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
161.338	-71.43	-19.80	-25.0	46.43	112.00	Horizontal	Horizontal	Pass
309.457	-68.10	-13.40	-25.0	43.10	119.00	Horizontal	Horizontal	Pass
2591.700	-34.82	8.51	-25.0	9.82	328.00	Horizontal	Horizontal	N/A
5068.250	-43.66	10.95	-25.0	18.66	359.00	Horizontal	Horizontal	Pass
7899.750	-37.06	19.16	-25.0	12.06	303.00	Horizontal	Horizontal	Pass
12954.488	-44.64	8.50	-25.0	19.64	96.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-66A-N77A (3450-3550)


RSE[5G NSA FCC]_NSA_66A_n77A_1710-1780&3450-3550_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.107	-79.71	-19.63	-13.0	66.71	35.00	Vertical	Horizontal	Pass
308.681	-70.05	-13.38	-13.0	57.05	3.00	Vertical	Horizontal	Pass
1746.000	-50.24	3.64	-13.0	37.24	1.00	Vertical	Horizontal	N/A
2152.700	-38.13	5.95	-13.0	25.13	250.00	Vertical	Horizontal	N/A
7410.250	-43.23	19.10	-13.0	30.23	154.00	Vertical	Horizontal	Pass
14824.537	-40.89	24.39	-13.0	27.89	0.00	Vertical	Horizontal	Pass

Band:NSA DC-66A-N77A (3450-3550)


RSE(SG NSA FCC)_NSA_66A_n77A_1710-1780&3450-3550_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.170	-85.09	-19.67	-13.0	72.09	7.00	Horizontal	Horizontal	Pass
311.154	-71.86	-13.39	-13.0	58.86	269.00	Horizontal	Horizontal	Pass
1746.000	-40.84	3.64	-13.0	27.84	185.00	Horizontal	Horizontal	N/A
2146.600	-41.31	5.79	-13.0	28.31	223.00	Horizontal	Horizontal	N/A
7911.750	-43.46	19.33	-13.0	30.46	355.00	Horizontal	Horizontal	Pass
14814.037	-40.87	24.49	-13.0	27.87	360.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-66A-N77A (3700-3980)


RSE(SG NSA FCC)_NSA_66A_n77A_1710-1780&3700-3980_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.204	-80.24	-19.62	-13.0	67.24	0.00	Vertical	Horizontal	Pass
308.487	-70.89	-13.37	-13.0	57.89	360.00	Vertical	Horizontal	Pass
1756.000	-49.43	3.64	-13.0	36.43	360.00	Vertical	Horizontal	N/A
2152.400	-37.94	5.95	-13.0	24.94	235.00	Vertical	Horizontal	N/A
7416.500	-43.34	18.83	-13.0	30.34	51.00	Vertical	Horizontal	Pass
14842.912	-41.01	23.73	-13.0	28.01	3.00	Vertical	Horizontal	Pass

Band:NSA DC-66A-N77A (3700-3980)


RSE(SG NSA FCC)_NSA_66A_n77A_1710-1780&3700-3980_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.297	-85.64	-19.82	-13.0	72.64	342.00	Horizontal	Horizontal	Pass
311.542	-73.18	-13.38	-13.0	60.18	255.00	Horizontal	Horizontal	Pass
1756.000	-41.20	3.64	-13.0	28.20	185.00	Horizontal	Horizontal	N/A
2158.600	-41.04	6.04	-13.0	28.04	222.00	Horizontal	Horizontal	N/A
7970.750	-43.54	19.80	-13.0	30.54	214.00	Horizontal	Horizontal	Pass
14817.713	-40.42	24.53	-13.0	27.42	335.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-66A-N78A (3450-3550)


RSE(5G NSA FCC)_NSA_66A_n78A_1710-1780&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.440	-79.99	-19.79	-13.0	66.99	58.00	Vertical	Horizontal	Pass
308.147	-70.67	-13.36	-13.0	57.67	8.00	Vertical	Horizontal	Pass
1752.700	-37.98	3.61	-13.0	24.98	5.00	Vertical	Horizontal	N/A
2153.600	-33.40	5.97	-13.0	20.40	268.00	Vertical	Horizontal	N/A
7980.500	-43.28	19.87	-13.0	30.28	306.00	Vertical	Horizontal	Pass
14828.738	-40.48	24.24	-13.0	27.48	261.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N78A (3450-3550)


RSE(SG NSA FCC)_NSA_66A_n78A_1710-1780&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.558	-84.52	-19.60	-13.0	71.52	318.00	Horizontal	Horizontal	Pass
306.353	-73.43	-13.30	-13.0	60.43	261.00	Horizontal	Horizontal	Pass
1752.900	-30.25	3.61	-13.0	17.25	185.00	Horizontal	Horizontal	N/A
2154.100	-34.37	5.97	-13.0	21.37	219.00	Horizontal	Horizontal	N/A
7998.000	-42.77	20.15	-13.0	29.77	236.00	Horizontal	Horizontal	Pass
14907.750	-40.49	24.12	-13.0	27.49	188.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-66A-N78A (3700-3800)


RSE(5G NSA FCC)_NSA_66A_n78A_1710-1780&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
90.188	-83.37	-19.48	-13.0	70.37	48.00	Horizontal	Horizontal	Pass
312.367	-72.56	-13.36	-13.0	59.56	264.00	Horizontal	Horizontal	Pass
1753.000	-30.18	3.61	-13.0	17.18	185.00	Horizontal	Horizontal	N/A
2153.100	-37.16	5.96	-13.0	24.16	220.00	Horizontal	Horizontal	N/A
7973.750	-43.15	19.82	-13.0	30.15	182.00	Horizontal	Horizontal	Pass
14835.826	-40.98	23.98	-13.0	27.98	357.00	Horizontal	Horizontal	Pass

Band:NSA DC-66A-N78A (3700-3800)


RSE(SG NSA FCC)_NSA_66A_n78A_1710-1780&3300-3800_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.664	-80.18	-19.78	-13.0	67.18	29.00	Vertical	Horizontal	Pass
309.651	-70.21	-13.41	-13.0	57.21	4.00	Vertical	Horizontal	Pass
1752.800	-39.33	3.61	-13.0	26.33	1.00	Vertical	Horizontal	N/A
2156.400	-33.33	6.01	-13.0	20.33	261.00	Vertical	Horizontal	N/A
7919.000	-43.46	19.27	-13.0	30.46	359.00	Vertical	Horizontal	Pass
15259.237	-40.63	22.71	-13.0	27.63	220.00	Vertical	Horizontal	Pass

6.1 NSA Band DC-71A-N41A


RSE(SG NSA FCC) NSA 71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
86.115	-77.08	-18.25	-13.0	64.08	37.00	Vertical	Horizontal	Pass
308.923	-69.66	-10.48	-13.0	56.66	360.00	Vertical	Horizontal	Pass
636.396	-28.40	0.33	-13.0	15.40	187.00	Vertical	Horizontal	N/A
1356.600	-41.93	-0.15	-13.0	28.93	48.00	Vertical	Horizontal	Pass
7415.750	-36.55	18.86	-13.0	23.55	246.00	Vertical	Horizontal	Pass
13387.350	-47.45	10.77	-13.0	34.45	191.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N41A


RSE(SG NSA FCC)_NSA_71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.763	-80.74	-18.47	-13.0	67.74	0.00	Horizontal	Horizontal	Pass
182.630	-69.66	-15.84	-13.0	56.66	84.00	Horizontal	Horizontal	Pass
634.553	-36.22	0.36	-13.0	23.22	3.00	Horizontal	Horizontal	N/A
1356.500	-33.57	-0.15	-13.0	20.57	114.00	Horizontal	Horizontal	Pass
7896.750	-36.91	19.09	-13.0	23.91	71.00	Horizontal	Horizontal	Pass
12756.300	-46.94	8.80	-13.0	33.94	163.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-71A-N77A (3450-3550)


RSE(5G NSA FCC)_NSA 71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.362	-76.83	-18.42	-13.0	63.83	67.00	Vertical	Horizontal	Pass
306.498	-69.62	-10.45	-13.0	56.62	360.00	Vertical	Horizontal	Pass
633.777	-27.58	0.37	-13.0	14.58	198.00	Vertical	Horizontal	N/A
1356.600	-42.10	-0.15	-13.0	29.10	72.00	Vertical	Horizontal	Pass
7237.500	-36.86	18.09	-13.0	23.86	167.00	Vertical	Horizontal	Pass
12784.125	-47.27	8.88	-13.0	34.27	48.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N77A (3450-3550)


RSE(SG NSA FCC) NSA 71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
90.285	-81.09	-18.06	-13.0	68.09	18.00	Horizontal	Horizontal	Pass
184.812	-69.44	-15.76	-13.0	56.44	258.00	Horizontal	Horizontal	Pass
635.329	-36.49	0.34	-13.0	23.49	356.00	Horizontal	Horizontal	N/A
1356.600	-32.49	-0.15	-13.0	19.49	113.00	Horizontal	Horizontal	Pass
7241.000	-36.98	17.90	-13.0	23.98	41.00	Horizontal	Horizontal	Pass
13391.025	-47.53	10.83	-13.0	34.53	11.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-71A-N77A (3700-3980)


RSE(5G NSA FCC)_NSA_71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
82.768	-76.78	-18.33	-13.0	63.78	54.00	Vertical	Horizontal	Pass
310.912	-69.87	-10.45	-13.0	56.87	7.00	Vertical	Horizontal	Pass
634.940	-29.45	0.35	-13.0	16.45	184.00	Vertical	Horizontal	N/A
1356.500	-42.18	-0.15	-13.0	29.18	81.00	Vertical	Horizontal	Pass
7908.750	-36.25	19.33	-13.0	23.25	356.00	Vertical	Horizontal	Pass
13817.850	-46.47	10.21	-13.0	33.47	188.00	Vertical	Horizontal	Pass

Band:NSA DC-71A-N77A (3700-3980)


RSE(SG NSA FCC)_NSA 71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
91.013	-80.84	-17.90	-13.0	67.84	50.00	Horizontal	Horizontal	Pass
176.082	-69.62	-16.23	-13.0	56.62	252.00	Horizontal	Horizontal	Pass
636.201	-36.24	0.33	-13.0	23.24	189.00	Horizontal	Horizontal	N/A
1356.500	-33.52	-0.15	-13.0	20.52	111.00	Horizontal	Horizontal	Pass
7910.000	-36.18	19.35	-13.0	23.18	0.00	Horizontal	Horizontal	Pass
12865.500	-47.17	8.80	-13.0	34.17	229.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-71A-N78A (3450-3550)


RSE(5G NSA FCC)_NSA_71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
82.913	-75.92	-18.32	-13.0	62.92	48.00	Vertical	Horizontal	Pass
310.670	-69.67	-10.46	-13.0	56.67	356.00	Vertical	Horizontal	Pass
635.474	-28.17	0.34	-13.0	15.17	193.00	Vertical	Horizontal	N/A
1356.600	-41.55	-0.15	-13.0	28.55	176.00	Vertical	Horizontal	Pass
7920.000	-36.29	19.26	-13.0	23.29	103.00	Vertical	Horizontal	Pass
13802.625	-46.59	10.35	-13.0	33.59	201.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N78A (3450-3550)


RSE(SG NSA FCC) NSA 71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
187.286	-69.34	-15.58	-13.0	56.34	250.00	Horizontal	Horizontal	Pass
634.553	-35.81	0.36	-13.0	22.81	177.00	Horizontal	Horizontal	Pass
678.348	-63.75	3.08	-13.0	50.75	237.00	Horizontal	Horizontal	N/A
1356.500	-32.72	-0.15	-13.0	19.72	221.00	Horizontal	Horizontal	N/A
7928.750	-36.52	19.13	-13.0	23.52	18.00	Horizontal	Horizontal	Pass
12756.300	-47.44	8.80	-13.0	34.44	7.00	Horizontal	Horizontal	Pass

6.1 NSA Band DC-71A-N78A (3700-3800)


RSE(5G NSA FCC)_NSA_71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
169.340	-73.06	-17.04	-13.0	60.06	339.00	Vertical	Horizontal	Pass
632.612	-29.12	0.38	-13.0	16.12	180.00	Vertical	Horizontal	N/A
677.815	-64.34	3.07	-13.0	51.34	195.00	Vertical	Horizontal	N/A
1356.700	-40.62	-0.14	-13.0	27.62	176.00	Vertical	Horizontal	Pass
7372.750	-36.64	18.31	-13.0	23.64	134.00	Vertical	Horizontal	Pass
13545.375	-46.87	9.71	-13.0	33.87	230.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N78A (3700-3800)

RSE(SG NSA FCC)_NSA_71A_n2A & 2A_n71A_663-698&1850-1920_30MHz-18GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
186.752	-69.32	-15.61	-13.0	56.32	85.00	Horizontal	Horizontal	Pass
634.407	-36.49	0.36	-13.0	23.49	360.00	Horizontal	Horizontal	N/A
678.348	-63.49	3.08	-13.0	50.49	246.00	Horizontal	Horizontal	N/A
1356.600	-32.28	-0.15	-13.0	19.28	221.00	Horizontal	Horizontal	Pass
7974.750	-36.79	19.83	-13.0	23.79	334.00	Horizontal	Horizontal	Pass
12777.300	-47.44	8.86	-13.0	34.44	312.00	Horizontal	Horizontal	Pass

--BLANK BELOW--