



11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-69.796913	6095.203087	-54.17	-64.31	14.17	Pass
-60	-40	0.4	-60	6105	-54.69	-64.83	14.69	Pass
-40	-21	0.4	-21.096224	6143.903776	-38.12	-48.25	18.07	Pass
-21	-20	0.4	-21	6144	-38.41	-48.54	18.41	Pass
20	21	0.4	21	6186	-37.96	-48.1	17.96	Pass
21	40	0.4	21	6186	-37.96	-48.1	17.96	Pass
40	60	0.4	59.902518	6224.902518	-53.49	-63.63	13.55	Pass
60	120	0.4	115.808286	6280.808286	-53.02	-63.16	13.02	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-72.818846	6332.181154	-52.86	-63.36	12.86	Pass
-60	-40	0.4	-59.025183	6345.974817	-53.09	-63.59	13.67	Pass
-40	-21	0.4	-21.096224	6383.903776	-38.29	-48.79	18.25	Pass
-21	-20	0.4	-21	6384	-38.54	-49.04	18.54	Pass
20	21	0.4	21	6426	-39.85	-50.35	19.85	Pass
21	40	0.4	21	6426	-39.85	-50.35	19.85	Pass
40	60	0.4	59.707555	6464.707555	-53.58	-64.08	13.76	Pass
60	120	0.4	63.363119	6468.363119	-53.77	-64.27	13.77	Pass

11ax80 (SU), U-NII-5, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-224.833476	5760.166524	-48.71	-54.85	8.71	Pass
-120	-80	0.8	-119.385141	5865.614859	-53.12	-59.27	13.31	Pass
-80	-41	0.8	-41	5944	-32.81	-38.96	12.81	Pass
-41	-40	0.8	-41	5944	-32.81	-38.96	12.81	Pass
40	41	0.8	41	6026	-34.03	-40.18	14.03	Pass
41	80	0.8	41	6026	-34.03	-40.18	14.03	Pass
80	120	0.8	119.180188	6104.180188	-54.15	-60.3	14.4	Pass
120	240	0.8	124.40649	6109.40649	-53.55	-59.7	13.55	Pass

11ax80 (SU), U-NII-5, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-144.081981	6000.918019	-52.82	-60.42	12.82	Pass
-120	-80	0.8	-120	6025	-53.42	-61.02	13.42	Pass
-80	-41	0.8	-41	6104	-33.02	-40.62	13.02	Pass
-41	-40	0.8	-41	6104	-33.02	-40.62	13.02	Pass
40	41	0.8	41	6186	-34.5	-42.1	14.5	Pass
41	80	0.8	41.28041	6186.28041	-33.68	-41.28	13.62	Pass
80	120	0.8	119.590094	6264.590094	-52.49	-60.09	12.62	Pass
120	240	0.8	125.021349	6270.021349	-51.98	-59.57	11.98	Pass

11ax80 (SU), U-NII-5, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.064048	6249.935952	-52.57	-59.86	12.57	Pass
-120	-80	0.8	-119.590094	6265.409906	-53.11	-60.4	13.23	Pass
-80	-41	0.8	-41	6344	-32.84	-40.13	12.84	Pass
-41	-40	0.8	-41	6344	-32.84	-40.13	12.84	Pass
40	41	0.8	41	6426	-34.09	-41.38	14.09	Pass
41	80	0.8	41.075544	6426.075544	-33.36	-40.66	13.35	Pass
80	120	0.8	119.590094	6504.590094	-53.54	-60.83	13.66	Pass
120	240	0.8	121.537148	6506.537148	-53.27	-60.56	13.27	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-495.3	-247.65	1.6	-249.349657	5775.650343	-48.32	-51.63	8.32	Pass
-247.65	-165.1	1.6	-244.950545	5780.049455	-48.01	-51.32	8.41	Pass
-165.1	-83.55	1.6	-153.107264	5871.892736	-37.33	-40.63	10.5	Pass
-83.55	-82.55	1.6	-83.55	5941.45	-34.62	-37.93	14.62	Pass
82.55	83.55	1.6	83.55	6108.55	-34.22	-37.53	14.22	Pass
83.55	165.1	1.6	158.703874	6183.703874	-34.78	-38.09	7.41	Pass
165.1	247.65	1.6	247.350061	6272.350061	-46.61	-49.92	6.66	Pass
247.65	495.3	1.6	248.549818	6273.549818	-46	-49.31	6	Pass

11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.4	-248.7	1.6	-425	5760	-51.33	-56.14	11.33	Pass
-248.7	-165.8	1.6	-247.4	5937.6	-52.89	-57.7	13.08	Pass
-165.8	-83.9	1.6	-159.4	6025.6	-43.72	-48.53	16.34	Pass
-83.9	-82.9	1.6	-83.9	6101.1	-37.81	-42.62	17.81	Pass
82.9	83.9	1.6	83.9	6268.9	-36.18	-40.98	16.18	Pass
83.9	165.8	1.6	83.9	6268.9	-34.55	-39.36	14.55	Pass
165.8	248.7	1.6	248.7	6433.7	-52.19	-57	12.19	Pass
248.7	497.4	1.6	249.4	6434.4	-51.82	-56.63	11.82	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-496.2	-248.1	1.6	-252.6	6092.4	-52.72	-57.55	12.72	Pass
-248.1	-165.4	1.6	-246.2	6098.8	-52.75	-57.58	13.03	Pass
-165.4	-83.7	1.6	-164.6	6180.4	-44.35	-49.17	16.43	Pass
-83.7	-82.7	1.6	-83.7	6261.3	-38.29	-43.11	18.29	Pass
82.7	83.7	1.6	83.7	6428.7	-38.49	-43.31	18.49	Pass
83.7	165.4	1.6	83.7	6428.7	-37.25	-42.07	17.25	Pass
165.4	248.1	1.6	247	6592	-52.42	-57.25	12.58	Pass
248.1	496.2	1.6	256.2	6601.2	-52.34	-57.17	12.34	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.4	6404.6	-53.02	-66.98	13.02	Pass
-30	-20	0.2	-29.9	6405.1	-53.85	-67.8	13.97	Pass
-20	-11	0.2	-11.1	6423.9	-35.65	-49.61	15.56	Pass
-11	-10	0.2	-11	6424	-35.13	-49.09	15.13	Pass
10	11	0.2	11	6446	-37.41	-51.37	17.41	Pass
11	20	0.2	11.15	6446.15	-36.31	-50.26	16.17	Pass
20	30	0.2	29.65	6464.65	-54	-67.95	14.42	Pass
30	60	0.2	54.15	6489.15	-53.5	-67.45	13.5	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-54.35	6420.65	-53.03	-67.06	13.03	Pass
-30	-20	0.2	-30	6445	-54.11	-68.14	14.11	Pass
-20	-11	0.2	-11	6464	-34.74	-48.77	14.74	Pass
-11	-10	0.2	-11	6464	-34.56	-48.6	14.56	Pass
10	11	0.2	11	6486	-36.45	-50.48	16.45	Pass
11	20	0.2	11.05	6486.05	-34.92	-48.95	14.88	Pass
20	30	0.2	29.95	6504.95	-53.93	-67.96	13.99	Pass
30	60	0.2	38.4	6513.4	-54.08	-68.11	14.08	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-42.75	6472.25	-52.62	-66.99	12.62	Pass
-30	-20	0.2	-29.75	6485.25	-53.82	-68.19	14.12	Pass
-20	-11	0.2	-11.1	6503.9	-36.04	-50.41	15.95	Pass
-11	-10	0.2	-10.95	6504.05	-34.69	-49.06	15.69	Pass
10	11	0.2	11	6526	-35.74	-50.11	15.74	Pass
11	20	0.2	11	6526	-35.04	-49.41	15.04	Pass
20	30	0.2	29.9	6544.9	-54.45	-68.82	14.57	Pass
30	60	0.2	43.35	6558.35	-54.01	-68.38	14.01	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-68.139724	6376.860276	-52.39	-63.27	12.39	Pass
-60	-40	0.4	-59.902518	6385.097482	-52.92	-63.8	12.98	Pass
-40	-21	0.4	-21	6424	-37.31	-48.19	17.31	Pass
-21	-20	0.4	-21	6424	-37.31	-48.19	17.31	Pass
20	21	0.4	21	6466	-38.84	-49.73	18.84	Pass
21	40	0.4	21	6466	-38.84	-49.73	18.84	Pass
40	60	0.4	59.707555	6504.707555	-53.69	-64.58	13.87	Pass
60	120	0.4	63.070674	6508.070674	-53.48	-64.37	13.48	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-117.952884	6367.047116	-52.18	-63.22	12.18	Pass
-60	-40	0.4	-60	6425	-52.85	-63.88	12.85	Pass
-40	-21	0.4	-21	6464	-37.01	-48.04	17.01	Pass
-21	-20	0.4	-21	6464	-37.01	-48.04	17.01	Pass
20	21	0.4	21	6506	-39.65	-50.68	19.65	Pass
21	40	0.4	21	6506	-39.65	-50.68	19.65	Pass
40	60	0.4	59.610073	6544.610073	-53.71	-64.74	13.94	Pass
60	120	0.4	60.048741	6545.048741	-53.3	-64.34	13.3	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-95.337124	6429.662876	-52.19	-63.07	12.19	Pass
-60	-40	0.4	-59.610073	6465.389927	-53.16	-64.04	13.39	Pass
-40	-21	0.4	-21.096224	6503.903776	-37.12	-48	17.08	Pass
-21	-20	0.4	-21	6504	-37.73	-48.61	17.73	Pass
20	21	0.4	21	6546	-39.4	-50.28	19.4	Pass
21	40	0.4	21	6546	-39.4	-50.28	19.4	Pass
40	60	0.4	59.707555	6584.707555	-53.71	-64.59	13.88	Pass
60	120	0.4	89.780666	6614.780666	-53.68	-64.56	13.68	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-131.579846	6333.420154	-51.16	-59.07	11.16	Pass
-120	-80	0.8	-119.590094	6345.409906	-51.9	-59.8	12.02	Pass
-80	-41	0.8	-41	6424	-31.99	-39.89	11.99	Pass
-41	-40	0.8	-41	6424	-31.99	-39.89	11.99	Pass
40	41	0.8	41	6506	-33.58	-41.48	13.58	Pass
41	80	0.8	41	6506	-33.58	-41.48	13.58	Pass
80	120	0.8	120	6585	-52.88	-60.78	12.88	Pass
120	240	0.8	127.890692	6592.890692	-52.31	-60.21	12.31	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.791631	6421.208369	-51.36	-59.15	11.36	Pass
-120	-80	0.8	-120	6425	-52.26	-60.05	12.26	Pass
-80	-41	0.8	-41	6504	-31.42	-39.21	11.42	Pass
-41	-40	0.8	-41	6504	-31.42	-39.21	11.42	Pass
40	41	0.8	41	6586	-34.58	-42.37	14.58	Pass
41	80	0.8	41.28041	6586.28041	-33.45	-41.24	13.4	Pass
80	120	0.8	119.795047	6664.795047	-53.48	-61.27	13.54	Pass
120	240	0.8	141.417592	6686.417592	-52.81	-60.6	12.81	Pass

11ax160 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-498	-249	1.6	-249.2	6255.8	-51.35	-56.24	11.35	Pass
-249	-166	1.6	-249	6256	-51.55	-56.44	11.55	Pass
-166	-84	1.6	-162.8	6342.2	-40.66	-45.55	12.98	Pass
-84	-83	1.6	-84	6421	-34.57	-39.45	14.57	Pass
83	84	1.6	84	6589	-36.78	-41.67	16.78	Pass
84	166	1.6	85.2	6590.2	-37.15	-42.04	17.03	Pass
166	249	1.6	247.6	6752.6	-52.95	-57.84	13.16	Pass
249	498	1.6	254.4	6759.4	-52.92	-57.81	12.92	Pass

11ax20 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-56.35	6478.65	-53.42	-67.06	13.42	Pass
-30	-20	0.2	-29.85	6505.15	-54.17	-67.81	14.35	Pass
-20	-11	0.2	-11	6524	-35.14	-48.78	15.14	Pass
-11	-10	0.2	-11	6524	-34.75	-48.4	14.75	Pass
10	11	0.2	11	6546	-36.68	-50.32	16.68	Pass
11	20	0.2	11	6546	-35.89	-49.54	15.89	Pass
20	30	0.2	29.8	6564.8	-54.26	-67.91	14.5	Pass
30	60	0.2	37.25	6572.25	-53.79	-67.44	13.79	Pass

11ax20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.05	6681.95	-54.12	-67.74	14.12	Pass
-30	-20	0.2	-29.95	6685.05	-54.41	-68.02	14.47	Pass
-20	-11	0.2	-11.05	6703.95	-34.48	-48.09	14.43	Pass
-11	-10	0.2	-11	6704	-34.69	-48.31	14.69	Pass
10	11	0.2	11	6726	-36.81	-50.43	16.81	Pass
11	20	0.2	11.15	6726.15	-35.32	-48.94	15.19	Pass
20	30	0.2	29.95	6744.95	-55.17	-68.79	15.23	Pass
30	60	0.2	56.8	6771.8	-54.24	-67.86	14.24	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.25	6822.75	-54.17	-67.02	14.17	Pass
-30	-20	0.2	-29.7	6825.3	-55.17	-68.01	15.53	Pass
-20	-11	0.2	-11	6844	-35.14	-47.99	15.14	Pass
-11	-10	0.2	-11	6844	-35.3	-48.14	15.3	Pass
10	11	0.2	11	6866	-36.83	-49.68	16.83	Pass
11	20	0.2	11	6866	-36.46	-49.31	16.46	Pass
20	30	0.2	29.8	6884.8	-55.29	-68.13	15.53	Pass
30	60	0.2	34.85	6889.85	-54.57	-67.41	14.57	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-117.465475	6447.534525	-52.91	-63.18	12.91	Pass
-60	-40	0.4	-59.707555	6505.292445	-54.08	-64.34	14.25	Pass
-40	-21	0.4	-21	6544	-38.23	-48.5	18.23	Pass
-21	-20	0.4	-21	6544	-38.23	-48.5	18.23	Pass
20	21	0.4	21	6586	-39.12	-49.38	19.12	Pass
21	40	0.4	21	6586	-39.12	-49.38	19.12	Pass
40	60	0.4	60	6625	-55.33	-65.6	15.33	Pass
60	120	0.4	65.605199	6630.605199	-54.34	-64.61	14.34	Pass

11ax40 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-78.180341	6646.819659	-52.94	-66.87	12.94	Pass
-60	-40	0.4	-60	6665	-53.92	-67.85	13.92	Pass
-40	-21	0.4	-21	6704	-37.18	-51.11	17.18	Pass
-21	-20	0.4	-21	6704	-37.18	-51.11	17.18	Pass
20	21	0.4	21	6746	-39.29	-53.22	19.29	Pass
21	40	0.4	21.096224	6746.096224	-39.21	-53.14	19.17	Pass
40	60	0.4	59.707555	6784.707555	-53.74	-67.68	13.92	Pass
60	120	0.4	88.025995	6813.025995	-52.93	-66.86	12.93	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-75.158408	6769.841592	-53.62	-67.14	13.62	Pass
-60	-40	0.4	-59.512591	6785.487409	-54.3	-67.82	14.59	Pass
-40	-21	0.4	-21	6824	-37.82	-51.35	17.82	Pass
-21	-20	0.4	-21	6824	-37.82	-51.35	17.82	Pass
20	21	0.4	21	6866	-39.02	-52.54	19.02	Pass
21	40	0.4	21	6866	-39.02	-52.54	19.02	Pass
40	60	0.4	59.610073	6904.610073	-53.72	-67.24	13.95	Pass
60	120	0.4	109.082047	6954.082047	-53.08	-66.61	13.08	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-144.901793	6480.098207	-51.62	-62.76	11.62	Pass
-120	-80	0.8	-120	6505	-52.09	-63.23	12.09	Pass
-80	-41	0.8	-41.075544	6583.924456	-31.82	-42.95	11.8	Pass
-41	-40	0.8	-41	6584	-31.83	-42.97	11.83	Pass
40	41	0.8	41	6666	-33.67	-44.8	13.67	Pass
41	80	0.8	41	6666	-33.67	-44.8	13.67	Pass
80	120	0.8	119.385141	6744.385141	-53.01	-64.14	13.19	Pass
120	240	0.8	127.480786	6752.480786	-52.44	-63.57	12.44	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.14	-128.07	0.8	-142.778319	6562.221681	-52.32	-63.34	12.32	Pass
-128.07	-85.38	0.8	-127.660176	6577.339824	-52.7	-63.72	12.81	Pass
-85.38	-43.69	0.8	-43.69	6661.31	-40.2	-51.22	20.2	Pass
-43.69	-42.69	0.8	-43.69	6661.31	-40.2	-51.22	20.2	Pass
42.69	43.69	0.8	43.69	6748.69	-42.7	-53.72	22.7	Pass
43.69	85.38	0.8	43.69	6748.69	-42.7	-53.72	22.7	Pass
85.38	128.07	0.8	127.250352	6832.250352	-53.46	-64.48	13.69	Pass
128.07	256.14	0.8	131.093661	6836.093662	-52.71	-63.73	12.71	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.14	-128.07	0.8	-161.022785	6623.977215	-52.67	-63.02	12.67	Pass
-128.07	-85.38	0.8	-127.04544	6657.95456	-53.19	-63.54	13.48	Pass
-85.38	-43.69	0.8	-44.176206	6740.823794	-42.35	-52.7	22.26	Pass
-43.69	-42.69	0.8	-43.69	6741.31	-42.6	-52.94	22.6	Pass
42.69	43.69	0.8	43.69	6828.69	-43.04	-53.39	23.04	Pass
43.69	85.38	0.8	43.766218	6828.766218	-42.81	-53.16	22.8	Pass
85.38	128.07	0.8	126.635616	6911.635616	-53.59	-63.93	13.99	Pass
128.07	256.14	0.8	128.838728	6913.838728	-53.04	-63.38	13.04	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.7	-248.85	1.6	-282.143311	6382.856689	-52.52	-60.38	12.52	Pass
-248.85	-165.9	1.6	-194.560908	6470.439092	-44.55	-52.4	12.4	Pass
-165.9	-83.95	1.6	-165.500241	6499.499759	-40.49	-48.35	12.53	Pass
-83.95	-82.95	1.6	-83.95	6581.05	-34.72	-42.58	14.72	Pass
82.95	83.95	1.6	83.95	6748.95	-36.86	-44.72	16.86	Pass
83.95	165.9	1.6	83.95	6748.95	-36.83	-44.69	16.83	Pass
165.9	248.85	1.6	248.150141	6913.150141	-53.97	-61.83	14.07	Pass
248.85	497.7	1.6	254.548855	6919.548855	-53.68	-61.54	13.68	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.7	-248.85	1.6	-260.947569	6564.052431	-52.49	-60.55	12.49	Pass
-248.85	-165.9	1.6	-192.56131	6632.43869	-42.69	-50.75	10.83	Pass
-165.9	-83.95	1.6	-163.901205	6661.098795	-38.3	-46.37	10.5	Pass
-83.95	-82.95	1.6	-83.95	6741.05	-34.56	-42.62	14.56	Pass
82.95	83.95	1.6	83.95	6908.95	-35.22	-43.29	15.22	Pass
83.95	165.9	1.6	163.101687	6988.101687	-41.74	-49.8	14.01	Pass
165.9	248.85	1.6	248.55006	7073.55006	-52.46	-60.52	12.5	Pass
248.85	497.7	1.6	270.94556	7095.945561	-52.34	-60.41	12.34	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-49.15	6825.85	-54.52	-71.54	14.52	Pass
-30	-20	0.2	-29.9	6845.1	-54.68	-71.7	14.8	Pass
-20	-11	0.2	-11	6864	-34.04	-51.06	14.04	Pass
-11	-10	0.2	-11	6864	-35.13	-52.15	15.13	Pass
10	11	0.2	11	6886	-36.39	-53.4	16.39	Pass
11	20	0.2	11.1	6886.1	-35.6	-52.62	15.51	Pass
20	30	0.2	30	6905	-54.81	-71.83	14.81	Pass
30	60	0.2	51.35	6926.35	-54.49	-71.51	14.49	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.25	6982.75	-52.92	-71.47	12.92	Pass
-30	-20	0.2	-29.9	6985.1	-52.78	-71.34	12.9	Pass
-20	-11	0.2	-11	7004	-35.12	-53.67	15.12	Pass
-11	-10	0.2	-11	7004	-35.23	-53.79	15.23	Pass
10	11	0.2	10.95	7025.95	-35.76	-54.32	16.76	Pass
11	20	0.2	11.15	7026.15	-36.73	-55.29	16.6	Pass
20	30	0.2	29.95	7044.95	-53.18	-71.73	13.24	Pass
30	60	0.2	30.1	7045.1	-52.44	-71	12.44	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-39.5	7055.5	-52.62	-71.07	12.62	Pass
-30	-20	0.2	-29.85	7065.15	-52.89	-71.34	13.07	Pass
-20	-11	0.2	-11.15	7083.85	-35.49	-53.94	15.35	Pass
-11	-10	0.2	-11	7084	-35.28	-53.74	15.28	Pass
10	11	0.2	11	7106	-36.12	-54.58	16.12	Pass
11	20	0.2	11.15	7106.15	-35.1	-53.56	14.97	Pass
20	30	0.2	29.85	7124.85	-52.81	-71.27	12.99	Pass
30	60	0.2	35.2	7130.2	-52.42	-70.88	12.42	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.95	7084.05	-52.16	-70.67	12.16	Pass
-30	-20	0.2	-29.9	7085.1	-52.41	-70.92	12.53	Pass
-20	-11	0.2	-11.05	7103.95	-34.9	-53.41	14.86	Pass
-11	-10	0.2	-11	7104	-34.32	-52.83	14.32	Pass
10	11	0.2	10.95	7125.95	-34.89	-53.4	15.89	Pass
11	20	0.2	11.05	7126.05	-35.45	-53.96	15.4	Pass
20	30	0.2	29.3	7144.3	-51.86	-70.36	12.7	Pass
30	60	0.2	50.05	7165.05	-52.21	-70.72	12.21	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.828595	6824.171405	-53.25	-67.18	13.25	Pass
-60	-40	0.4	-59.512591	6825.487409	-54.02	-67.95	14.31	Pass
-40	-21	0.4	-21.096224	6863.903776	-37.32	-51.25	17.28	Pass
-21	-20	0.4	-21	6864	-38.23	-52.17	18.23	Pass
20	21	0.4	21	6906	-39.16	-53.09	19.16	Pass
21	40	0.4	21	6906	-39.16	-53.09	19.16	Pass
40	60	0.4	59.41511	6944.41511	-53.52	-67.45	13.87	Pass
60	120	0.4	76.133225	6961.133225	-52.75	-66.68	12.75	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-67.262388	6937.737612	-52.43	-67.63	12.43	Pass
-60	-40	0.4	-60	6945	-53.09	-68.3	13.09	Pass
-40	-21	0.4	-21.096224	6983.903776	-37.75	-52.96	17.71	Pass
-21	-20	0.4	-21	6984	-37.91	-53.11	17.91	Pass
20	21	0.4	21	7026	-39.48	-54.68	19.48	Pass
21	40	0.4	21.096224	7026.096224	-39.25	-54.46	19.21	Pass
40	60	0.4	59.902518	7064.902518	-52.57	-67.77	12.62	Pass
60	120	0.4	99.528838	7104.528838	-51.72	-66.92	11.72	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-87.441105	6997.558895	-52.69	-67.41	12.69	Pass
-60	-40	0.4	-60	7025	-53.23	-67.94	13.23	Pass
-40	-21	0.4	-21	7064	-37.58	-52.29	17.58	Pass
-21	-20	0.4	-21	7064	-37.58	-52.29	17.58	Pass
20	21	0.4	21	7106	-39.53	-54.24	19.53	Pass
21	40	0.4	21.193666	7106.193666	-39.45	-54.16	19.37	Pass
40	60	0.4	59.707555	7144.707555	-52.85	-67.56	13.03	Pass
60	120	0.4	101.283509	7186.283509	-52.04	-66.75	12.04	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-137.728437	6727.271563	-52.7	-63.11	12.7	Pass
-120	-80	0.8	-120	6745	-53.46	-63.88	13.46	Pass
-80	-41	0.8	-41.28041	6823.71959	-34.34	-44.75	14.28	Pass
-41	-40	0.8	-41	6824	-34.69	-45.1	14.69	Pass
40	41	0.8	41	6906	-34.54	-44.95	14.54	Pass
41	80	0.8	41	6906	-34.54	-44.95	14.54	Pass
80	120	0.8	119.795047	6984.795047	-53.21	-63.62	13.27	Pass
120	240	0.8	134.449189	6999.449189	-52.5	-62.91	12.5	Pass

11ax80 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-141.007686	6803.992314	-51.96	-63.93	11.96	Pass
-120	-80	0.8	-120	6825	-52.98	-64.94	12.98	Pass
-80	-41	0.8	-41	6904	-32.24	-44.2	12.24	Pass
-41	-40	0.8	-41	6904	-32.24	-44.2	12.24	Pass
40	41	0.8	41	6986	-34.87	-46.83	14.87	Pass
41	80	0.8	41	6986	-34.87	-46.83	14.87	Pass
80	120	0.8	120	7065	-51.68	-63.65	11.68	Pass
120	240	0.8	121.537148	7066.537148	-51.01	-62.98	11.01	Pass

11ax80 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.922289	6904.077711	-51.18	-62.97	11.18	Pass
-120	-80	0.8	-118.975235	6906.024765	-51.53	-63.33	11.84	Pass
-80	-41	0.8	-41.075544	6983.924456	-33.29	-45.09	13.28	Pass
-41	-40	0.8	-41	6984	-33.63	-45.42	13.63	Pass
40	41	0.8	41	7066	-33.93	-45.73	13.93	Pass
41	80	0.8	41.075544	7066.075544	-33.72	-45.52	13.71	Pass
80	120	0.8	120	7145	-50.89	-62.68	10.89	Pass
120	240	0.8	162.527754	7187.527754	-50.24	-62.03	10.24	Pass

11ax160 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.7	-248.85	1.6	-254.948775	6730.051225	-50.45	-59.94	10.45	Pass
-248.85	-165.9	1.6	-248.55006	6736.44994	-50.62	-60.11	10.66	Pass
-165.9	-83.95	1.6	-165.500241	6819.499759	-39.41	-48.9	11.45	Pass
-83.95	-82.95	1.6	-83.95	6901.05	-35.37	-44.85	15.37	Pass
82.95	83.95	1.6	83.95	7068.95	-34.26	-43.75	14.26	Pass
83.95	165.9	1.6	159.503855	7144.503855	-39.3	-48.79	11.93	Pass
165.9	248.85	1.6	248.55006	7233.55006	-49.79	-59.28	9.83	Pass
248.85	497.7	1.6	250.549658	7235.549659	-49.78	-59.27	9.78	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2580913-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2580913-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2580913-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--