



## U-NII-2A 11ax40 (SU) CH54



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 54.43            | 3.82        | 74.0           | 19.57       | Peak     | 170.03         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 44.61            | 3.82        | 54.0           | 9.39        | AV       | 170.03         | 150         | Vertical | Pass    |
| 2   | 5138.950        | 56.09            | 4.06        | 74.0           | 17.91       | Peak     | 289.00         | 150         | Vertical | Pass    |
| 2** | 5138.950        | 44.34            | 4.06        | 54.0           | 9.66        | AV       | 289.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax40 (SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 56.07            | 4.04        | 74.0           | 17.93       | Peak     | 130.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 46.22            | 4.04        | 54.0           | 7.78        | AV       | 130.00         | 150         | Horizontal | Pass    |
| 2   | 5350.440        | 57.41            | 4.05        | 74.0           | 16.59       | Peak     | 130.00         | 150         | Horizontal | Pass    |
| 2** | 5350.440        | 46.07            | 4.05        | 54.0           | 7.93        | AV       | 130.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 56.62            | 4.04        | 74.0           | 17.38       | Peak     | 129.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 46.52            | 4.04        | 54.0           | 7.48        | AV       | 129.00         | 150         | Horizontal | Pass    |
| 2   | 5357.700        | 63.66            | 4.21        | 74.0           | 10.34       | Peak     | 129.00         | 150         | Horizontal | Pass    |
| 2** | 5357.700        | 46.33            | 4.21        | 54.0           | 7.67        | AV       | 129.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.77            | 3.82        | 74.0           | 16.23       | Peak     | 199.02         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 48.11            | 3.82        | 54.0           | 5.89        | AV       | 199.02         | 150         | Vertical | Pass    |
| 2   | 5135.700        | 61.09            | 3.98        | 74.0           | 12.91       | Peak     | 283.00         | 150         | Vertical | Pass    |
| 2** | 5135.700        | 48.21            | 3.98        | 54.0           | 5.79        | AV       | 283.00         | 150         | Vertical | Pass    |

## U-NII-2C 11a CH100



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.82            | 3.78        | 68.2           | 13.38       | Peak     | 266.67         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.98            | 3.78        | 54.0           | 9.02        | AV       | 266.67         | 150         | Horizontal | Pass    |
| 2   | 5468.200        | 63.84            | 4.05        | 68.2           | 4.36        | Peak     | 221.00         | 150         | Horizontal | Pass    |
| 2** | 5468.200        | 48.54            | 4.05        | --             | -48.54      | AV       | 221.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 64.20            | 4.31        | 68.2           | 4.00        | Peak     | 224.00         | 150         | Horizontal | Pass    |
| 2   | 5725.250        | 64.57            | 4.30        | 68.2           | 3.63        | Peak     | 224.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11n20 CH100



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.08            | 3.78        | 68.2           | 14.12       | Peak     | 230.54         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.33            | 3.78        | 54.0           | 9.67        | AV       | 230.54         | 150         | Horizontal | Pass    |
| 2   | 5468.920        | 56.45            | 4.07        | 68.2           | 11.75       | Peak     | 203.00         | 150         | Horizontal | Pass    |
| 2** | 5468.920        | 45.35            | 4.07        | --             | -45.35      | AV       | 203.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 58.38            | 4.31        | 68.2           | 9.82        | Peak     | 211.00         | 150         | Horizontal | Pass    |
| 2   | 5731.125        | 59.35            | 4.17        | 68.2           | 8.85        | Peak     | 202.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11n40 CH102



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 54.17            | 3.78        | 68.2           | 14.03       | Peak     | 236.09         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 44.55            | 3.78        | 54.0           | 9.45        | AV       | 236.09         | 150         | Vertical | Pass    |
| 2   | 5469.280        | 58.04            | 4.08        | 68.2           | 10.16       | Peak     | 120.00         | 150         | Vertical | Pass    |
| 2** | 5469.280        | 45.38            | 4.08        | --             | -45.38      | AV       | 120.00         | 150         | Vertical | N/A     |

## U-NII-2C 11n40 CH134




| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna  | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|----------|---------|
| 1   | 5725.000           | 55.88               | 4.31           | 68.2              | 12.32          | Peak     | 296.00            | 150            | Vertical | Pass    |
| 2   | 5842.125           | 58.14               | 5.37           | 68.2              | 10.06          | Peak     | 296.00            | 150            | Vertical | Pass    |

## U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.80            | 3.78        | 68.2           | 13.40       | Peak     | 236.80         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.56            | 3.78        | 54.0           | 9.44        | AV       | 236.80         | 150         | Horizontal | Pass    |
| 2   | 5463.520        | 55.61            | 3.89        | 68.2           | 12.59       | Peak     | 226.00         | 150         | Horizontal | Pass    |
| 2** | 5463.520        | 44.67            | 3.89        | --             | -44.67      | AV       | 226.00         | 150         | Horizontal | N/A     |

U-NII-2C 11ac80 CH122



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 56.38            | 4.31        | 68.2           | 11.82       | Peak     | 207.00         | 150         | Vertical | Pass    |
| 2   | 5834.500        | 58.54            | 5.34        | 68.2           | 9.66        | Peak     | 285.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.14            | 3.78        | 68.2           | 13.06       | Peak     | 275.94         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.82            | 3.78        | 54.0           | 9.18        | AV       | 275.94         | 150         | Horizontal | Pass    |
| 2   | 5463.760        | 55.93            | 3.90        | 68.2           | 12.27       | Peak     | 342.00         | 150         | Horizontal | Pass    |
| 2** | 5463.760        | 45.30            | 3.90        | --             | -45.30      | AV       | 342.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11ax20 (SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.44            | 3.78        | 68.2           | 13.76       | Peak     | 277.72         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.64            | 3.78        | 54.0           | 9.36        | AV       | 277.72         | 150         | Horizontal | Pass    |
| 2   | 5468.200        | 61.27            | 4.05        | 68.2           | 6.93        | Peak     | 211.00         | 150         | Horizontal | Pass    |
| 2** | 5468.200        | 45.16            | 4.05        | --             | -45.16      | AV       | 211.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11ax20 (SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 58.38            | 4.31        | 68.2           | 9.82        | Peak     | 200.00         | 150         | Horizontal | Pass    |
| 2   | 5725.750        | 61.53            | 4.28        | 68.2           | 6.67        | Peak     | 203.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11ax40 (SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 54.56            | 3.78        | 68.2           | 13.64       | Peak     | 87.91          | 150         | Vertical | Pass    |
| 1** | 5460.000        | 44.54            | 3.78        | 54.0           | 9.46        | AV       | 87.91          | 150         | Vertical | Pass    |
| 2   | 5465.800        | 56.14            | 3.97        | 68.2           | 12.06       | Peak     | 324.00         | 150         | Vertical | Pass    |
| 2** | 5465.800        | 44.96            | 3.97        | --             | -44.96      | AV       | 324.00         | 150         | Vertical | N/A     |

## U-NII-2C 11ax40 (SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.97            | 4.31        | 68.2           | 12.23       | Peak     | 270.00         | 150         | Horizontal | Pass    |
| 2   | 5731.000        | 60.48            | 4.17        | 68.2           | 7.72        | Peak     | 211.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80 (SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.70            | 3.78        | 68.2           | 13.50       | Peak     | 181.29         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.95            | 3.78        | 54.0           | 9.05        | AV       | 181.29         | 150         | Horizontal | Pass    |
| 2   | 5469.760        | 56.53            | 4.09        | 68.2           | 11.67       | Peak     | 208.00         | 150         | Horizontal | Pass    |
| 2** | 5469.760        | 45.23            | 4.09        | --             | -45.23      | AV       | 208.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11ax80 (SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 56.88            | 4.31        | 68.2           | 11.32       | Peak     | 203.00         | 150         | Horizontal | Pass    |
| 2   | 5848.750        | 58.28            | 5.24        | 68.2           | 9.92        | Peak     | 305.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.24            | 3.78        | 68.2           | 12.96       | Peak     | 240.75         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 45.06            | 3.78        | 54.0           | 8.94        | AV       | 240.75         | 150         | Horizontal | Pass    |
| 2   | 5462.080        | 55.94            | 3.84        | 68.2           | 12.26       | Peak     | 63.00          | 150         | Horizontal | Pass    |
| 2** | 5462.080        | 45.36            | 3.84        | --             | -45.36      | AV       | 63.00          | 150         | Horizontal | N/A     |

## U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 55.37            | 3.81        | 68.2           | 12.83       | Peak     | 359.81         | 150         | Horizontal | Pass    |
| 2   | 5602.750        | 57.44            | 3.71        | 68.2           | 10.76       | Peak     | 4.00           | 150         | Horizontal | Pass    |

## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 56.90            | 6.44        | 68.2           | 11.30       | Peak     | 354.71         | 150         | Horizontal | Pass    |
| 2   | 5933.850        | 59.22            | 6.22        | 68.2           | 8.98        | Peak     | 6.00           | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 55.37            | 3.81        | 68.2           | 12.83       | Peak     | 0.06           | 150         | Horizontal | Pass    |
| 2   | 5600.125        | 57.11            | 3.78        | 68.2           | 11.09       | Peak     | 115.00         | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 58.43            | 6.44        | 68.2           | 9.77        | Peak     | 81.33          | 150         | Horizontal | Pass    |
| 2   | 5997.000        | 59.17            | 6.48        | 68.2           | 9.03        | Peak     | 39.00          | 150         | Horizontal | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 56.15            | 3.81        | 68.2           | 12.05       | Peak     | 359.80         | 150         | Horizontal | Pass    |
| 2   | 5634.375        | 57.03            | 3.71        | 68.2           | 11.17       | Peak     | 360.00         | 150         | Horizontal | Pass    |

## U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.97            | 6.44        | 68.2           | 11.23       | Peak     | 75.36          | 150         | Vertical | Pass    |
| 2   | 5932.800        | 58.68            | 6.25        | 68.2           | 9.52        | Peak     | 8.00           | 150         | Vertical | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.58            | 3.81        | 68.2           | 12.62       | Peak     | 217.88         | 150         | Vertical | Pass    |
| 2   | 5647.375        | 57.22            | 3.79        | 68.2           | 10.98       | Peak     | 247.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax20 (SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 55.16            | 3.81        | 68.2           | 13.04       | Peak     | 273.95         | 150         | Horizontal | Pass    |
| 2   | 5603.375        | 57.61            | 3.70        | 68.2           | 10.59       | Peak     | 315.00         | 150         | Horizontal | Pass    |

## U-NII-3 11ax20 (SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.44            | 6.44        | 68.2           | 11.76       | Peak     | 70.09          | 150         | Vertical | Pass    |
| 2   | 5954.400        | 58.58            | 6.16        | 68.2           | 9.62        | Peak     | 117.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 54.97            | 3.81        | 68.2           | 13.23       | Peak     | 281.77         | 150         | Vertical | Pass    |
| 2   | 5639.750        | 57.59            | 3.74        | 68.2           | 10.61       | Peak     | 223.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH159



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 58.13            | 6.44        | 68.2           | 10.07       | Peak     | 34.22          | 150         | Horizontal | Pass    |
| 2   | 5943.600        | 58.78            | 6.12        | 68.2           | 9.42        | Peak     | 45.00          | 150         | Horizontal | Pass    |


## U-NII-3 11ax80 (SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 55.70            | 3.81        | 68.2           | 12.50       | Peak     | 220.11         | 150         | Horizontal | Pass    |
| 2   | 5649.250        | 57.29            | 3.81        | 68.2           | 10.91       | Peak     | 360.00         | 150         | Horizontal | Pass    |


## Aux. Antenna

### U-NII-1 11a CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 61.81            | 3.82        | 74.0           | 12.19       | Peak     | 359.95         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 50.64            | 3.82        | 54.0           | 3.36        | AV       | 359.95         | 150         | Vertical | Pass    |
| 2   | 5148.700        | 62.68            | 3.85        | 74.0           | 11.32       | Peak     | 18.00          | 150         | Vertical | Pass    |
| 2** | 5148.700        | 50.33            | 3.85        | 54.0           | 3.67        | AV       | 18.00          | 150         | Vertical | Pass    |

## U-NII-1 11a CH48



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 55.48            | 4.04        | 74.0           | 18.52       | Peak     | 98.00          | 150         | Vertical | Pass    |
| 1** | 5350.000        | 45.06            | 4.04        | 54.0           | 8.94        | AV       | 98.00          | 150         | Vertical | Pass    |
| 2   | 5450.540        | 56.84            | 3.89        | 74.0           | 17.16       | Peak     | 303.00         | 150         | Vertical | Pass    |
| 2** | 5450.540        | 44.83            | 3.89        | 54.0           | 9.17        | AV       | 303.00         | 150         | Vertical | Pass    |


## U-NII-1 11n20 CH36



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.15            | 3.82        | 74.0           | 16.85       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.05            | 3.82        | 54.0           | 7.95        | AV       | 0.00           | 150         | Vertical | Pass    |
| 2   | 5148.700        | 58.77            | 3.85        | 74.0           | 15.23       | Peak     | 115.00         | 150         | Vertical | Pass    |
| 2** | 5148.700        | 45.80            | 3.85        | 54.0           | 8.20        | AV       | 115.00         | 150         | Vertical | Pass    |

## U-NII-1 11n20 CH48


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 54.72            | 4.04        | 74.0           | 19.28       | Peak     | 89.00          | 150         | Vertical | Pass    |
| 1** | 5350.000        | 44.86            | 4.04        | 54.0           | 9.14        | AV       | 89.00          | 150         | Vertical | Pass    |
| 2   | 5421.610        | 56.64            | 3.75        | 74.0           | 17.36       | Peak     | 358.00         | 150         | Vertical | Pass    |
| 2** | 5421.610        | 44.81            | 3.75        | 54.0           | 9.19        | AV       | 358.00         | 150         | Vertical | Pass    |

## U-NII-1 11n40 CH38

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 56.71            | 3.82        | 74.0           | 17.29       | Peak     | 15.06          | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.31            | 3.82        | 54.0           | 7.69        | AV       | 15.06          | 150         | Vertical | Pass    |
| 2   | 4676.800        | 55.64            | 2.28        | 74.0           | 18.36       | Peak     | 25.00          | 150         | Vertical | Pass    |
| 2** | 4676.800        | 42.74            | 2.28        | 54.0           | 11.26       | AV       | 25.00          | 150         | Vertical | Pass    |


## U-NII-1 11n40 CH46

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 55.45            | 4.04        | 74.0           | 18.55       | Peak     | 7.00           | 150         | Vertical | Pass    |
| 1** | 5350.000        | 45.09            | 4.04        | 54.0           | 8.91        | AV       | 7.00           | 150         | Vertical | Pass    |
| 2   | 5408.630        | 56.50            | 3.73        | 74.0           | 17.50       | Peak     | 221.00         | 150         | Vertical | Pass    |
| 2** | 5408.630        | 44.35            | 3.73        | 54.0           | 9.65        | AV       | 221.00         | 150         | Vertical | Pass    |

## U-NII-1 11ac80 CH42



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.35            | 3.82        | 74.0           | 18.65       | Peak     | 126.98         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.57            | 3.82        | 54.0           | 8.43        | AV       | 126.98         | 150         | Vertical | Pass    |
| 2   | 4639.100        | 55.37            | 2.73        | 74.0           | 18.63       | Peak     | 8.00           | 150         | Vertical | Pass    |
| 2** | 4639.100        | 42.98            | 2.73        | 54.0           | 11.02       | AV       | 8.00           | 150         | Vertical | Pass    |

## U-NII-1 11ax20 (SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 62.22            | 3.82        | 74.0           | 11.78       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.11            | 3.82        | 54.0           | 7.89        | AV       | 0.00           | 150         | Vertical | Pass    |
| 2   | 5147.400        | 61.15            | 3.89        | 74.0           | 12.85       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 2** | 5147.400        | 45.70            | 3.89        | 54.0           | 8.30        | AV       | 0.00           | 150         | Vertical | Pass    |

## U-NII-1 11ax20 (SU) CH48



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.18            | 4.04        | 74.0           | 18.82       | Peak     | 345.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 44.66            | 4.04        | 54.0           | 9.34        | AV       | 345.00         | 150         | Horizontal | Pass    |
| 2   | 5367.930        | 56.97            | 4.03        | 74.0           | 17.03       | Peak     | 313.00         | 150         | Horizontal | Pass    |
| 2** | 5367.930        | 44.89            | 4.03        | 54.0           | 9.11        | AV       | 313.00         | 150         | Horizontal | Pass    |


## U-NII-1 11ax40 (SU) CH38



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.90            | 3.82        | 74.0           | 18.10       | Peak     | 4.07           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.35            | 3.82        | 54.0           | 8.65        | AV       | 4.07           | 150         | Vertical | Pass    |
| 2   | 5000.500        | 56.20            | 3.83        | 74.0           | 17.80       | Peak     | 62.00          | 150         | Vertical | Pass    |
| 2** | 5000.500        | 44.36            | 3.83        | 54.0           | 9.64        | AV       | 62.00          | 150         | Vertical | Pass    |


## U-NII-1 11ax40 (SU) CH46

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.98            | 4.04        | 74.0           | 19.02       | Peak     | 192.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 44.87            | 4.04        | 54.0           | 9.13        | AV       | 192.00         | 150         | Horizontal | Pass    |
| 2   | 5362.430        | 56.84            | 4.17        | 74.0           | 17.16       | Peak     | 48.00          | 150         | Horizontal | Pass    |
| 2** | 5362.430        | 44.96            | 4.17        | 54.0           | 9.04        | AV       | 48.00          | 150         | Horizontal | Pass    |


## U-NII-1 11ax80 (SU) CH42



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 56.85            | 3.82        | 74.0           | 17.15       | Peak     | 121.05         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.75            | 3.82        | 54.0           | 8.25        | AV       | 121.05         | 150         | Vertical | Pass    |
| 2   | 4842.550        | 56.51            | 4.34        | 74.0           | 17.49       | Peak     | 270.00         | 150         | Vertical | Pass    |
| 2** | 4842.550        | 44.33            | 4.34        | 54.0           | 9.67        | AV       | 270.00         | 150         | Vertical | Pass    |

## U-NII-2A 11a CH52


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 54.74            | 3.82        | 74.0           | 19.26       | Peak     | 353.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 44.83            | 3.82        | 54.0           | 9.17        | AV       | 353.00         | 150         | Vertical | Pass    |
| 2   | 4984.250        | 56.49            | 3.50        | 74.0           | 17.51       | Peak     | 232.00         | 150         | Vertical | Pass    |
| 2** | 4984.250        | 44.38            | 3.50        | 54.0           | 9.62        | AV       | 232.00         | 150         | Vertical | Pass    |


## U-NII-2A 11a CH64

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 60.88            | 4.04        | 74.0           | 13.12       | Peak     | 273.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 47.95            | 4.04        | 54.0           | 6.05        | AV       | 273.00         | 150         | Vertical | Pass    |
| 2   | 5351.210        | 63.07            | 4.06        | 74.0           | 10.93       | Peak     | 304.00         | 150         | Vertical | Pass    |
| 2** | 5351.210        | 47.55            | 4.06        | 54.0           | 6.45        | AV       | 304.00         | 150         | Vertical | Pass    |

## U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 54.22            | 3.82        | 74.0           | 19.78       | Peak     | 307.01         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.20            | 3.82        | 54.0           | 8.80        | AV       | 307.01         | 150         | Vertical | Pass    |
| 2   | 4960.850        | 56.26            | 3.97        | 74.0           | 17.74       | Peak     | 360.00         | 150         | Vertical | Pass    |
| 2** | 4960.850        | 44.28            | 3.97        | 54.0           | 9.72        | AV       | 360.00         | 150         | Vertical | Pass    |

## U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.68            | 4.04        | 74.0           | 16.32       | Peak     | 274.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 47.40            | 4.04        | 54.0           | 6.60        | AV       | 274.00         | 150         | Vertical | Pass    |
| 2   | 5350.110        | 58.51            | 4.04        | 74.0           | 15.49       | Peak     | 38.00          | 150         | Vertical | Pass    |
| 2** | 5350.110        | 47.14            | 4.04        | 54.0           | 6.86        | AV       | 38.00          | 150         | Vertical | Pass    |

## U-NII-2A 11n40 CH54



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.02            | 3.82        | 74.0           | 18.98       | Peak     | 115.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 44.76            | 3.82        | 54.0           | 9.24        | AV       | 115.00         | 150         | Vertical | Pass    |
| 2   | 4648.200        | 54.62            | 2.36        | 74.0           | 19.38       | Peak     | 224.00         | 150         | Vertical | Pass    |
| 2** | 4648.200        | 42.81            | 2.36        | 54.0           | 11.19       | AV       | 224.00         | 150         | Vertical | Pass    |


## U-NII-2A 11n40 CH62



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 58.76            | 4.04        | 74.0           | 15.24       | Peak     | 273.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 48.50            | 4.04        | 54.0           | 5.50        | AV       | 273.00         | 150         | Vertical | Pass    |
| 2   | 5350.330        | 59.65            | 4.05        | 74.0           | 14.35       | Peak     | 304.00         | 150         | Vertical | Pass    |
| 2** | 5350.330        | 48.11            | 4.05        | 54.0           | 5.89        | AV       | 304.00         | 150         | Vertical | Pass    |


## U-NII-2A 11ac80 CH58

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 55.78            | 4.04        | 74.0           | 18.22       | Peak     | 360.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 46.32            | 4.04        | 54.0           | 7.68        | AV       | 360.00         | 150         | Vertical | Pass    |
| 2   | 5354.730        | 57.15            | 4.13        | 74.0           | 16.85       | Peak     | 309.00         | 150         | Vertical | Pass    |
| 2** | 5354.730        | 46.34            | 4.13        | 54.0           | 7.66        | AV       | 309.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.85            | 3.82        | 74.0           | 16.15       | Peak     | 8.07           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.88            | 3.82        | 54.0           | 7.12        | AV       | 8.07           | 150         | Vertical | Pass    |
| 2   | 5135.700        | 58.77            | 3.98        | 74.0           | 15.23       | Peak     | 360.00         | 150         | Vertical | Pass    |
| 2** | 5135.700        | 46.83            | 3.98        | 54.0           | 7.17        | AV       | 360.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax20 (SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 55.23            | 3.82        | 74.0           | 18.77       | Peak     | 108.00         | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 44.83            | 3.82        | 54.0           | 9.17        | AV       | 108.00         | 150         | Horizontal | Pass    |
| 2   | 4957.600        | 56.85            | 3.98        | 74.0           | 17.15       | Peak     | 251.00         | 150         | Horizontal | Pass    |
| 2** | 4957.600        | 44.39            | 3.98        | 54.0           | 9.61        | AV       | 251.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20 (SU) CH64



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.20            | 4.04        | 74.0           | 16.80       | Peak     | 4.00           | 150         | Vertical | Pass    |
| 1** | 5350.000        | 46.89            | 4.04        | 54.0           | 7.11        | AV       | 4.00           | 150         | Vertical | Pass    |
| 2   | 5353.520        | 58.63            | 4.10        | 74.0           | 15.37       | Peak     | 305.00         | 150         | Vertical | Pass    |
| 2** | 5353.520        | 46.03            | 4.10        | 54.0           | 7.97        | AV       | 305.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax40 (SU) CH54



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 56.73            | 3.82        | 74.0           | 17.27       | Peak     | 123.98         | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 44.84            | 3.82        | 54.0           | 9.16        | AV       | 123.98         | 150         | Horizontal | Pass    |
| 2   | 4959.550        | 56.42            | 3.99        | 74.0           | 17.58       | Peak     | 60.00          | 150         | Horizontal | Pass    |
| 2** | 4959.550        | 44.47            | 3.99        | 54.0           | 9.53        | AV       | 60.00          | 150         | Horizontal | Pass    |


## U-NII-2A 11ax40 (SU) CH62

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.61            | 4.04        | 74.0           | 18.39       | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 46.19            | 4.04        | 54.0           | 7.81        | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5350.440        | 57.65            | 4.05        | 74.0           | 16.35       | Peak     | 20.00          | 150         | Horizontal | Pass    |
| 2** | 5350.440        | 46.48            | 4.05        | 54.0           | 7.52        | AV       | 20.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax80 (SU) CH58



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 58.11            | 4.04        | 74.0           | 15.89       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 1** | 5350.000        | 47.64            | 4.04        | 54.0           | 6.36        | AV       | 0.00           | 150         | Vertical | Pass    |
| 2   | 5373.100        | 63.82            | 4.01        | 74.0           | 10.18       | Peak     | 296.00         | 150         | Vertical | Pass    |
| 2** | 5373.100        | 45.81            | 4.01        | 54.0           | 8.19        | AV       | 296.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.06            | 3.82        | 74.0           | 16.94       | Peak     | 356.99         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 47.14            | 3.82        | 54.0           | 6.86        | AV       | 356.99         | 150         | Vertical | Pass    |
| 2   | 5144.800        | 59.02            | 3.97        | 74.0           | 14.98       | Peak     | 309.00         | 150         | Vertical | Pass    |
| 2** | 5144.800        | 47.41            | 3.97        | 54.0           | 6.59        | AV       | 309.00         | 150         | Vertical | Pass    |

## U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 55.10            | 3.78        | 68.2           | 13.10       | Peak     | 91.90          | 150         | Vertical | Pass    |
| 1** | 5460.000        | 44.71            | 3.78        | 54.0           | 9.29        | AV       | 91.90          | 150         | Vertical | Pass    |
| 2   | 5468.080        | 61.00            | 4.05        | 68.2           | 7.20        | Peak     | 308.00         | 150         | Vertical | Pass    |
| 2** | 5468.080        | 46.03            | 4.05        | --             | -46.03      | AV       | 308.00         | 150         | Vertical | N/A     |

## U-NII-2C 11a CH140




| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna    | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|------------|---------|
| 1   | 5725.000           | 61.67               | 4.31           | 68.2              | 6.53           | Peak     | 29.00             | 150            | Horizontal | Pass    |
| 2   | 5727.750           | 64.33               | 4.23           | 68.2              | 3.87           | Peak     | 41.00             | 150            | Horizontal | Pass    |

## U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.42            | 3.78        | 68.2           | 12.78       | Peak     | 186.19         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.95            | 3.78        | 54.0           | 9.05        | AV       | 186.19         | 150         | Horizontal | Pass    |
| 2   | 5468.200        | 59.94            | 4.05        | 68.2           | 8.26        | Peak     | 28.00          | 150         | Horizontal | Pass    |
| 2** | 5468.200        | 46.14            | 4.05        | --             | -46.14      | AV       | 28.00          | 150         | Horizontal | N/A     |

## U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 62.61            | 4.31        | 68.2           | 5.59        | Peak     | 36.00          | 150         | Horizontal | Pass    |
| 2   | 5725.250        | 63.02            | 4.30        | 68.2           | 5.18        | Peak     | 36.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.49            | 3.78        | 68.2           | 12.71       | Peak     | 130.23         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 45.72            | 3.78        | 54.0           | 8.28        | AV       | 130.23         | 150         | Horizontal | Pass    |
| 2   | 5469.280        | 62.41            | 4.08        | 68.2           | 5.79        | Peak     | 0.00           | 150         | Horizontal | Pass    |
| 2** | 5469.280        | 47.29            | 4.08        | --             | -47.29      | AV       | 0.00           | 150         | Horizontal | N/A     |

## U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 57.95            | 4.31        | 68.2           | 10.25       | Peak     | 26.00          | 150         | Horizontal | Pass    |
| 2   | 5727.000        | 59.13            | 4.25        | 68.2           | 9.07        | Peak     | 43.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.79            | 3.78        | 68.2           | 12.41       | Peak     | 256.45         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 45.30            | 3.78        | 54.0           | 8.70        | AV       | 256.45         | 150         | Horizontal | Pass    |
| 2   | 5461.720        | 57.15            | 3.83        | 68.2           | 11.05       | Peak     | 287.00         | 150         | Horizontal | Pass    |
| 2** | 5461.720        | 45.37            | 3.83        | --             | -45.37      | AV       | 287.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11ac80 CH122



| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna  | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|----------|---------|
| 1   | 5725.000           | 56.39               | 4.31           | 68.2              | 11.81          | Peak     | 135.00            | 150            | Vertical | Pass    |
| 2   | 5818.375           | 58.36               | 5.30           | 68.2              | 9.84           | Peak     | 56.00             | 150            | Vertical | Pass    |

## U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 56.95            | 3.78        | 68.2           | 11.25       | Peak     | 71.98          | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 46.86            | 3.78        | 54.0           | 7.14        | AV       | 71.98          | 150         | Horizontal | Pass    |
| 2   | 5464.480        | 59.52            | 3.92        | 68.2           | 8.68        | Peak     | 50.00          | 150         | Horizontal | Pass    |
| 2** | 5464.480        | 47.12            | 3.92        | --             | -47.12      | AV       | 50.00          | 150         | Horizontal | N/A     |

## U-NII-2C 11ax20 (SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.58            | 3.78        | 68.2           | 13.62       | Peak     | 55.63          | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 44.90            | 3.78        | 54.0           | 9.10        | AV       | 55.63          | 150         | Horizontal | Pass    |
| 2   | 5469.760        | 63.59            | 4.09        | 68.2           | 4.61        | Peak     | 23.00          | 150         | Horizontal | Pass    |
| 2** | 5469.760        | 45.75            | 4.09        | --             | -45.75      | AV       | 23.00          | 150         | Horizontal | N/A     |

## U-NII-2C 11ax20 (SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 60.72            | 4.31        | 68.2           | 7.48        | Peak     | 291.00         | 150         | Horizontal | Pass    |
| 2   | 5725.500        | 62.71            | 4.29        | 68.2           | 5.49        | Peak     | 36.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax40 (SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 54.90            | 3.78        | 68.2           | 13.30       | Peak     | 288.68         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 45.32            | 3.78        | 54.0           | 8.68        | AV       | 288.68         | 150         | Horizontal | Pass    |
| 2   | 5464.840        | 57.34            | 3.93        | 68.2           | 10.86       | Peak     | 53.00          | 150         | Horizontal | Pass    |
| 2** | 5464.840        | 45.42            | 3.93        | --             | -45.42      | AV       | 53.00          | 150         | Horizontal | N/A     |

## U-NII-2C 11ax40 (SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 57.21            | 4.31        | 68.2           | 10.99       | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 2   | 5728.625        | 63.53            | 4.20        | 68.2           | 4.67        | Peak     | 38.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80 (SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 55.56            | 3.78        | 68.2           | 12.64       | Peak     | 222.81         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 45.24            | 3.78        | 54.0           | 8.76        | AV       | 222.81         | 150         | Horizontal | Pass    |
| 2   | 5465.320        | 63.15            | 3.95        | 68.2           | 5.05        | Peak     | 74.00          | 150         | Horizontal | Pass    |
| 2** | 5465.320        | 45.21            | 3.95        | --             | -45.21      | AV       | 74.00          | 150         | Horizontal | N/A     |

## U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 54.97            | 3.78        | 68.2           | 13.23       | Peak     | 219.80         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 45.98            | 3.78        | 54.0           | 8.02        | AV       | 219.80         | 150         | Vertical | Pass    |
| 2   | 5461.840        | 57.78            | 3.84        | 68.2           | 10.42       | Peak     | 309.00         | 150         | Vertical | Pass    |
| 2** | 5461.840        | 46.26            | 3.84        | --             | -46.26      | AV       | 309.00         | 150         | Vertical | N/A     |

## U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 56.96            | 3.81        | 68.2           | 11.24       | Peak     | 0.34           | 150         | Horizontal | Pass    |
| 2   | 5645.625        | 59.05            | 3.78        | 68.2           | 9.15        | Peak     | 74.00          | 150         | Horizontal | Pass    |

## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 58.96            | 6.44        | 68.2           | 9.24        | Peak     | 217.15         | 150         | Horizontal | Pass    |
| 2   | 5964.300        | 60.68            | 6.21        | 68.2           | 7.52        | Peak     | 160.00         | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 57.61            | 3.81        | 68.2           | 10.59       | Peak     | 338.75         | 150         | Horizontal | Pass    |
| 2   | 5642.750        | 58.89            | 3.75        | 68.2           | 9.31        | Peak     | 31.00          | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 58.53            | 6.44        | 68.2           | 9.67        | Peak     | 114.31         | 150         | Horizontal | Pass    |
| 2   | 5947.950        | 60.83            | 6.18        | 68.2           | 7.37        | Peak     | 288.00         | 150         | Horizontal | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.32            | 3.81        | 68.2           | 10.88       | Peak     | 208.94         | 150         | Vertical | Pass    |
| 2   | 5647.625        | 59.81            | 3.79        | 68.2           | 8.39        | Peak     | 58.00          | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 58.45            | 6.44        | 68.2           | 9.75        | Peak     | 302.63         | 150         | Horizontal | Pass    |
| 2   | 5998.950        | 60.49            | 6.52        | 68.2           | 7.71        | Peak     | 352.00         | 150         | Horizontal | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.10            | 3.81        | 68.2           | 11.10       | Peak     | 17.28          | 150         | Vertical | Pass    |
| 2   | 5647.500        | 59.90            | 3.79        | 68.2           | 8.30        | Peak     | 259.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax20 (SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.20            | 3.81        | 68.2           | 11.00       | Peak     | 359.74         | 150         | Vertical | Pass    |
| 2   | 5642.250        | 58.90            | 3.74        | 68.2           | 9.30        | Peak     | 209.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax20 (SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 59.45            | 6.44        | 68.2           | 8.75        | Peak     | 152.10         | 150         | Vertical | Pass    |
| 2   | 5980.650        | 60.53            | 6.07        | 68.2           | 7.67        | Peak     | 103.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 56.56            | 3.81        | 68.2           | 11.64       | Peak     | 44.19          | 150         | Horizontal | Pass    |
| 2   | 5644.000        | 58.95            | 3.77        | 68.2           | 9.25        | Peak     | 360.00         | 150         | Horizontal | Pass    |

## U-NII-3 11ax40 (SU) CH159



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 58.60            | 6.44        | 68.2           | 9.60        | Peak     | 82.09          | 150         | Vertical | Pass    |
| 2   | 5973.150        | 60.81            | 6.25        | 68.2           | 7.39        | Peak     | 112.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax80 (SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 57.43            | 3.81        | 68.2           | 10.77       | Peak     | 29.02          | 150         | Horizontal | Pass    |
| 2   | 5603.125        | 59.42            | 3.70        | 68.2           | 8.78        | Peak     | 360.00         | 150         | Horizontal | Pass    |

## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SH2580913-AR-1.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SH2580913-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SH2580913-AI.PDF”.

## Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--