


CQASZ20260701393E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.66	2401.66	2402.32	0.5	PASS
	2440	0.67	2439.65	2440.32	0.5	PASS
	2480	0.67	2479.65	2480.32	0.5	PASS

Test Graphs






Date: 26 JUL 2026 17:28:13


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.035	2401.4805	2402.5155	---	---
		2440	1.035	2439.4805	2440.5155	---	---
		2480	1.039	2479.4765	2480.5155	---	---

Test Graphs






Date: 26 JUL 2026 17:28:19


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	3.56	≤30	PASS
	2440	4.29	≤30	PASS
	2480	2.36	≤30	PASS

Test Graphs Peak






Date: 26 JUL 2026 17:28:23


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-11.54	≤8.00	PASS
	2440	-10.66	≤8.00	PASS
	2480	-12.91	≤8.00	PASS

Test Graphs






Date: 26 JUL 2026 17:28:29

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	3.38	-43.68	≤ -16.62	PASS
	High	2480	2.13	-42.74	≤ -17.87	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	3.25	3.25	---	PASS
		30~1000	3.25	-51.74	≤ -16.75	PASS
		1000~26500	3.25	-48.63	≤ -16.75	PASS
	2440	Reference	4.09	4.09	---	PASS
		30~1000	4.09	-51.13	≤ -15.91	PASS
		1000~26500	4.09	-48.04	≤ -15.91	PASS
	2480	Reference	1.91	1.91	---	PASS
		30~1000	1.91	-51.98	≤ -18.09	PASS
		1000~26500	1.91	-48.98	≤ -18.09	PASS


Test Graphs






Date: 26 JUL 2026 17:26:37

BLE_1M_Ant1_2440_0~Reference




Date: 26 JUL 2026 17:27:21

BLE_1M_Ant1_2440_30~1000




Date: 26 JUL 2026 17:27:25

BLE_1M_Ant1_2440_1000~26500




Date: 26 JUL 2026 17:27:36

BLE_1M_Ant1_2480_0~Reference




Date: 26 JUL 2026 17:30:02

BLE_1M_Ant1_2480_30~1000



Date: 26 JUL 2026 17:30:07

BLE_1M_Ant1_2480_1000~26500




Date: 26 JUL 2026 17:30:17


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	0.42	0.63	0.6667	66.67	1.76	---	---
	2440	0.42	0.63	0.6667	66.67	1.76	---	---
	2480	0.41	0.62	0.6613	66.13	1.80	---	---

Test Graphs





Date: 26 JUL 2026 17:33:48