


CQASZ20260701391E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.66	2401.67	2402.34	0.5	PASS
	2440	0.66	2439.67	2440.34	0.5	PASS
	2480	0.66	2479.67	2480.33	0.5	PASS

Test Graphs






Date: 15 JUL 2026 13:02:47


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.047	2401.4805	2402.5275	---	---
		2440	1.043	2439.4845	2440.5275	---	---
		2480	1.047	2479.4805	2480.5275	---	---

Test Graphs






Date: 15 JUL 2026 13:02:53


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	8.80	≤30	PASS
	2440	10.71	≤30	PASS
	2480	10.26	≤30	PASS

Test Graphs Peak






Date: 15 JUL 2026 13:02:58


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-7.18	≤8.00	PASS
	2440	-5.45	≤8.00	PASS
	2480	-6.32	≤8.00	PASS

Test Graphs






Date: 15 JUL 2026 13:03:03

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	8.63	-43.49	≤ -11.37	PASS
	High	2480	9.44	-43.03	≤ -10.56	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	8.46	8.46	---	PASS
		30~1000	8.46	-51.09	≤-11.54	PASS
		1000~26500	8.46	-47.47	≤-11.54	PASS
	2440	Reference	9.70	9.70	---	PASS
		30~1000	9.70	-52.04	≤-10.3	PASS
		1000~26500	9.70	-46.11	≤-10.3	PASS
	2480	Reference	9.14	9.14	---	PASS
		30~1000	9.14	-51.68	≤-10.86	PASS
		1000~26500	9.14	-46.01	≤-10.86	PASS


Test Graphs






Date: 15.JUL.2026 12:59:22

BLE_1M_Ant1_2440_0~Reference




Date: 15.JUL.2026 13:01:36

BLE_1M_Ant1_2440_30~1000




Date: 15.JUL.2026 13:01:41

BLE_1M_Ant1_2440_1000~26500




Date: 15 JUL 2026 13:01:51

BLE_1M_Ant1_2480_0~Reference




Date: 15 JUL 2026 13:04:37

BLE_1M_Ant1_2480_30~1000



Date: 15 JUL 2026 13:04:41

BLE_1M_Ant1_2480_1000~26500




Date: 15 JUL 2026 13:04:52


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 15 JUL 2026 15:04:20