

Letter of acceptance

Customer name: Zhongyi Technology

Customer Part No.: A11 Coil

Our model: YC-G43.5-0.65-6.5UH-50MM

Sample delivery date: June 12, 2024

Supplier: Dongguan Jieris Technology Co., Ltd

Draw

Review

Approval

Lu Lin

Deng Xianggui

Lu Rusheng



Tel: Dongguan Jieris Technology Co., Ltd

Fax: 86+13632701380

Address: No. 96, Langhu Road, Dalingshan Town, Dongguan (3rd Floor, Building L, Jinxiongda Science and Technology Park).

Customer Name	Customer part number	Our model	Edition	Date
Zhongyi Technology	A11 coil	YC-G43.5-0.65-6.5UH-50MM	A0	2024.6.12

1. Floor structure drawing: Unit: MM



M

2. Product parameters:

Foot position	Wire diameter	Laps	Note :
1 - 2	0.08*24*2P	10	Hot air line

3. Technical requirements:

1. Fix the thread head and end to prevent the thread from loosening and other phenomena

2. According to the customer's requirements, cut the excessively long thread and plate it with tin, and the tin plating depth is unified to $2\pm 1\text{MM}$

3. Apply appropriate white glue on the magnetic sheet and paste the coil to ensure that the surface of the product is clean and tidy during the process

4. The magnetic sheet used is with round holes and is not damaged

4. Electrical parameters:

1. Inductance value, :

PIN 1 — 2 = 6.5uH ±5% 内阻(DCR) 85m (1KHZ0.3V)

The above inductance values are based on Quanhua 1062A instrument,
10KHZ/0.3Vrms as standard or equivalent.

5. List of materials:

Serial number	Name	Material:	Suppliers	Note :
1	Hot air line	0.08*24*2P		
2	magnetic disk	G43.5*5.2*0.65 hard substrate		
3	tin	High temperature and environmental protection		
4	White glue	BY882		
5	Double-sided adhesive	Diameter 42mm		
6	High temperature adhesive tape	8MM		