



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 1 of 20

TEST REPORT

Application No.: SZCR2511004844AT
Applicant: DS Services of America, Inc. dba Primo Water North America
Address of Applicant: 1150 Assembly Drive, Suite 800, Tampa, FL 33607.
Manufacturer: DS Services of America, Inc. dba Primo Water North America
Address of Manufacturer: 1150 Assembly Drive, Suite 800, Tampa, FL 33607.
Factory: DS Services of America, Inc. dba Primo Water North America
Address of Factory: 1150 Assembly Drive, Suite 800, Tampa, FL 33607.
Equipment Under Test (EUT):
EUT Name: Water Filtration with Touch Controls
Model No.: JL-SPR2, JL1666S-C, STFP2KHK1RU, STFP2KHK1LR ♣
♣ Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Trade Mark: PRIMO
FCC ID: 2A9TV-JLSPR2
Standard(s) : 47 CFR Part 2
47 CFR Part 22
47 CFR Part 24
47 CFR Part 27
47 CFR Part 90
Date of Receipt: 2025-11-06
Date of Test: 2025-11-11 to 2025-12-12
Date of Issue: 2025-12-14

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu

Keny Xu
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 2 of 20

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2025-12-14		Original

Authorized for issue by:				
		Edison Li		
		Edison Li/Project Engineer		
		Eric Fu		
		Eric Fu/Reviewer		



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2 Test Summary

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Field Strength of Spurious Radiation	47 CFR Part 2 47 CFR Part 22 47 CFR Part 24 47 CFR Part 27 47 CFR Part 90	FCC: ≤ -13 dBm	Appendix A	Pass

Remark for report SZCR251100484405:

Model No.: JL-SPR2, JL1666S-C, STFP2KHK1RU, STFP2KHK1LR

The models JL1666S-C, STFP2KHK1RU, STFP2KHK1LR were tested. According to the declaration from the applicant, the electrical circuit design, layout, components used, internal wiring and functions were identical for the above models, with only difference on model No., and appearance.

This device is equipped with a certified Quectel module.

According to the declaration from the applicant, none of the RF parameters of the BG95-M5 module in this device have been altered, and apply to the original module certificate holder for authorisation to use the RF conducted data of the BG95-M5 module.

Therefore in this report Field strength of spurious radiation was fully retested on model JL1666S-C, STFP2KHK1RU, STFP2KHK1LR and shown the data in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3 Contents

	Page
1 COVER PAGE	1
2 TEST SUMMARY	3
3 CONTENTS	4
4 GENERAL INFORMATION	5
4.1 Details of E.U.T.	5
4.2 Description of Support Units	5
4.3 Measurement Uncertainty	5
4.4 Test Location	6
4.5 Test Facility	6
4.6 Deviation from Standards	6
4.7 Abnormalities from Standard Conditions	6
5 EQUIPMENT LIST	7
6 RADIO SPECTRUM MATTER TEST RESULTS	8
6.1 Field strength of spurious radiation	8
6.1.1 E.U.T. Operation	8
6.1.2 Test Setup Diagram	8
6.1.3 Measurement Procedure and Data	9
7 TEST SETUP PHOTO	10
8 EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	10
9 APPENDIX A	11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4 General Information

4.1 Details of E.U.T.

Power supply:	AC 120V, 60Hz
Cable(s):	AC cable:140cm unshielded
LTE Operation Frequency Band:	CatM1 Band 2/4/5/12/13/25/26/66/85
Modulation Type:	QPSK, 16QAM
Antenna Type:	PIFA Antenna
Antenna Gain:	CatM1 Band 2: 4.61dBi, CatM1 Band 4: 4.61dBi, CatM1 Band 5: 2.43dBi, CatM1 Band 12: 2.43dBi, CatM1 Band 13: 2.43dBi, CatM1 Band 25: 4.61dBi, CatM1 Band 26: 2.43dBi, CatM1 Band 66: 2.43dBi, CatM1 Band 85: 2.43dBi.
RF Cable:	9kHz ~ 30MHz(0.3dB); 30MHz ~ 1000MHz(0.6dB) 1000MHz ~ 2000MHz(0.8dB); 2000MHz ~ 4000MHz(1.1dB) 4000MHz ~ 6000MHz(1.8dB); 6000MHz ~ 12750MHz(2.6dB)

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
/	/	/	/

4.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radiated Spurious emission test	4.5dB (Below 1GHz)
		4.8dB (Above 1GHz)
2	Temperature test	1°C
3	Humidity test	3%
4	Supply voltages	1.5%
5	Time	3%



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 6 of 20

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5 Equipment List

Radiated spurious emissions					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
Signal & Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-048	2025-01-07	2026-01-06
Low Noise Amplifier 1G-18GHz	Tonscend	TAP01018050	SZ-WRG-M-051	2025-01-07	2026-01-06
Low Noise Amplifier 18G-40GHz	Tonscend	TAP18040048	SZ-WRG-M-052	2025-01-08	2026-01-07
Double Ridge Horn Antenna 1GHz-18GHz	SCHWARZBECK	BBHA 9120 D	SZ-WRG-M-055	2023-12-21	2025-12-20
SHF-EHF Horn 15GHz-40GHz	SCHWARZBECK	BBHA 9170	SZ-WRG-M-056	2023-12-25	2025-12-24
RSE Test Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Chamber	CRTSGSSAC966	N/A	SZ-WRG-C-063	2025-01-06	2028-01-05
Humidity and Temperature Indicator	deli	8838	SEM002-46	2025-07-23	2026-07-22

General used equipment					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2025-07-23	2026-07-22
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2025-07-23	2026-07-22
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2025-03-03	2026-03-02



6 Radio Spectrum Matter Test Results


6.1 Field strength of spurious radiation

Test Requirement: Reference test summary
 Test Method: ANSI C63.26-2015, KDB 971168 D01 v03
 Limit: Reference test summary

6.1.1 E.U.T. Operation

Operating Environment:
 Temperature: 22.6 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar
 Test mode: 03: Tx mode, Keep the EUT in transmitting mode.

6.1.2 Test Setup Diagram



6.1.3 Measurement Procedure and Data

Test Procedure:

- (1) On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.

Please refer to Appendix B.1, Appendix B.2.

Note: All modes have been tested and we found QPSK test mode has the worst test result. Only record the worst test result.

EIRP= S.G. Power- Cable loss+ Antenna Gain



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 10 of 20

7 Test Setup Photo

Refer to Appendix – Test Setup Photos for SZCR2511004844AT

8 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal photos for SZCR2511004844AT



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

9 Appendix A

LTE Band 2-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3720.0	-58.2	-13	-45.2	-62.48	4.18	8.46	Horizontal	Pass
5580.0	-53.32	-13	-40.32	-58.4	5.37	10.45	Horizontal	Pass
7440.0	-51.6	-13	-38.6	-57.65	5.62	11.67	Horizontal	Pass
3720.0	-54.07	-13	-41.07	-58.35	4.18	8.46	Vertical	Pass
5580.0	-53.95	-13	-40.95	-59.03	5.37	10.45	Vertical	Pass
7440.0	-53.21	-13	-40.21	-59.26	5.62	11.67	Vertical	Pass

LTE Band 2-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760.0	-54.11	-13	-41.11	-58.46	4.17	8.52	Horizontal	Pass
5640.0	-53.94	-13	-40.94	-59.04	5.35	10.45	Horizontal	Pass
7520.0	-51.28	-13	-38.28	-57.41	5.63	11.76	Horizontal	Pass
3760.0	-50.78	-13	-37.78	-55.13	4.17	8.52	Vertical	Pass
5640.0	-53.77	-13	-40.77	-58.87	5.35	10.45	Vertical	Pass
7520.0	-49.56	-13	-36.56	-55.69	5.63	11.76	Vertical	Pass

LTE Band 2-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3800.0	-56.91	-13	-43.91	-61.32	4.16	8.57	Horizontal	Pass
5700.0	-53.38	-13	-40.38	-58.51	5.32	10.45	Horizontal	Pass
7600.0	-50.07	-13	-37.07	-56.3	5.63	11.86	Horizontal	Pass
3800.0	-54.4	-13	-41.4	-58.81	4.16	8.57	Vertical	Pass
5700.0	-54.0	-13	-41.0	-59.13	5.32	10.45	Vertical	Pass
7600.0	-49.16	-13	-36.16	-55.39	5.63	11.86	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 12 of 20

LTE Band 4-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3440.0	-46.76	-13	-33.76	-50.65	4.13	8.02	Horizontal	Pass
5160.0	-53.93	-13	-40.93	-58.93	5.24	10.24	Horizontal	Pass
6880.0	-52.33	-13	-39.33	-57.76	5.55	10.98	Horizontal	Pass
3440.0	-48.27	-13	-35.27	-52.16	4.13	8.02	Vertical	Pass
5160.0	-54.48	-13	-41.48	-59.48	5.24	10.24	Vertical	Pass
6880.0	-52.69	-13	-39.69	-58.12	5.55	10.98	Vertical	Pass

LTE Band 4-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3465.0	-46.46	-13	-33.46	-50.37	4.17	8.08	Horizontal	Pass
5197.5	-54.49	-13	-41.49	-59.49	5.26	10.26	Horizontal	Pass
6930.0	-53.0	-13	-40.0	-58.48	5.56	11.04	Horizontal	Pass
3465.0	-46.84	-13	-33.84	-50.75	4.17	8.08	Vertical	Pass
5197.5	-54.29	-13	-41.29	-59.29	5.26	10.26	Vertical	Pass
6930.0	-52.77	-13	-39.77	-58.25	5.56	11.04	Vertical	Pass

LTE Band 4-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3490.0	-50.16	-13	-37.16	-54.1	4.2	8.14	Horizontal	Pass
5235.0	-54.52	-13	-41.52	-59.53	5.28	10.29	Horizontal	Pass
6980.0	-52.41	-13	-39.41	-57.94	5.57	11.1	Horizontal	Pass
3490.0	-49.09	-13	-36.09	-53.03	4.2	8.14	Vertical	Pass
5235.0	-54.45	-13	-41.45	-59.46	5.28	10.29	Vertical	Pass
6980.0	-51.66	-13	-38.66	-57.19	5.57	11.1	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 13 of 20

LTE Band 5-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1658.0	-55.55	-13	-42.55	-57.72	3.31	5.48	Horizontal	Pass
2487.0	-41.49	-13	-28.49	-43.84	3.44	5.79	Horizontal	Pass
3316.0	-58.79	-13	-45.79	-62.56	3.94	7.71	Horizontal	Pass
1658.0	-62.19	-13	-49.19	-64.36	3.31	5.48	Vertical	Pass
2487.0	-50.38	-13	-37.38	-52.73	3.44	5.79	Vertical	Pass
3316.0	-59.0	-13	-46.0	-62.77	3.94	7.71	Vertical	Pass

LTE Band 5-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1673.0	-57.27	-13	-44.27	-59.4	3.31	5.44	Horizontal	Pass
2509.5	-42.14	-13	-29.14	-44.54	3.44	5.84	Horizontal	Pass
3346.0	-58.94	-13	-45.94	-62.73	3.99	7.78	Horizontal	Pass
1673.0	-57.96	-13	-44.96	-60.09	3.31	5.44	Vertical	Pass
2509.5	-42.43	-13	-29.43	-44.83	3.44	5.84	Vertical	Pass
3346.0	-58.13	-13	-45.13	-61.92	3.99	7.78	Vertical	Pass

LTE Band 5-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1688.0	-61.31	-13	-48.31	-63.41	3.31	5.41	Horizontal	Pass
2532.0	-42.2	-13	-29.2	-44.65	3.44	5.89	Horizontal	Pass
3376.0	-57.22	-13	-44.22	-61.05	4.03	7.86	Horizontal	Pass
1688.0	-62.81	-13	-49.81	-64.91	3.31	5.41	Vertical	Pass
2532.0	-47.09	-13	-34.09	-49.54	3.44	5.89	Vertical	Pass
3376.0	-58.91	-13	-45.91	-62.74	4.03	7.86	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 14 of 20

LTE Band 12-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1408.0	-45.66	-13	-32.66	-47.76	3.2	5.3	Horizontal	Pass
2112.0	-52.95	-13	-39.95	-54.49	3.35	4.89	Horizontal	Pass
2816.0	-59.86	-13	-46.86	-62.93	3.45	6.52	Horizontal	Pass
1408.0	-46.33	-13	-33.33	-48.43	3.2	5.3	Vertical	Pass
2112.0	-59.18	-13	-46.18	-60.72	3.35	4.89	Vertical	Pass
2816.0	-59.6	-13	-46.6	-62.67	3.45	6.52	Vertical	Pass

LTE Band 12-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1415.0	-44.14	-13	-31.14	-46.27	3.21	5.34	Horizontal	Pass
2122.5	-50.79	-13	-37.79	-52.34	3.36	4.91	Horizontal	Pass
2830.0	-59.07	-13	-46.07	-62.17	3.45	6.55	Horizontal	Pass
1415.0	-45.12	-13	-32.12	-47.25	3.21	5.34	Vertical	Pass
2122.5	-54.15	-13	-41.15	-55.7	3.36	4.91	Vertical	Pass
2830.0	-59.43	-13	-46.43	-62.53	3.45	6.55	Vertical	Pass

LTE Band 12-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1422.0	-43.04	-13	-30.04	-45.21	3.22	5.39	Horizontal	Pass
2133.0	-50.47	-13	-37.47	-52.05	3.36	4.94	Horizontal	Pass
2844.0	-60.07	-13	-47.07	-63.2	3.45	6.58	Horizontal	Pass
1422.0	-46.8	-13	-33.8	-48.97	3.22	5.39	Vertical	Pass
2133.0	-54.04	-13	-41.04	-55.62	3.36	4.94	Vertical	Pass
2844.0	-59.47	-13	-46.47	-62.6	3.45	6.58	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 15 of 20

LTE Band 13-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1564.0	-43.4	-40	-3.4	-45.82	3.3	5.72	Horizontal	Pass
2346.0	-37.59	-13	-24.59	-39.63	3.41	5.45	Horizontal	Pass
3128.0	-52.33	-13	-39.33	-55.92	3.65	7.24	Horizontal	Pass
1564.0	-51.65	-40	-11.65	-54.07	3.3	5.72	Vertical	Pass
2346.0	-45.61	-13	-32.61	-47.65	3.41	5.45	Vertical	Pass
3128.0	-57.98	-13	-44.98	-61.57	3.65	7.24	Vertical	Pass

LTE Band 25-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3720.0	-57.96	-13	-44.96	-62.24	4.18	8.46	Horizontal	Pass
5580.0	-54.04	-13	-41.04	-59.12	5.37	10.45	Horizontal	Pass
7440.0	-52.88	-13	-39.88	-58.93	5.62	11.67	Horizontal	Pass
3720.0	-51.78	-13	-38.78	-56.06	4.18	8.46	Vertical	Pass
5580.0	-54.41	-13	-41.41	-59.49	5.37	10.45	Vertical	Pass
7440.0	-48.14	-13	-35.14	-54.19	5.62	11.67	Vertical	Pass

LTE Band 25-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3757.637	-54.73	-13	-41.73	-59.08	4.17	8.52	Horizontal	Pass
5647.5	-53.29	-13	-40.29	-58.4	5.34	10.45	Horizontal	Pass
7530.0	-48.45	-13	-35.45	-54.6	5.63	11.78	Horizontal	Pass
3765.0	-51.51	-13	-38.51	-55.87	4.17	8.53	Vertical	Pass
5647.5	-53.9	-13	-40.9	-59.01	5.34	10.45	Vertical	Pass
7530.0	-45.94	-13	-32.94	-52.09	5.63	11.78	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 16 of 20

LTE Band 25-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3810.0	-57.24	-13	-44.24	-61.67	4.16	8.59	Horizontal	Pass
5715.0	-54.53	-13	-41.53	-59.66	5.32	10.45	Horizontal	Pass
7620.0	-49.13	-13	-36.13	-55.38	5.63	11.88	Horizontal	Pass
3810.0	-54.92	-13	-41.92	-59.35	4.16	8.59	Vertical	Pass
5715.0	-53.55	-13	-40.55	-58.68	5.32	10.45	Vertical	Pass
7620.0	-49.34	-13	-36.34	-55.59	5.63	11.88	Vertical	Pass

LTE Band 26a(814-824MHz)-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1638.0	-55.67	-13	-42.67	-57.89	3.31	5.53	Horizontal	Pass
2457.0	-43.52	-13	-30.52	-45.81	3.43	5.72	Horizontal	Pass
3276.0	-58.55	-13	-45.55	-62.28	3.88	7.61	Horizontal	Pass
1638.0	-59.04	-13	-46.04	-61.26	3.31	5.53	Vertical	Pass
2457.0	-48.7	-13	-35.7	-50.99	3.43	5.72	Vertical	Pass
3276.0	-57.68	-13	-44.68	-61.41	3.88	7.61	Vertical	Pass

LTE Band 26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1663.0	-56.1	-13	-43.1	-58.26	3.31	5.47	Horizontal	Pass
2494.5	-39.23	-13	-26.23	-41.6	3.44	5.81	Horizontal	Pass
3326.0	-58.8	-13	-45.8	-62.58	3.96	7.74	Horizontal	Pass
1663.0	-63.09	-13	-50.09	-65.25	3.31	5.47	Vertical	Pass
2494.5	-47.99	-13	-34.99	-50.36	3.44	5.81	Vertical	Pass
3326.0	-58.67	-13	-45.67	-62.45	3.96	7.74	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 17 of 20

LTE Band 26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1673.0	-55.79	-13	-42.79	-57.92	3.31	5.44	Horizontal	Pass
2509.5	-41.55	-13	-28.55	-43.95	3.44	5.84	Horizontal	Pass
3346.0	-58.0	-13	-45.0	-61.79	3.99	7.78	Horizontal	Pass
1673.0	-60.55	-13	-47.55	-62.68	3.31	5.44	Vertical	Pass
2509.5	-48.61	-13	-35.61	-51.01	3.44	5.84	Vertical	Pass
3346.0	-58.71	-13	-45.71	-62.5	3.99	7.78	Vertical	Pass

LTE Band 26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1683.0	-62.74	-13	-49.74	-64.85	3.31	5.42	Horizontal	Pass
2524.5	-41.54	-13	-28.54	-43.97	3.44	5.87	Horizontal	Pass
3366.0	-57.91	-13	-44.91	-61.73	4.02	7.84	Horizontal	Pass
1683.0	-63.34	-13	-50.34	-65.45	3.31	5.42	Vertical	Pass
2524.5	-43.41	-13	-30.41	-45.84	3.44	5.87	Vertical	Pass
3366.0	-58.0	-13	-45.0	-61.82	4.02	7.84	Vertical	Pass

LTE Band 26c(814-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1643.0	-51.6	-13	-38.6	-53.81	3.31	5.52	Horizontal	Pass
2464.5	-38.7	-13	-25.7	-41.0	3.43	5.73	Horizontal	Pass
3286.0	-58.01	-13	-45.01	-61.76	3.89	7.64	Horizontal	Pass
1643.0	-58.67	-13	-45.67	-60.88	3.31	5.52	Vertical	Pass
2464.5	-46.55	-13	-33.55	-48.85	3.43	5.73	Vertical	Pass
3286.0	-57.01	-13	-44.01	-60.76	3.89	7.64	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 18 of 20

LTE Band 26c(814-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1663.0	-54.98	-13	-41.98	-57.14	3.31	5.47	Horizontal	Pass
2494.5	-40.95	-13	-27.95	-43.32	3.44	5.81	Horizontal	Pass
3326.0	-58.32	-13	-45.32	-62.1	3.96	7.74	Horizontal	Pass
1663.0	-60.38	-13	-47.38	-62.54	3.31	5.47	Vertical	Pass
2494.5	-45.79	-13	-32.79	-48.16	3.44	5.81	Vertical	Pass
3326.0	-58.26	-13	-45.26	-62.04	3.96	7.74	Vertical	Pass

LTE Band 26c(814-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1683.0	-63.14	-13	-50.14	-65.25	3.31	5.42	Horizontal	Pass
2506.624	-40.65	-13	-27.65	-43.04	3.44	5.83	Horizontal	Pass
3366.0	-58.35	-13	-45.35	-62.17	4.02	7.84	Horizontal	Pass
1683.0	-63.65	-13	-50.65	-65.76	3.31	5.42	Vertical	Pass
2506.624	-44.81	-13	-31.81	-47.2	3.44	5.83	Vertical	Pass
3366.0	-58.24	-13	-45.24	-62.06	4.02	7.84	Vertical	Pass

LTE Band 66-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3440.0	-47.01	-13	-34.01	-50.9	4.13	8.02	Horizontal	Pass
5160.0	-55.15	-13	-42.15	-60.15	5.24	10.24	Horizontal	Pass
6880.0	-53.14	-13	-40.14	-58.57	5.55	10.98	Horizontal	Pass
3440.0	-49.58	-13	-36.58	-53.47	4.13	8.02	Vertical	Pass
5160.0	-52.64	-13	-39.64	-57.64	5.24	10.24	Vertical	Pass
6880.0	-50.81	-13	-37.81	-56.24	5.55	10.98	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 19 of 20

LTE Band 66-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3490.0	-46.71	-13	-33.71	-50.65	4.2	8.14	Horizontal	Pass
5235.0	-53.32	-13	-40.32	-58.33	5.28	10.29	Horizontal	Pass
6980.0	-52.22	-13	-39.22	-57.75	5.57	11.1	Horizontal	Pass
3490.0	-48.23	-13	-35.23	-52.17	4.2	8.14	Vertical	Pass
5235.0	-53.35	-13	-40.35	-58.36	5.28	10.29	Vertical	Pass
6980.0	-52.04	-13	-39.04	-57.57	5.57	11.1	Vertical	Pass

LTE Band 66-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3540.0	-48.73	-13	-35.73	-52.74	4.21	8.22	Horizontal	Pass
5310.0	-52.99	-13	-39.99	-58.01	5.31	10.33	Horizontal	Pass
7080.0	-51.97	-13	-38.97	-57.62	5.58	11.23	Horizontal	Pass
3540.0	-47.07	-13	-34.07	-51.08	4.21	8.22	Vertical	Pass
5310.0	-52.97	-13	-39.97	-57.99	5.31	10.33	Vertical	Pass
7080.0	-52.18	-13	-39.18	-57.83	5.58	11.23	Vertical	Pass

LTE Band 85-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1398.336	-48.44	-13	-35.44	-50.49	3.19	5.24	Horizontal	Pass
2095.8	-48.59	-13	-35.59	-50.09	3.35	4.85	Horizontal	Pass
2758.041	-58.88	-13	-45.88	-61.82	3.45	6.39	Horizontal	Pass
1398.336	-49.91	-13	-36.91	-51.96	3.19	5.24	Vertical	Pass
2095.8	-55.7	-13	-42.7	-57.2	3.35	4.85	Vertical	Pass
2782.06	-60.15	-13	-47.15	-63.14	3.45	6.44	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100484405

Page: 20 of 20

LTE Band 85-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1406.443	-46.91	-13	-33.91	-49.0	3.2	5.29	Horizontal	Pass
2107.95	-50.42	-13	-37.42	-51.95	3.35	4.88	Horizontal	Pass
3034.063	-57.84	-13	-44.84	-61.34	3.51	7.01	Horizontal	Pass
1406.443	-54.37	-13	-41.37	-56.46	3.2	5.29	Vertical	Pass
2107.95	-55.62	-13	-42.62	-57.15	3.35	4.88	Vertical	Pass
3280.326	-58.03	-13	-45.03	-61.76	3.89	7.62	Vertical	Pass

LTE Band 85-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1414.597	-46.2	-13	-33.2	-48.33	3.21	5.34	Horizontal	Pass
2120.171	-50.89	-13	-37.89	-52.44	3.36	4.91	Horizontal	Pass
3435.59	-56.63	-13	-43.63	-60.52	4.12	8.01	Horizontal	Pass
1414.597	-52.65	-13	-39.65	-54.78	3.21	5.34	Vertical	Pass
2120.171	-54.82	-13	-41.82	-56.37	3.36	4.91	Vertical	Pass
3123.039	-57.79	-13	-44.79	-61.37	3.65	7.23	Vertical	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com