

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                  |                                                                                      |                                                                                       |                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------|
| <b>Prüfbericht-Nr.:</b><br>Test report no.:                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>IN22Y7T9 001</b>                                                                                                                                                                                              | <b>Auftrags-Nr.:</b><br>Order no.:                                                   | 146733111 010                                                                         | Seite 1 von 94<br>Page 1 of 94                   |
| <b>Kunden-Referenz-Nr.:</b><br>Client reference no.:                                                                                                                                                                                                                                                                                                                                                                                                                  | 2455720                                                                                                                                                                                                          | <b>Auftragsdatum:</b><br>Order date:                                                 | 2022-10-18                                                                            |                                                  |
| <b>Auftraggeber:</b><br>Client:                                                                                                                                                                                                                                                                                                                                                                                                                                       | DS Services of America, Inc. dba Primo Water North America<br>1150 Assembly Drive, Ste 800<br>Tampa, Florida 33607                                                                                               |                                                                                      |                                                                                       |                                                  |
| <b>Prüfgegenstand:</b><br>Test item:                                                                                                                                                                                                                                                                                                                                                                                                                                  | Pureflo                                                                                                                                                                                                          | <b>Product Type</b>                                                                  | Pureflo                                                                               |                                                  |
| <b>Bezeichnung:</b><br>Identification.:                                                                                                                                                                                                                                                                                                                                                                                                                               | STFP2KHK2RO<br>STFP2KHK1CA                                                                                                                                                                                       |                                                                                      |                                                                                       |                                                  |
| <b>Auftrags-Inhalt:</b><br>Order content:                                                                                                                                                                                                                                                                                                                                                                                                                             | Testing and issue of Test Report and Grant Certificate                                                                                                                                                           |                                                                                      |                                                                                       |                                                  |
| <b>Prüfgrundlage:</b><br>Test specification:                                                                                                                                                                                                                                                                                                                                                                                                                          | FCC Part 2, Part 22H, Part 24E & Part 27                                                                                                                                                                         |                                                                                      |                                                                                       |                                                  |
| <b>Wareneingangsdatum:</b><br>Date of sample receipt:                                                                                                                                                                                                                                                                                                                                                                                                                 | 2022-11-04                                                                                                                                                                                                       |  |                                                                                       |                                                  |
| <b>Prüfmuster-Nr.:</b><br>Test sample no:                                                                                                                                                                                                                                                                                                                                                                                                                             | A003366433-001<br>A003415430-001                                                                                                                                                                                 |                                                                                      |                                                                                       |                                                  |
| <b>Prüfzeitraum:</b><br>Testing period:                                                                                                                                                                                                                                                                                                                                                                                                                               | 2022-11-04 - 2022-11-28                                                                                                                                                                                          |                                                                                      |                                                                                       |                                                  |
| <b>Ort der Prüfung:</b><br>Place of testing:                                                                                                                                                                                                                                                                                                                                                                                                                          | Wireless laboratory,<br>Bangalore                                                                                                                                                                                |                                                                                      |                                                                                       |                                                  |
| <b>Prüflaboratorium:</b><br>Testing laboratory:                                                                                                                                                                                                                                                                                                                                                                                                                       | TÜV Rheinland (India)<br>Pvt.Ltd., 27/B, 2nd Cross,<br>Electronic City Phase1<br>Bangalore -560 100, India<br><br>FCC Test site registration<br>number: 496599<br>ISED Test site registration<br>number: 3466E-1 |                                                                                      |                                                                                       |                                                  |
| <b>Prüfergebnis*:</b><br>Test result*:                                                                                                                                                                                                                                                                                                                                                                                                                                | Pass                                                                                                                                                                                                             |                                                                                      |                                                                                       |                                                  |
| <b>geprüft von:</b><br>tested by:                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                               | <b>genehmigt von:</b><br>authorized by:                                              |  |                                                  |
| <b>Datum:</b><br>Date:                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2022-12-15                                                                                                                                                                                                       | <b>Ausstellatum:</b><br>Issue date:                                                  | 2023-04-18                                                                            |                                                  |
| <b>Stellung / Position:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>Likhithesh M D</b><br>Senior Enigneer                                                                                                                                                                         | <b>Stellung / Position:</b>                                                          | <b>Madhu K N</b><br>Senior Enigneer                                                   |                                                  |
| <b>Sonstiges / Other:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>FCC ID: 2A9TV-STFP2KHK1RO</b>                                                                                                                                                                                 |                                                                                      |                                                                                       |                                                  |
| <b>Zustand des Prüfgegenstandes bei Anlieferung:</b><br>Condition of the test item at delivery:                                                                                                                                                                                                                                                                                                                                                                       | <b>Prüfmuster vollständig und unbeschädigt</b><br><b>Test item complete and undamaged</b>                                                                                                                        |                                                                                      |                                                                                       |                                                  |
| <b>* Legende:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1 = sehr gut<br>P(ass) = entspricht o.g. Prüfgrundlage(n)                                                                                                                                                        | 2 = gut<br>F(ail) = entspricht nicht o.g. Prüfgrundlage(n)                           | 3 = befriedigend<br>N/A = nicht anwendbar                                             | 4 = ausreichend<br>5 = mangelhaft<br>N/T = nicht |
| <b>* Legend:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1 = very good<br>P(ass) = passed a.m. test specification(s)                                                                                                                                                      | 2 = good<br>F(ail) = failed a.m. test specification(s)                               | 3 = satisfactory<br>N/A = not applicable                                              | 4 = sufficient<br>5 = poor<br>N/T = not tested   |
| <p><b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b></p> <p><i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i></p> |                                                                                                                                                                                                                  |                                                                                      |                                                                                       |                                                  |

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 2 von 94

Page 2 of 94

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <p>Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben.</p> <p>Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden.</p> <p><i>The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system. Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.</i></p>                                                                         |
| 2 | <p>Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben.</p> <p><i>As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged.</i></p> |
| 3 | <p>Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben.</p> <p>Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt.</p> <p><i>Test clauses with remark of * are subcontracted to qualified subcontractors and described under the respective test clause in the report.</i></p> <p><i>Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 4 | <p>Die Entscheidungsregel für Konformitätserklärungen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2021, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird.</p> <p><i>The decision rule for statements of conformity in this test report is based on the "Zero Guard Band Rule" and "Simple Acceptance" in accordance with ILAC G8:2019 and IEC Guide 115:2021, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report.</i></p>                                                                                                                                                                                                             |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 3 von 94  
Page 3 of 94

## TEST SUMMARY

| Test Item                                                                   | FCC Clause                                                                               | Results |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------|
| Conducted Output Average Power And Peak to Average Power ratio              | §2.1046<br>§22.913(a)(5)<br>§24.232(c)<br>§27.50(d)(4)<br>§27.50(b)(10)<br>§27.50(c)(10) | Pass    |
| Equivalent Isotropic Radiated Power (EIRP) / Effective Radiated Power (ERP) | §22.913(a)(5)<br>§24.232 (c)<br>§27.50(d)(4)<br>§27.50(b)(10)<br>§27.50(c)(10)           | Pass    |
| Field strength of spurious radiation                                        | §24.238(a)<br>§27.53 (h)(1)<br>§22.917 (a)<br>§27.53 (g)(f)                              | Pass    |
| Frequency Stability                                                         | §2.1055<br>§22.355<br>§24.235<br>§27.54                                                  | N/T     |
| Emission Bandwidth and Occupied Bandwidth                                   | §2.1049                                                                                  | N/T     |
| Band Edge                                                                   | §2.1051<br>§22.917(a)<br>§24.238(a)<br>§27.53(h)<br>§27.53(g)<br>§27.53(f) §27.53(c)     | N/T     |
| Conducted Emissions on AC Power Lines                                       | §15.207                                                                                  | Pass    |

**Note:**

N/T: Not Tested

**Pure flo** product uses certified RF modules with FCC IDs: **XMR202005BG95M5** hence the above mentioned test cases are excluded and which can be found in the module test report: R2005A0283-R1V1/R2V1/R3V1/R4V1 issued on July 23<sup>rd</sup> & 24<sup>th</sup> 2020 of respective FCC ID.

Product Category: Electronics Testing  
Test Discipline: EMC Test Facility

**Prüfbericht - Nr.:**  
*Test Report No.:*

**IN22Y7T9 001**

Seite 4 von 94  
Page 4 of 94

## REVISION HISTORY OF THIS REPORT

| Report Number | Version | Description               | Issue date |
|---------------|---------|---------------------------|------------|
| IN22Y7T9 001  | 01      | Initial issue of report   | 24-03-2023 |
| IN22Y7T9 001  | 02      | Updated Reviewer Comments | 31-03-2023 |
| IN22Y7T9 001  | 03      | Updated Reviewer Comments | 14-04-2023 |
| IN22Y7T9 001  | 04      | Updated Reviewer Comments | 18-04-2023 |

## Table of Contents

|     |                                                                                  |    |
|-----|----------------------------------------------------------------------------------|----|
| 1   | GENERAL REMARKS .....                                                            | 6  |
| 1.1 | Attachments .....                                                                | 6  |
| 2   | TEST SITES .....                                                                 | 7  |
| 2.1 | Testing Facilities.....                                                          | 7  |
| 2.2 | List of Test and Measurement Instruments.....                                    | 7  |
| 3   | GENERAL PRODUCT INFORMATION.....                                                 | 8  |
| 3.1 | Product Function and Intended Use.....                                           | 8  |
| 3.2 | Ratings and System Details of Equipment under Test .....                         | 8  |
| 3.3 | Antenna Gain Details .....                                                       | 9  |
| 3.4 | Measurement Uncertainty .....                                                    | 9  |
| 4   | TEST SET-UP AND OPERATION MODE.....                                              | 10 |
| 4.1 | Principle of Configuration Selection .....                                       | 10 |
| 4.2 | UUT Operation and Software .....                                                 | 10 |
| 4.3 | Special Accessories and Auxiliary Equipment .....                                | 10 |
| 4.4 | Simultaneous Transmission .....                                                  | 10 |
| 4.5 | Countermeasures to achieve EMC Compliance .....                                  | 10 |
| 4.6 | List of frequencies .....                                                        | 10 |
| 5   | OPERATIONAL DESCRIPTION OF THE PRODUCT .....                                     | 11 |
| 6   | TEST METHODOLOGY .....                                                           | 12 |
| 6.1 | Conducted Spurious Emission Test on AC Power Line.....                           | 12 |
| 6.2 | Radiated Emission Test .....                                                     | 13 |
| 7   | TEST RESULTS .....                                                               | 17 |
| 7.1 | Conducted Output Average Power .....                                             | 17 |
| 7.2 | Peak to Average Power Ratio (PAPR).....                                          | 27 |
| 7.3 | Equivalent Isotropic Radiated Power (EIRP) / Effective Radiated Power (ERP)..... | 44 |
| 7.4 | Field Strength of Spurious Radiation .....                                       | 62 |
| 8   | CONDUCTED SPURIOUS EMISSION TEST ON AC POWER LINE .....                          | 91 |
| 9   | LIST OF TABLES.....                                                              | 94 |
| 10  | LIST OF FIGURES.....                                                             | 94 |

# 1 GENERAL REMARKS

## 1.1 Attachments

All attachments are part of this test report and are issued in separate document

1. TEST SETUP PHOTOS
- 2: EUT EXTERNAL PHOTOS
- 3: EUT INTERNAL PHOTOS
- 4: FCC LABEL AND LABEL LOCATION
- 5: BLOCK DIAGRAM
- 6: SPECIFICATION OF EUT
- 7: SCHEMATIC DIAGRAM
- 8: BILL OF MATERIAL
- 9: USER MANUAL
- 10: MAXIMUM PERMISSIBLE EXPOSURE INFORMATION

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 7 von 94

Page 7 of 94

## 2 TEST SITES

### 2.1 Testing Facilities

1. TÜV Rheinland (India) Pvt.Ltd.,  
27/B, 2nd Cross,  
ElectronicCityPhase1  
Bangalore – 560 100,  
India

2. TUV Rheinland (India) Pvt.Ltd.,  
108 , Beside ISBR Business School,  
Electronic city Phase I  
Bangalore - 560 100.  
India

Radiated Measurement site type :  
Fully anechoic chamber (used for above 1 GHz  
measurements)

Radiated Measurement site type :  
Semi anechoic chamber (used for below 1 GHz  
measurements)

### 2.2 List of Test and Measurement Instruments

**Table 1: List of test and measurement instruments**

| Equipment                            | Manufacturer    | Model Name          | Serial Number | Firmware Versions | Calibration Due Date | Periodicity | Test Facility                |
|--------------------------------------|-----------------|---------------------|---------------|-------------------|----------------------|-------------|------------------------------|
| Radio Communication tester           | Rohde & Schwarz | CMW 500             | 1201.000 2K50 | -                 | 20.08.2023           | Yearly      | Radiated Spurious Emission   |
| EMI Receiver                         | Rohde & Schwarz | ESW 44              | 101732        | 1.72SP1           | 04.08.2023           | Yearly      |                              |
| EMI Receiver                         | Rohde & Schwarz | ESW 44              | 101733        | 1.72SP1           | 12.02.2023           | Yearly      |                              |
| Active loop antenna                  | Frankonia       | LAX-18              | LAX-10-800    | -                 | 31.01.2023           | Yearly      |                              |
| Baloon and Bicoloral Antenna         | Schwarzbeck     | BBA 9106+V HBB 9124 | 9124-1117     | -                 | 03.02.2023           | Yearly      |                              |
| Log - Periodical Antenna             | Schwarzbeck     | VUSLP-9111B         | 9111B-111     | -                 | 26.01.2023           | Yearly      |                              |
| Horn Antenna                         | Schwarzbeck     | BBHA 9120 D         | 9120D-1944    | -                 | 11.10.2023           | Yearly      |                              |
| Semi Anechoic Chamber                | Frankonia       | -                   | -             | -                 | -                    | -           |                              |
| Fully Anechoic Chamber               | Albatross       | -                   | -             | -                 | -                    | -           |                              |
| EMI Receiver                         | Rohde & Schwarz | ESR7                | 101133        | 3.48 SP3          | 22.07.2023           | Yearly      | Conducted AC Power line Test |
| Line Impedance Stabilization Network | Rohde & Schwarz | ENV 216             | 101434        | -                 | 11.04.2023           | Yearly      |                              |
| Pulse Limiter                        | Rohde & Schwarz | ESH3-Z2             | 100811        | -                 | 12.07.2023           | Yearly      |                              |

**Table 2: Instrument application Software versions**

| SL. No. | Test Type                                           | Application software | Version   |
|---------|-----------------------------------------------------|----------------------|-----------|
| 1       | Radiated spurious emission measurement in 10mtr-SAC | BAT EMC              | 3.20.0.17 |
| 2       | Radiated spurious emission measurement in FAC       | EMC 32               | 10.60.20  |

### 3 GENERAL PRODUCT INFORMATION

#### 3.1 Product Function and Intended Use

The primo water purifier is a hot and cold-water purifier with several stages of purification.

#### 3.2 Ratings and System Details of Equipment under Test

Table 3: Ratings and System Details as declared by Client\*

| Cellular Operator                                 |           | PureFlo          |                       |                                      |                    |             |
|---------------------------------------------------|-----------|------------------|-----------------------|--------------------------------------|--------------------|-------------|
| Radio Protocol                                    |           | LTE and GSM      |                       |                                      |                    |             |
| LTE E-UTRA operating bands                        |           | Band             | Bandwidth (MHz)       | UL Frequency (MHz)                   | DL Frequency (MHz) | Modulation  |
|                                                   |           | 2                | 1.4, 3, 5, 10, 15, 20 | 1850.7 - 1909.3                      | 1930.7- 1989.3     | QPSK, 16QAM |
|                                                   |           | 4                | 1.4, 3, 5, 10, 15, 20 | 1710.7 - 1754.3                      | 2110.7- 2154.3     | QPSK, 16QAM |
|                                                   |           | 5                | 1.4, 3, 5, 10         | 824.7 - 848.3                        | 869.7 - 893.3      | QPSK, 16QAM |
|                                                   |           | 12               | 1.4, 3, 5, 10         | 699 - 716                            | 729 - 746          | QPSK, 16QAM |
|                                                   |           | 13               | 5, 10                 | 746 -755.90                          | 777 – 786.90       | QPSK, 16QAM |
|                                                   |           | 25               | 1.4, 3, 5, 10, 15, 20 | 1850 - 1914.90                       | 1930 – 1994.50     | QPSK, 16QAM |
|                                                   |           | 26               | 1.4, 3, 5, 10         | 814-849                              | 859-894            | QPSK, 16QAM |
|                                                   |           | 66               | 1.4, 3, 5, 10, 15, 20 | 1710 – 1779.90                       | 2110 – 2199.90     | QPSK, 16QAM |
|                                                   |           | 85               | 5, 10                 | 698 – 715.90                         | 728 – 745.90       | QPSK, 16QAM |
| GSM                                               |           | 850              | -                     | 824.20- 848.80                       | 869.20- 893.80     | GPRS, EGPRS |
|                                                   |           | 900              | -                     | 890.20 – 914.80                      | 935.20 – 959.80    | GPRS, EGPRS |
|                                                   |           | 1800             |                       | 1710.20 – 1784.80                    | 1805.20 – 1879.80  | GPRS, EGPRS |
|                                                   |           | 1900             |                       | 1850.20 – 1909.80                    | 1930.20 – 1989.80  | GPRS, EGPRS |
| Transmitted Power for LTE and Maximum Power (dBm) |           | Band             | Power Class           | Max. Conducted Average. Output Power |                    |             |
|                                                   |           | 4                | Power Class 3: 23dBm  | 22.98dBm                             |                    |             |
| GSM                                               |           | 850              | Power Class 5: 33dBm  | 32.96dBm                             |                    |             |
| Antenna Type                                      |           | Chip Antenna     |                       |                                      |                    |             |
| Number of Antenna                                 |           | 1                |                       |                                      |                    |             |
| Antenna Gain                                      |           | Refer Clause 3.3 |                       |                                      |                    |             |
| Supply Voltage to Product                         |           | 110V 60Hz        |                       |                                      |                    |             |
| Environmental conditions                          | Storage   | -20° C to 60° C  |                       |                                      |                    |             |
|                                                   | Operating | -40° C to +85° C |                       |                                      |                    |             |
| EUT Dimension (L X W X H)                         |           | 32cmX30cmX114cm  |                       |                                      |                    |             |

**\*Disclaimer:**

The information/data is supplied by the client and the same is considered to arrive at the final value. Any changes made apart from the specified specification, can directly impact on the tests results. Refer the products user manual for more details.

### 3.3 Antenna Gain Details

| Antenna Type | Antenna Gain (dBi) |
|--------------|--------------------|
| Chip Antenna | 2.53               |

### 3.4 Measurement Uncertainty

Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$

**Table 4: Measurement Uncertainty**

| Parameter                         | Uncertainty |
|-----------------------------------|-------------|
| Occupied Channel Bandwidth        | ±5 %        |
| RF output power, conducted        | ±1.5 dB     |
| Power Spectral Density, conducted | ±3 dB       |
| Unwanted Emissions, conducted     | ±3 dB       |
| All emissions, radiated           | ±6 dB       |
| Temperature                       | ±3 °C       |
| Supply Voltages                   | ±3 %        |
| Time                              | ±5 %        |

## 4 TEST SET-UP AND OPERATION MODE

### 4.1 Principle of Configuration Selection

Transmission was enabled with highest possible duty cycle on low, mid and high channels

### 4.2 UUT Operation and Software

Hardware Version Identification number (HVIN): 1.02  
Software version : 1.08

### 4.3 Special Accessories and Auxiliary Equipment

-None

### 4.4 Simultaneous Transmission

-This product does not support for Simultaneous Operation

### 4.5 Countermeasures to achieve EMC Compliance

- None

### 4.6 List of frequencies

Table 5: List of Center frequencies

| Protocol | Band | UL Frequency (MHz) | DL Frequency (MHz) |
|----------|------|--------------------|--------------------|
| LTE      | 2    | 1850.7 -1909.3     | 1930.7-1989.3      |
|          | 4    | 1710.7 - 1754.3    | 2110.7-2154.3      |
|          | 5    | 824.7 - 848.3      | 869.7 - 893.3      |
|          | 12   | 699 - 716          | 729 - 746          |
|          | 13   | 746 -755.90        | 777 – 786.90       |
|          | 25   | 1850 - 1914.90     | 1930 – 1994.50     |
|          | 26   | 814-849            | 859-894            |
|          | 66   | 1710 – 1779.90     | 2110 – 2199.90     |
|          | 85   | 698 – 715.90       | 728 – 745.90       |
| GSM      | 850  | 824.20-848.80      | 869.20-893.80      |
|          | 900  | 890.20 – 914.80    | 935.20 – 959.80    |
|          | 1800 | 1710.20 – 1784.80  | 1805.20 – 1879.80  |
|          | 1900 | 1850.20 – 1909.80  | 1930.20 – 1989.80  |

**Note:**

TUV Sample Identification number    A003366433-001– Radiated & Conducted test Sample  
A003415430-001 – Radiated test Sample

## 5 OPERATIONAL DESCRIPTION OF THE PRODUCT

The primo water purifier is a hot and cold-water purifier with several stages of purification. The product contains a few different PCBs that control different aspects of the product. These are:

1. Power Supply – This is a packaged power supply product, which converts 100V to 230V AC at 50 and 60 hz to 12V DC.
2. Power Supply PCB – This PCB takes in 12V power and provides it to the other PCBs.
3. Product Control PCB – This is the PCB which controls the different solenoid valves on the product as well as the 12V dc motor for the RO pump.
4. Display / Dispensing PCB – This PCB has display LEDs and the dispensing control of the water purifier.
5. IOT / RF PCB – This PCB collects information from the other PCBs and sends data to AWS servers about once a day over CATM or GSM networks.

### RF circuit function:

The IOT PCB connects to the other PCBs and gathers data about the water purifier performance. This data is then sent to an AWS server once a day. The communication with the AWS server is done using a Quectel module BG95-M5. The connection is made over CATM or GSM and the data is sent using AWS MQTT Core Services. All communication is encrypted using AWS SSL Certificates, which are installed in the BG95-M5 module () at the time of manufacturing the PCB.

### RF signal flow:

The BG95-M5 module has an RF antenna connected to a U.FL connector. The Antenna is a 4G Multi-band antenna, which covers all the transmission and reception bands available on the BG95-M5. The main processor on the PCB is the RP2040. This processor communicates to the BG95-M5 module over UART. The RF communication on the PCB is only done on the BG95-M5. There is a short track from the BG95-M5 module to the 4G antenna, keeping any RF signals away from the rest of the PCB. Any RF spurious emissions are further prevented by the 2 solid ground planes on the 4 layer PCB.

### Description of Antenna system (Baluns, Multiplexers):

The antenna on the product is an LTE 4G full band antenna. This antenna is short wire, about 50mm to the main PCB. The entire PCB and the antenna is enclosed in a plastic container keeping it away from the remaining product and connections. This prevents any connector from becoming an antenna on the PCB.

The antenna is a Quectel YF0006DA 4G Full Band Antenna


## 6 TEST METHODOLOGY

## 6.1 Conducted Spurious Emission Test on AC Power Line

Measured levels of ac power-line conducted emission across the 50Ω LISN port (to which the EUT is connected). All emission voltage and current measurements shall be made on each current-carrying conductor at the plug end of the EUT power cord by the use of mating plugs and receptacles on the LISN, if used. Equipment shall be tested with power cords that are normally supplied or recommended by the manufacturer and that have electrical and shielding characteristics that are the same as those cords normally supplied or recommended by the manufacturer.

The device is placed on the test table, raised 80cm above the reference ground plane. The vertical conducting plane is located 40cm to the rear of the device. AC Conducted emission measurement is made over frequency range from 150kHz to 30MHz, this measurement was performed with EUT powered by an AC adaptor with 110V AC 60Hz supply.

### 6.1.1 Test Setup Configuration



## 6.2 Radiated Emission Test

### Frequency Range 9 kHz - 30 MHz

#### Test performed as per ANSI C63.4-2014 section 8.3

The loop Antenna was placed at 1m above the ground plane & EUT is 3 meters far from the measuring antenna. With 3m measurement distance, correction data were applied to the measured results. The test arrangement, measuring antenna guidelines and operational configurations in 8.2.1 and 8.2.2, shall be followed. The measurement antenna shall be positioned with its plane perpendicular to the ground at the Specified distance, when perpendicular to the ground plane, the lowest height of the magnetic antenna shall be 1 m above the ground and shall be positioned at the specified distance from the EUT. EUT & its associates are placed on non-conducting table of 0.8m height which is placed on the turn table, For each measurement antenna alignment, the EUT shall be rotated through 0° to 360° on a turntable. The report shall list worst case emission results, for each of the parallel & perpendicular orientations.

#### 6.2.1 Test Setup Configuration




Figure 1: Frequency Range 9 kHz- 30 MHz




Figure 2: Frequency Range 30 MHz – 200 MHz




**Figure 3: Frequency Range 200 MHz - 1GHz**




**Figure 4: Frequency Range above 1 GHz**

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 15 von 94

Page 15 of 94

**Frequency Range 30MHz to 10<sup>th</sup> harmonics of the highest fundamental frequency**

**Test performed as per ANSI C63.26-2015**

Radiated spurious emission test are performed as below.

All the radiated emission measurements are performed in accordance with common requirement specified in 5.5.2 and Pre-test site path loss correction factors are used to adjust the EUT emission data in place of two step substitution method (as defined in Annex B of ANSI C63.26-2015).

The equipment under test is placed on non-conductive table at 3m away from the receive antenna in accordance with above mentioned standard. Turn table is rotated through 360 degree, and receiver antenna height is varied in order to determine the level of maximum emission. The maximum emission level and position of the maximized emission is recorded with use of spectrum analyzer.

**Using pre-test site path loss to determine EUT emission power:**

- 1) EUT emission powers are calculated using the following equation:

$$\text{Emission Power} = \text{EUT}_{\text{Prec}} [\text{dBm EIRP/ ERP}] + P_L [\text{dB}]$$


Where

$\text{EUT}_{\text{Prec}}$  = power of the emission measured at the test receiver during EUT measurements.


$P_L$  = path loss determined on the frequency of the EUT emission or calculated Using linear interpolation between site characterization frequencies.

- 2) This is the level to be compared against the regulatory limit as it is the emission power referenced back to the EUT on the test site.

### Test site-up for radiated measurements



### Substitution method set-up for radiated emission



## 7 TEST RESULTS


### 7.1 Conducted Output Average Power

**Result**

**Pass**

|                            |                                                                                         |
|----------------------------|-----------------------------------------------------------------------------------------|
| Test Specification         | FCC Part §2.1046, §22.913(a)(5), §24.232(c), §27.50(d)(4), §27.50(b)(10), §27.50(c)(10) |
| Test Method / Procedure    | ANSI C63.26-2015<br>971168 D01 Power Meas License Digital Systems v03r01                |
| Measurement Bandwidth(RBW) | ≥ OBW                                                                                   |
| Detector function          | Peak / Average                                                                          |
| Requirement                | NA                                                                                      |

**Test Setup:**



**Environmental conditions:**

Temperature (Norm) = + 22.3 °C

Voltage = 110V AC 60Hz

Relative humidity = 62 %

**KDB Guidelines applied:**

Measurements were made as per section 5.1.3, section 5.2.4 and section 5.7.3 in KDB 971168 D01 Power Meas License Digital Systems v03r01.

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 18 von 94  
Page 18 of 94

**Test results:**

**Note:**

1. All the losses are included during measurement and final values are mentioned in the test report.
2. RF Output power (dBm) = Measured power (dBm) + Attenuator factor (30dB) + Power Splitter (6 dB) + Cable loss (1dB)
3. This product do not support additional beamforming gain / directional gain, it uses single antenna and hence directional gain of the single antenna is Refer Clause 3.3.

**Table 6: Conducted Power test results**

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 2        | 18607        | 1850.7                  | 1.4                  | 21.96                        | 25.30                     | 20.93                        | 25.22                     |
|          |              |                         |                      | 19.96                        | 22.68                     | 19.82                        | 25.26                     |
|          | 18900        | 1880                    |                      | 21.68                        | 25.20                     | 20.43                        | 22.98                     |
|          |              |                         |                      | 19.51                        | 22.50                     | 19.64                        | 25.12                     |
|          | 19193        | 1909.3                  | 3                    | 21.65                        | 25.08                     | 20.02                        | 22.91                     |
|          |              |                         |                      | 19.68                        | 22.52                     | 19.56                        | 22.90                     |
|          | 18615        | 1851.5                  |                      | 21.11                        | 27.53                     | 21.52                        | 28.46                     |
|          |              |                         |                      | 21.11                        | 28.15                     | 21.60                        | 29.05                     |
|          | 18900        | 1880                    | 5                    | 21.22                        | 27.72                     | 21.08                        | 28.51                     |
|          |              |                         |                      | 22.04                        | 29.02                     | 21.36                        | 29.12                     |
|          | 19185        | 1908.5                  |                      | 21.16                        | 27.44                     | 22.94                        | 28.07                     |
|          |              |                         |                      | 22.00                        | 28.99                     | 21.20                        | 28.96                     |
|          | 18625        | 1852.5                  | 10                   | 21.19                        | 27.60                     | 21.26                        | 27.70                     |
|          |              |                         |                      | 22.05                        | 29.08                     | 22.19                        | 29.12                     |
|          | 18900        | 1880                    |                      | 21.31                        | 27.71                     | 21.39                        | 27.74                     |
|          |              |                         |                      | 22.04                        | 28.99                     | 21.29                        | 28.27                     |
|          | 19175        | 1907.5                  | 15                   | 22.99                        | 27.48                     | 21.30                        | 28.16                     |
|          |              |                         |                      | 22.08                        | 28.91                     | 21.20                        | 29.05                     |
|          | 18650        | 1855                    |                      | 22.88                        | 27.04                     | 22.79                        | 27.60                     |
|          |              |                         |                      | 22.98                        | 27.89                     | 21.38                        | 29.22                     |
|          | 18900        | 1880                    | 20                   | 21.09                        | 27.99                     | 21.88                        | 28.60                     |
|          |              |                         |                      | 21.10                        | 27.57                     | 21.61                        | 28.95                     |
|          | 19150        | 1905                    |                      | 21.19                        | 27.53                     | 22.38                        | 27.55                     |
|          |              |                         |                      | 22.15                        | 28.91                     | 21.46                        | 28.80                     |
|          | 18675        | 1857.5                  | 25                   | 22.36                        | 27.28                     | 21.16                        | 27.56                     |
|          |              |                         |                      | 22.22                        | 29.21                     | 22.10                        | 29.18                     |
|          | 18900        | 1880                    |                      | 21.35                        | 27.80                     | 21.25                        | 27.65                     |
|          |              |                         |                      | 21.27                        | 28.34                     | 22.07                        | 29.15                     |
|          | 19125        | 1902.4                  | 30                   | 21.04                        | 27.55                     | 21.00                        | 27.47                     |
|          |              |                         |                      | 22.10                        | 29.16                     | 22.08                        | 29.09                     |
|          | 18700        | 1860                    |                      | 22.27                        | 27.44                     | 21.35                        | 27.87                     |
|          |              |                         |                      | 21.41                        | 27.94                     | 21.16                        | 28.63                     |
|          | 18900        | 1880                    | 35                   | 21.42                        | 27.82                     | 21.22                        | 27.77                     |
|          |              |                         |                      | 21.18                        | 28.41                     | 22.10                        | 29.30                     |
|          | 19100        | 1900                    |                      | 21.12                        | 27.63                     | 21.29                        | 27.63                     |
|          |              |                         |                      | 21.12                        | 27.71                     | 22.13                        | 29.19                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 19 von 94  
Page 19 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 4        | 19957        | 1710.7                  | 1.4                  | <b>21.92</b>                 | 25.67                     | 20.82                        | 25.36                     |
|          |              |                         |                      | 19.61                        | 22.72                     | 19.53                        | 25.31                     |
|          | 20175        | 1732.5                  |                      | 21.73                        | 25.33                     | 20.17                        | 25.27                     |
|          |              |                         |                      | 19.61                        | 22.86                     | 19.41                        | 25.12                     |
|          | 20393        | 1754.3                  |                      | 21.88                        | 25.43                     | 20.98                        | 25.32                     |
|          |              |                         |                      | 19.97                        | 25.18                     | 19.91                        | 25.52                     |
|          | 19965        | 1711.5                  | 3                    | 22.47                        | 26.90                     | 22.78                        | 28.21                     |
|          |              |                         |                      | 21.87                        | 28.98                     | 22.03                        | 29.77                     |
|          | 20175        | 1732.5                  |                      | <b>22.84</b>                 | 27.45                     | 22.95                        | 28.22                     |
|          |              |                         |                      | 21.88                        | 29.10                     | 21.85                        | 29.67                     |
|          | 20385        | 1753.5                  |                      | 22.80                        | 27.33                     | 22.86                        | 28.07                     |
|          |              |                         |                      | 21.84                        | 29.04                     | 22.04                        | 29.81                     |
|          | 19975        | 1712.5                  | 5                    | <b>22.52</b>                 | 27.18                     | 22.95                        | 27.94                     |
|          |              |                         |                      | 21.46                        | 28.52                     | 21.44                        | 29.36                     |
|          | 20175        | 1732.5                  |                      | 22.52                        | 27.08                     | 22.88                        | 27.96                     |
|          |              |                         |                      | 21.37                        | 28.54                     | 21.46                        | 29.39                     |
|          | 20375        | 1752.5                  |                      | 21.44                        | 28.00                     | 22.65                        | 27.79                     |
|          |              |                         |                      | 21.57                        | 28.65                     | 21.50                        | 29.38                     |
|          | 20000        | 1715                    | 10                   | 21.09                        | 28.05                     | 22.75                        | 28.01                     |
|          |              |                         |                      | 21.81                        | 29.29                     | 21.76                        | 29.22                     |
|          | 20175        | 1732.5                  |                      | 21.10                        | 28.04                     | 21.10                        | 28.03                     |
|          |              |                         |                      | 21.76                        | 29.22                     | 22.71                        | 28.30                     |
|          | 20350        | 1750                    |                      | <b>22.58</b>                 | 27.84                     | 22.48                        | 27.75                     |
|          |              |                         |                      | 21.71                        | 29.13                     | 21.63                        | 29.04                     |
|          | 20025        | 1717.5                  | 15                   | <b>22.60</b>                 | 27.16                     | 22.86                        | 28.11                     |
|          |              |                         |                      | 21.42                        | 28.71                     | 21.73                        | 29.47                     |
|          | 20175        | 1732.5                  |                      | 21.52                        | 28.04                     | 21.10                        | 28.07                     |
|          |              |                         |                      | 21.35                        | 28.77                     | 21.43                        | 29.41                     |
|          | 20325        | 1747.5                  |                      | 22.30                        | 26.90                     | 22.56                        | 27.88                     |
|          |              |                         |                      | 21.45                        | 28.70                     | 21.62                        | 29.37                     |
|          | 20050        | 1720                    | 20                   | <b>22.63</b>                 | 27.20                     | 22.88                        | 28.16                     |
|          |              |                         |                      | 21.42                        | 28.67                     | 21.65                        | 29.55                     |
|          | 20175        | 1732.5                  |                      | 22.47                        | 27.17                     | 21.16                        | 28.11                     |
|          |              |                         |                      | 21.38                        | 28.88                     | 21.52                        | 29.44                     |
|          | 20300        | 1745                    |                      | 22.30                        | 26.88                     | 22.58                        | 27.85                     |
|          |              |                         |                      | 21.41                        | 28.64                     | 21.60                        | 29.40                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 20 von 94  
Page 20 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) QPSK | Peak Measured Power (dBm) QPSK | Average Measured Power (dBm) 16QAM | Peak Measured Power (dBm) 16QAM |
|----------|--------------|-------------------------|----------------------|-----------------------------------|--------------------------------|------------------------------------|---------------------------------|
| 5        | 20407        | 824.7                   | 1.4                  | 22.40                             | 26.29                          | 21.44                              | 26.16                           |
|          |              |                         |                      | 20.53                             | 25.57                          | 20.32                              | 25.87                           |
|          | 20525        | 836.5                   |                      | 22.15                             | 26.10                          | 21.60                              | 26.06                           |
|          |              |                         |                      | 20.10                             | 25.20                          | 20.22                              | 25.76                           |
|          | 20643        | 848.3                   |                      | 22.58                             | 26.51                          | 21.76                              | 26.53                           |
|          |              |                         |                      | 20.47                             | 25.37                          | 20.64                              | 26.05                           |
|          | 20415        | 825.5                   | 3                    | 22.93                             | 27.45                          | 22.88                              | 28.31                           |
|          |              |                         |                      | 21.71                             | 29.00                          | 22.05                              | 29.82                           |
|          | 20525        | 836.5                   |                      | 22.66                             | 27.26                          | 22.74                              | 28.21                           |
|          |              |                         |                      | 21.53                             | 28.80                          | 21.75                              | 29.70                           |
|          | 20635        | 847.5                   |                      | 22.72                             | 27.29                          | 22.96                              | 28.31                           |
|          |              |                         |                      | 21.99                             | 29.17                          | 22.01                              | 20.02                           |
|          | 20425        | 826.5                   | 5                    | 21.03                             | 27.48                          | 22.86                              | 28.21                           |
|          |              |                         |                      | 21.69                             | 28.90                          | 21.92                              | 29.64                           |
|          | 20525        | 836.5                   |                      | 22.89                             | 27.38                          | 21.21                              | 28.13                           |
|          |              |                         |                      | 21.47                             | 28.76                          | 21.83                              | 29.69                           |
|          | 20625        | 846.5                   |                      | 22.96                             | 27.12                          | 22.13                              | 27.44                           |
|          |              |                         |                      | 22.03                             | 29.28                          | 21.34                              | 29.21                           |
|          | 20450        | 829                     | 10                   | 22.77                             | 27.20                          | 21.16                              | 28.34                           |
|          |              |                         |                      | 21.41                             | 28.45                          | 22.16                              | 29.42                           |
|          | 20525        | 836.5                   |                      | 22.83                             | 27.05                          | 21.52                              | 28.40                           |
|          |              |                         |                      | 21.77                             | 28.61                          | 22.05                              | 29.35                           |
|          | 20600        | 844                     |                      | 22.92                             | 27.43                          | 21.22                              | 28.40                           |
|          |              |                         |                      | 21.95                             | 28.83                          | 21.38                              | 28.77                           |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 21 von 94  
Page 21 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 12       | 23017        | 699.7                   | 1.4                  | 22.16                        | 26.25                     | 21.79                        | 26.38                     |
|          |              |                         |                      | 20.12                        | 21.85                     | 19.86                        | 25.66                     |
|          | 23095        | 707.5                   |                      | 22.08                        | 26.19                     | 20.78                        | 25.73                     |
|          |              |                         |                      | 19.82                        | 21.92                     | 19.83                        | 25.54                     |
|          | 23173        | 715.3                   |                      | 22.10                        | 26.21                     | 21.26                        | 25.85                     |
|          |              |                         |                      | 19.98                        | 25.02                     | 19.90                        | 25.59                     |
|          | 23025        | 700.5                   | 3                    | 22.35                        | 27.73                     | 22.15                        | 29.61                     |
|          |              |                         |                      | 22.17                        | 28.29                     | 22.36                        | 29.22                     |
|          | 23095        | 707.5                   |                      | 22.29                        | 27.61                     | 22.58                        | 28.68                     |
|          |              |                         |                      | 22.20                        | 28.36                     | 21.19                        | 29.13                     |
|          | 23165        | 714.5                   |                      | 22.53                        | 26.95                     | 22.30                        | 27.82                     |
|          |              |                         |                      | 22.66                        | 28.84                     | 22.82                        | 29.59                     |
|          | 23035        | 701.5                   | 5                    | 22.45                        | 26.87                     | 22.11                        | 27.71                     |
|          |              |                         |                      | 22.34                        | 28.46                     | 22.44                        | 29.25                     |
|          | 23095        | 707.5                   |                      | 22.45                        | 26.70                     | 22.91                        | 27.89                     |
|          |              |                         |                      | 22.30                        | 28.57                     | 22.52                        | 29.27                     |
|          | 23155        | 713.5                   |                      | 22.71                        | 27.08                     | 22.51                        | 27.85                     |
|          |              |                         |                      | 22.81                        | 28.85                     | 22.90                        | 29.53                     |
|          | 23060        | 704                     | 10                   | 22.80                        | 27.96                     | 22.68                        | 27.82                     |
|          |              |                         |                      | 22.80                        | 29.14                     | 22.68                        | 29.03                     |
|          | 23095        | 707.5                   |                      | 22.62                        | 26.73                     | 22.14                        | 27.93                     |
|          |              |                         |                      | 22.63                        | 28.44                     | 22.77                        | 29.15                     |
|          | 23130        | 711                     |                      | 22.61                        | 27.00                     | 22.74                        | 27.88                     |
|          |              |                         |                      | 22.71                        | 28.50                     | 22.89                        | 29.17                     |

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 13       | 23025        | 779.5                   | 5                    | 22.53                        | 26.51                     | 22.07                        | 27.78                     |
|          |              |                         |                      | 21.22                        | 28.10                     | 22.62                        | 29.18                     |
|          | 23230        | 782                     |                      | 22.57                        | 26.63                     | 22.15                        | 27.72                     |
|          |              |                         |                      | 22.25                        | 28.09                     | 22.60                        | 29.16                     |
|          | 23255        | 784.5                   |                      | 21.07                        | 27.21                     | 22.42                        | 27.56                     |
|          |              |                         |                      | 21.29                        | 28.40                     | 22.63                        | 29.04                     |
|          | 23230        | 782                     | 10                   | 22.52                        | 26.76                     | 22.05                        | 27.42                     |
|          |              |                         |                      | 22.41                        | 27.86                     | 22.52                        | 28.77                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 22 von 94  
Page 22 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 25       | 26047        | 1850.7                  | 1.4                  | 21.82                        | 25.30                     | 20.58                        | 25.08                     |
|          |              |                         |                      | 19.65                        | 22.57                     | 19.79                        | 25.21                     |
|          | 26365        | 1882.5                  |                      | 21.64                        | 25.18                     | 20.32                        | 22.90                     |
|          |              |                         |                      | 19.46                        | 22.48                     | 19.37                        | 22.90                     |
|          | 26683        | 1914.3                  |                      | 21.68                        | 25.07                     | 20.26                        | 22.79                     |
|          |              |                         |                      | 19.38                        | 22.30                     | 19.42                        | 22.78                     |
|          | 26055        | 1851.5                  | 3                    | 22.58                        | 26.95                     | 22.37                        | 27.69                     |
|          |              |                         |                      | 21.39                        | 28.45                     | 21.60                        | 29.22                     |
|          | 26365        | 1882.5                  |                      | 21.20                        | 27.74                     | 21.63                        | 28.56                     |
|          |              |                         |                      | 21.39                        | 28.53                     | 21.37                        | 29.10                     |
|          | 26675        | 1913.5                  |                      | 22.99                        | 27.43                     | 21.41                        | 28.40                     |
|          |              |                         |                      | 21.25                        | 28.20                     | 21.25                        | 28.97                     |
|          | 26065        | 1852.5                  | 5                    | 22.27                        | 26.65                     | 21.05                        | 28.37                     |
|          |              |                         |                      | 21.57                        | 28.45                     | 21.65                        | 29.36                     |
|          | 26365        | 1882.5                  |                      | 21.16                        | 27.51                     | 21.13                        | 28.29                     |
|          |              |                         |                      | 21.92                        | 28.99                     | 21.92                        | 29.44                     |
|          | 26665        | 1912.5                  |                      | 22.80                        | 27.21                     | 22.94                        | 27.97                     |
|          |              |                         |                      | 21.96                        | 29.04                     | 21.81                        | 29.30                     |
|          | 26090        | 1855                    | 10                   | 21.21                        | 27.57                     | 22.47                        | 27.66                     |
|          |              |                         |                      | 22.14                        | 28.94                     | 21.50                        | 28.84                     |
|          | 26365        | 1882.5                  |                      | 21.02                        | 27.07                     | 21.68                        | 28.40                     |
|          |              |                         |                      | 21.98                        | 28.70                     | 21.29                        | 28.95                     |
|          | 26640        | 1910                    |                      | 22.77                        | 27.19                     | 21.09                        | 28.10                     |
|          |              |                         |                      | 21.81                        | 28.54                     | 22.33                        | 29.25                     |
|          | 26115        | 1857.5                  | 15                   | 21.22                        | 27.61                     | 21.46                        | 28.52                     |
|          |              |                         |                      | 22.03                        | 29.15                     | 21.31                        | 29.02                     |
|          | 26365        | 1882.5                  |                      | 21.11                        | 27.14                     | 21.58                        | 28.42                     |
|          |              |                         |                      | 21.99                        | 29.01                     | 21.08                        | 28.86                     |
|          | 26615        | 1907.5                  |                      | 22.80                        | 27.19                     | 21.05                        | 28.17                     |
|          |              |                         |                      | 21.72                        | 28.82                     | 22.14                        | 29.42                     |
|          | 26140        | 1860                    | 20                   | 21.17                        | 27.56                     | 21.50                        | 28.48                     |
|          |              |                         |                      | 22.07                        | 29.09                     | 21.16                        | 29.01                     |
|          | 26365        | 1882.5                  |                      | 21.05                        | 27.15                     | 21.39                        | 28.40                     |
|          |              |                         |                      | 21.90                        | 28.99                     | 22.17                        | 29.61                     |
|          | 26590        | 1905                    |                      | 22.68                        | 27.13                     | 21.03                        | 28.13                     |
|          |              |                         |                      | 21.84                        | 28.85                     | 22.17                        | 29.43                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 23 von 94  
Page 23 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) QPSK | Peak Measured Power (dBm) QPSK | Average Measured Power (dBm) 16QAM | Peak Measured Power (dBm) 16QAM |
|----------|--------------|-------------------------|----------------------|-----------------------------------|--------------------------------|------------------------------------|---------------------------------|
| 26       | 26797        | 814.7                   | 1.4                  | 22.98                             | 26.71                          | 22.43                              | 26.72                           |
|          |              |                         |                      | 20.86                             | 25.43                          | 20.70                              | 25.89                           |
|          | 26915        | 831.4                   |                      | 22.51                             | 26.31                          | 21.66                              | 26.26                           |
|          |              |                         |                      | 20.40                             | 25.10                          | 20.39                              | 25.75                           |
|          | 27033        | 848.2                   |                      | 21.05                             | 26.82                          | 22.39                              | 26.55                           |
|          |              |                         |                      | 21.19                             | 25.89                          | 21.20                              | 26.55                           |
|          | 26805        | 815.5                   | 3                    | 21.18                             | 27.63                          | 21.28                              | 28.22                           |
|          |              |                         |                      | 22.10                             | 29.05                          | 21.17                              | 28.89                           |
|          | 26915        | 831.4                   |                      | 21.09                             | 27.35                          | 21.21                              | 28.21                           |
|          |              |                         |                      | 21.60                             | 28.78                          | 21.72                              | 29.51                           |
|          | 27025        | 847.4                   |                      | 21.05                             | 27.33                          | 22.72                              | 27.90                           |
|          |              |                         |                      | 21.97                             | 29.16                          | 21.09                              | 28.87                           |
|          | 26815        | 816.5                   | 5                    | 21.20                             | 27.55                          | 21.55                              | 28.57                           |
|          |              |                         |                      | 21.74                             | 28.91                          | 21.35                              | 29.01                           |
|          | 26915        | 831.4                   |                      | 21.02                             | 27.39                          | 21.32                              | 28.21                           |
|          |              |                         |                      | 21.53                             | 28.49                          | 21.70                              | 29.43                           |
|          | 27015        | 846.5                   |                      | 22.93                             | 27.36                          | 21.11                              | 28.28                           |
|          |              |                         |                      | 21.82                             | 29.15                          | 21.36                              | 29.07                           |
|          | 26840        | 819                     | 10                   | 22.67                             | 26.20                          | 22.98                              | 27.01                           |
|          |              |                         |                      | 22.58                             | 26.76                          | 21.76                              | 26.65                           |
|          | 26915        | 831.4                   |                      | 22.37                             | 25.98                          | 22.65                              | 26.83                           |
|          |              |                         |                      | 22.56                             | 26.80                          | 21.55                              | 26.51                           |
|          | 26990        | 843.9                   |                      | 22.40                             | 26.28                          | 22.80                              | 27.20                           |
|          |              |                         |                      | 22.34                             | 27.39                          | 22.21                              | 27.02                           |
|          | 26765        | 821.5                   | 15                   | 22.72                             | 26.39                          | 21.45                              | 28.59                           |
|          |              |                         |                      | 22.59                             | 28.94                          | 22.38                              | 27.97                           |
|          | 26915        | 831.4                   |                      | 22.93                             | 27.30                          | 21.20                              | 28.28                           |
|          |              |                         |                      | 21.68                             | 29.13                          | 22.04                              | 29.71                           |
|          | 26965        | 841.4                   |                      | 22.46                             | 26.85                          | 22.98                              | 27.88                           |
|          |              |                         |                      | 21.56                             | 28.89                          | 21.77                              | 29.48                           |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 24 von 94  
Page 24 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 66       | 131979       | 1710.7                  | 1.4                  | 21.96                        | 25.70                     | 19.82                        | 24.78                     |
|          |              |                         |                      | 19.76                        | 24.78                     | 19.92                        | 25.39                     |
|          | 132322       | 1745                    |                      | 21.72                        | 25.60                     | 20.78                        | 25.34                     |
|          |              |                         |                      | 19.60                        | 24.78                     | 19.49                        | 25.20                     |
|          | 132665       | 1770.3                  |                      | 21.20                        | 25.22                     | 20.54                        | 25.23                     |
|          |              |                         |                      | 19.31                        | 24.27                     | 19.39                        | 24.79                     |
|          | 131987       | 1711.5                  | 3                    | 22.27                        | 27.92                     | 22.58                        | 28.68                     |
|          |              |                         |                      | 22.30                        | 28.39                     | 22.46                        | 29.23                     |
|          | 132322       | 1745                    |                      | 22.08                        | 29.10                     | 22.33                        | 27.80                     |
|          |              |                         |                      | 22.44                        | 27.94                     | 22.70                        | 28.55                     |
|          | 132657       | 1778.5                  |                      | 22.32                        | 27.99                     | 22.95                        | 28.19                     |
|          |              |                         |                      | 22.01                        | 27.88                     | 22.71                        | 29.66                     |
|          | 131997       | 1712.5                  | 5                    | 22.49                        | 28.00                     | 22.68                        | 28.00                     |
|          |              |                         |                      | 22.26                        | 28.34                     | 22.54                        | 29.36                     |
|          | 132322       | 1745                    |                      | 22.44                        | 27.94                     | 22.78                        | 28.46                     |
|          |              |                         |                      | 21.32                        | 28.34                     | 22.87                        | 29.69                     |
|          | 132647       | 1777.5                  |                      | 22.04                        | 27.60                     | 22.15                        | 28.45                     |
|          |              |                         |                      | 21.22                        | 28.38                     | 22.27                        | 29.26                     |
|          | 132022       | 1715                    | 10                   | 22.15                        | 25.79                     | 22.10                        | 25.91                     |
|          |              |                         |                      | 22.03                        | 25.90                     | 21.03                        | 25.77                     |
|          | 132322       | 1745                    |                      | 21.83                        | 25.46                     | 21.65                        | 25.71                     |
|          |              |                         |                      | 21.80                        | 25.80                     | 20.77                        | 25.70                     |
|          | 132622       | 1775                    |                      | 22.08                        | 25.65                     | 22.05                        | 25.76                     |
|          |              |                         |                      | 21.83                        | 25.74                     | 20.98                        | 25.68                     |
|          | 132047       | 1717.5                  | 15                   | 21.45                        | 27.99                     | 22.98                        | 27.98                     |
|          |              |                         |                      | 22.36                        | 28.61                     | 22.02                        | 28.00                     |
|          | 132322       | 1745                    |                      | 22.38                        | 26.98                     | 22.74                        | 27.97                     |
|          |              |                         |                      | 21.25                        | 28.61                     | 22.64                        | 28.01                     |
|          | 132597       | 1772.5                  |                      | 22.11                        | 27.63                     | 22.65                        | 27.97                     |
|          |              |                         |                      | 22.19                        | 28.51                     | 22.45                        | 29.28                     |
|          | 132072       | 1720                    | 20                   | 22.34                        | 27.96                     | 22.7                         | 28.97                     |
|          |              |                         |                      | 22.35                        | 28.76                     | 22.53                        | 29.48                     |
|          | 132322       | 1745                    |                      | 22.38                        | 28.03                     | 22.92                        | 28.09                     |
|          |              |                         |                      | 21.31                        | 28.78                     | 22.49                        | 29.43                     |
|          | 132572       | 1770                    |                      | 22.91                        | 27.63                     | 22.71                        | 28.58                     |
|          |              |                         |                      | 22.13                        | 28.32                     | 22.42                        | 29.29                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 25 von 94  
Page 25 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | Average Measured Power (dBm) | Peak Measured Power (dBm) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|------------------------------|---------------------------|
|          |              |                         |                      | QPSK                         | QPSK                      | 16QAM                        | 16QAM                     |
| 85       | 134027       | 700.5                   | 5                    | 22.67                        | 27.72                     | 22.61                        | 27.63                     |
|          |              |                         |                      | 22.50                        | 29.17                     | 22.38                        | 29.09                     |
|          | 134092       | 707                     |                      | 22.79                        | 27.66                     | 22.64                        | 27.70                     |
|          |              |                         |                      | 22.57                        | 29.15                     | 22.18                        | 29.10                     |
|          | 134157       | 713.5                   |                      | 22.83                        | 27.60                     | 22.96                        | 27.76                     |
|          |              |                         |                      | 22.61                        | 29.28                     | 22.51                        | 29.32                     |
|          | 134052       | 703                     | 10                   | 22.48                        | 26.70                     | 22.03                        | 27.62                     |
|          |              |                         |                      | 22.34                        | 27.83                     | 22.53                        | 27.83                     |
|          | 134092       | 707                     |                      | 22.49                        | 27.71                     | 22.11                        | 27.71                     |
|          |              |                         |                      | 22.45                        | 26.95                     | 22.72                        | 28.00                     |
|          | 134132       | 711                     |                      | 22.46                        | 27.66                     | 22.78                        | 27.70                     |
|          |              |                         |                      | 22.58                        | 27.21                     | 22.92                        | 28.10                     |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 26 von 94  
Page 26 of 94

**GSM Test Results:**

|              |         | Conducted Power (dBm) |             |              |
|--------------|---------|-----------------------|-------------|--------------|
| GSM 850      |         | Channel 128           | Channel 190 | Channel 251  |
|              |         | 824.2 (MHz)           | 836.6 (MHz) | 848.8 (MHz)  |
| GPRS (GMSK)  | 1TXslot | 32.54                 | 32.81       | 32.88        |
|              | 2TXslot | 32.79                 | 32.68       | 32.88        |
|              | 3TXslot | 32.80                 | 32.67       | 32.89        |
|              | 4TXslot | 32.82                 | 32.70       | <b>32.93</b> |
| EGPRS (8PSK) | 1TXslot | 32.59                 | 32.78       | <b>32.96</b> |
|              | 2TXslot | 32.53                 | 32.78       | 32.96        |
|              | 3TXslot | 32.90                 | 32.77       | 32.95        |
|              | 4TXslot | 32.90                 | 32.76       | 32.95        |

|              |         | Conducted Power (dBm) |             |              |
|--------------|---------|-----------------------|-------------|--------------|
| GSM 1900     |         | Channel Number 512    | Channel 661 | Channel 810  |
|              |         | 1850.2 (MHz)          | 1880 (MHz)  | 1909.8 (MHz) |
| GPRS (GMSK)  | 1TXslot | 28.72                 | 28.10       | 28.30        |
|              | 2TXslot | <b>28.78</b>          | 28.10       | 28.33        |
|              | 3TXslot | 28.75                 | 28.14       | 28.34        |
|              | 4TXslot | 28.77                 | 28.18       | 28.34        |
| EGPRS (8PSK) | 1TXslot | 28.68                 | 28.04       | 28.25        |
|              | 2TXslot | 28.69                 | 28.03       | 28.27        |
|              | 3TXslot | <b>28.80</b>          | 28.16       | 28.32        |
|              | 4TXslot | 28.70                 | 28.05       | 28.27        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 27 von 94  
Page 27 of 94


## 7.2 Peak to Average Power Ratio (PAPR)

### Result

### Pass

|                            |                                                                                         |
|----------------------------|-----------------------------------------------------------------------------------------|
| Test Specification         | FCC Part §2.1046, §22.913(a)(5), §24.232(c), §27.50(d)(4), §27.50(b)(10), §27.50(c)(10) |
| Test Method / Procedure    | ANSI C63.26-2015<br>971168 D01 Power Meas License Digital Systems v03r01                |
| Measurement Bandwidth(RBW) | ≥ OBW                                                                                   |
| Detector function          | Peak / Average                                                                          |
| Requirement                | PAPR ≤ 13dB                                                                             |

### Test Setup:



### Environmental conditions:

Temperature (Norm) = + 22.3 °C

Voltage = 110V AC 60Hz

Relative humidity = 62 %

### KDB Guidelines applied:

Measurements were made as per section 5.1.3, section 5.2.4 and section 5.7.3 in KDB 971168 D01 Power Meas License Digital Systems v03r01.

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 28 von 94

Page 28 of 94

**Test results:**

**Note:**

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Total Average Output power (dBm) = Measured Average power (dBm) + Attenuator factor (30dB) + Power Splitter (6 dB) + Cable loss (1dB)
3. This product do not support additional beamforming gain / directional gain, it uses single antenna and hence directional gain of the single antenna is Refer Clause 3.3.
4. PAPR (dB) = Measured peak power (dBm) – Measured average power (dBm)

**Table 7: PAPR test results**

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 2        | 18607        | 1850.7                  | 1.4                  | 21.96                        | 25.30                     | 3.34      | ≤13        |
|          |              |                         |                      | 19.96                        | 24.68                     | 4.72      | ≤13        |
|          | 18900        | 1880                    |                      | 21.68                        | 25.20                     | 3.52      | ≤13        |
|          |              |                         |                      | 19.51                        | 24.50                     | 4.99      | ≤13        |
|          | 19193        | 1909.3                  |                      | 21.65                        | 25.08                     | 3.43      | ≤13        |
|          |              |                         |                      | 19.68                        | 24.52                     | 4.84      | ≤13        |
|          | 18615        | 1851.5                  | 3                    | 23.11                        | 27.53                     | 4.42      | ≤13        |
|          |              |                         |                      | 23.11                        | 28.15                     | 5.04      | ≤13        |
|          | 18900        | 1880                    |                      | 23.24                        | 27.72                     | 4.48      | ≤13        |
|          |              |                         |                      | 24.04                        | 29.02                     | 4.98      | ≤13        |
|          | 19185        | 1908.5                  |                      | 23.16                        | 27.44                     | 4.28      | ≤13        |
|          |              |                         |                      | 24.00                        | 28.99                     | 4.99      | ≤13        |
|          | 18625        | 1852.5                  | 5                    | 23.19                        | 27.60                     | 4.41      | ≤13        |
|          |              |                         |                      | 24.05                        | 29.08                     | 5.03      | ≤13        |
|          | 18900        | 1880                    |                      | 23.31                        | 27.71                     | 4.40      | ≤13        |
|          |              |                         |                      | 24.04                        | 28.99                     | 4.95      | ≤13        |
|          | 19175        | 1907.5                  |                      | 22.99                        | 27.48                     | 4.49      | ≤13        |
|          |              |                         |                      | 24.08                        | 28.91                     | 4.83      | ≤13        |
|          | 18650        | 1855                    | 10                   | 22.88                        | 27.04                     | 4.16      | ≤13        |
|          |              |                         |                      | 22.98                        | 27.89                     | 4.91      | ≤13        |
|          | 18900        | 1880                    |                      | 23.09                        | 27.99                     | 4.90      | ≤13        |
|          |              |                         |                      | 23.10                        | 27.57                     | 4.47      | ≤13        |
|          | 19150        | 1905                    |                      | 23.19                        | 27.53                     | 4.34      | ≤13        |
|          |              |                         |                      | 24.15                        | 28.91                     | 4.76      | ≤13        |
|          | 18675        | 1857.5                  | 15                   | 24.12                        | 27.28                     | 2.92      | ≤13        |
|          |              |                         |                      | 24.22                        | 29.21                     | 4.99      | ≤13        |
|          | 18900        | 1880                    |                      | 23.35                        | 27.8                      | 4.45      | ≤13        |
|          |              |                         |                      | 23.27                        | 28.34                     | 5.07      | ≤13        |
|          | 19125        | 1902.4                  |                      | 23.04                        | 27.55                     | 4.51      | ≤13        |
|          |              |                         |                      | 24.10                        | 29.16                     | 5.06      | ≤13        |
|          | 18700        | 1860                    | 20                   | 22.27                        | 27.44                     | 5.17      | ≤13        |
|          |              |                         |                      | 23.41                        | 27.94                     | 4.53      | ≤13        |
|          | 18900        | 1880                    |                      | 23.42                        | 27.82                     | 4.40      | ≤13        |
|          |              |                         |                      | 23.18                        | 28.41                     | 5.23      | ≤13        |
|          | 19100        | 1900                    |                      | 23.12                        | 27.63                     | 4.51      | ≤13        |
|          |              |                         |                      | 23.12                        | 27.71                     | 4.59      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 29 von 94  
Page 29 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR(dB) | Limit(dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|----------|-----------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |          |           |
| 2        | 18607        | 1850.7                  | 1.4                  | 20.93                        | 25.22                     | 4.29     | ≤13       |
|          |              |                         |                      | 19.82                        | 25.26                     | 5.44     | ≤13       |
|          | 18900        | 1880                    |                      | 20.43                        | 24.98                     | 4.55     | ≤13       |
|          |              |                         |                      | 19.64                        | 25.12                     | 5.48     | ≤13       |
|          | 19193        | 1909.3                  |                      | 20.02                        | 24.91                     | 4.89     | ≤13       |
|          |              |                         |                      | 19.56                        | 24.90                     | 5.34     | ≤13       |
|          | 18615        | 1851.5                  | 3                    | 23.52                        | 28.46                     | 4.94     | ≤13       |
|          |              |                         |                      | 23.60                        | 29.05                     | 5.45     | ≤13       |
|          | 18900        | 1880                    |                      | 23.08                        | 28.51                     | 5.43     | ≤13       |
|          |              |                         |                      | 23.36                        | 29.12                     | 5.76     | ≤13       |
|          | 19185        | 1908.5                  |                      | 22.94                        | 28.07                     | 5.13     | ≤13       |
|          |              |                         |                      | 23.20                        | 28.96                     | 5.76     | ≤13       |
|          | 18625        | 1852.5                  | 5                    | 23.26                        | 27.70                     | 4.44     | ≤13       |
|          |              |                         |                      | 24.19                        | 29.12                     | 4.93     | ≤13       |
|          | 18900        | 1880                    |                      | 23.39                        | 27.74                     | 4.35     | ≤13       |
|          |              |                         |                      | 23.29                        | 28.27                     | 4.98     | ≤13       |
|          | 19175        | 1907.5                  |                      | 23.30                        | 28.16                     | 4.86     | ≤13       |
|          |              |                         |                      | 23.20                        | 29.05                     | 5.85     | ≤13       |
|          | 18650        | 1855                    | 10                   | 22.79                        | 27.60                     | 4.81     | ≤13       |
|          |              |                         |                      | 23.38                        | 29.24                     | 5.86     | ≤13       |
|          | 18900        | 1880                    |                      | 23.88                        | 28.60                     | 4.72     | ≤13       |
|          |              |                         |                      | 23.61                        | 28.95                     | 5.34     | ≤13       |
|          | 19150        | 1905                    |                      | 22.38                        | 27.55                     | 5.17     | ≤13       |
|          |              |                         |                      | 23.46                        | 28.80                     | 5.34     | ≤13       |
|          | 18675        | 1857.5                  | 15                   | 23.16                        | 27.56                     | 4.40     | ≤13       |
|          |              |                         |                      | 24.10                        | 29.18                     | 5.08     | ≤13       |
|          | 18900        | 1880                    |                      | 23.25                        | 27.65                     | 4.40     | ≤13       |
|          |              |                         |                      | 24.07                        | 29.15                     | 5.08     | ≤13       |
|          | 19125        | 1902.4                  |                      | 23.00                        | 27.47                     | 4.47     | ≤13       |
|          |              |                         |                      | 24.08                        | 29.09                     | 5.01     | ≤13       |
|          | 18700        | 1860                    | 20                   | 23.35                        | 27.87                     | 4.52     | ≤13       |
|          |              |                         |                      | 23.16                        | 28.63                     | 5.47     | ≤13       |
|          | 18900        | 1880                    |                      | 23.24                        | 27.77                     | 4.53     | ≤13       |
|          |              |                         |                      | 24.10                        | 29.30                     | 5.20     | ≤13       |
|          | 19100        | 1900                    |                      | 23.29                        | 27.63                     | 4.34     | ≤13       |
|          |              |                         |                      | 24.13                        | 29.19                     | 5.06     | ≤13       |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 30 von 94  
Page 30 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit(dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|-----------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |           |
| 4        | 19957        | 1710.7                  | 1.4                  | 21.92                        | 25.67                     | 3.75      | ≤13       |
|          |              |                         |                      | 19.61                        | 24.72                     | 5.11      | ≤13       |
|          | 20175        | 1732.5                  |                      | 21.73                        | 25.33                     | 3.60      | ≤13       |
|          |              |                         |                      | 19.61                        | 24.86                     | 5.25      | ≤13       |
|          | 20393        | 1754.3                  |                      | 21.88                        | 25.43                     | 3.55      | ≤13       |
|          |              |                         |                      | 19.97                        | 25.18                     | 5.21      | ≤13       |
|          | 19965        | 1711.5                  | 3                    | 22.47                        | 26.90                     | 4.43      | ≤13       |
|          |              |                         |                      | 23.87                        | 28.98                     | 5.11      | ≤13       |
|          | 20175        | 1732.5                  |                      | 22.84                        | 27.45                     | 4.61      | ≤13       |
|          |              |                         |                      | 23.88                        | 29.10                     | 5.22      | ≤13       |
|          | 20385        | 1753.5                  |                      | 22.80                        | 27.33                     | 4.53      | ≤13       |
|          |              |                         |                      | 23.84                        | 29.04                     | 5.20      | ≤13       |
|          | 19975        | 1712.5                  | 5                    | 22.52                        | 27.18                     | 4.66      | ≤13       |
|          |              |                         |                      | 23.46                        | 28.52                     | 5.06      | ≤13       |
|          | 20175        | 1732.5                  |                      | 22.52                        | 27.08                     | 4.56      | ≤13       |
|          |              |                         |                      | 23.37                        | 28.54                     | 5.17      | ≤13       |
|          | 20375        | 1752.5                  |                      | 23.44                        | 28.00                     | 4.56      | ≤13       |
|          |              |                         |                      | 23.57                        | 28.65                     | 5.08      | ≤13       |
|          | 20000        | 1715                    | 10                   | 23.09                        | 28.05                     | 4.96      | ≤13       |
|          |              |                         |                      | 23.81                        | 29.29                     | 5.48      | ≤13       |
|          | 20175        | 1732.5                  |                      | 23.10                        | 28.04                     | 4.94      | ≤13       |
|          |              |                         |                      | 23.76                        | 29.24                     | 5.48      | ≤13       |
|          | 20350        | 1750                    |                      | 22.58                        | 27.84                     | 5.26      | ≤13       |
|          |              |                         |                      | 23.71                        | 29.13                     | 5.42      | ≤13       |
|          | 20025        | 1717.5                  | 15                   | 22.60                        | 27.16                     | 4.56      | ≤13       |
|          |              |                         |                      | 23.42                        | 28.71                     | 5.29      | ≤13       |
|          | 20175        | 1732.5                  |                      | 23.52                        | 28.04                     | 4.52      | ≤13       |
|          |              |                         |                      | 23.35                        | 28.77                     | 5.42      | ≤13       |
|          | 20325        | 1747.5                  |                      | 22.30                        | 26.90                     | 4.60      | ≤13       |
|          |              |                         |                      | 23.45                        | 28.70                     | 5.25      | ≤13       |
|          | 20050        | 1720                    | 20                   | 22.63                        | 27.20                     | 4.57      | ≤13       |
|          |              |                         |                      | 23.42                        | 28.67                     | 5.25      | ≤13       |
|          | 20175        | 1732.5                  |                      | 22.47                        | 27.17                     | 4.70      | ≤13       |
|          |              |                         |                      | 23.38                        | 28.88                     | 5.50      | ≤13       |
|          | 20300        | 1745                    |                      | 22.30                        | 26.88                     | 4.58      | ≤13       |
|          |              |                         |                      | 23.41                        | 28.64                     | 5.23      | ≤13       |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 31 von 94  
Page 31 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit(dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|-----------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |           |
| 4        | 19957        | 1710.7                  | 1.4                  | 20.82                        | 25.36                     | 4.54      | ≤13       |
|          |              |                         |                      | 19.53                        | 25.31                     | 5.78      | ≤13       |
|          | 20175        | 1732.5                  |                      | 20.17                        | 25.27                     | 5.10      | ≤13       |
|          |              |                         |                      | 19.41                        | 25.12                     | 5.71      | ≤13       |
|          | 20393        | 1754.3                  |                      | 20.98                        | 25.32                     | 4.34      | ≤13       |
|          |              |                         |                      | 19.91                        | 25.52                     | 5.61      | ≤13       |
|          | 19965        | 1711.5                  | 3                    | 22.78                        | 28.21                     | 5.43      | ≤13       |
|          |              |                         |                      | 24.03                        | 29.77                     | 5.74      | ≤13       |
|          | 20175        | 1732.5                  |                      | 22.95                        | 28.22                     | 5.27      | ≤13       |
|          |              |                         |                      | 23.85                        | 29.67                     | 5.82      | ≤13       |
|          | 20385        | 1753.5                  |                      | 22.86                        | 28.07                     | 5.21      | ≤13       |
|          |              |                         |                      | 24.04                        | 29.81                     | 5.77      | ≤13       |
|          | 19975        | 1712.5                  | 5                    | 22.95                        | 27.94                     | 4.99      | ≤13       |
|          |              |                         |                      | 23.44                        | 29.36                     | 5.92      | ≤13       |
|          | 20175        | 1732.5                  |                      | 22.88                        | 27.96                     | 5.08      | ≤13       |
|          |              |                         |                      | 23.46                        | 29.39                     | 5.93      | ≤13       |
|          | 20375        | 1752.5                  |                      | 22.65                        | 27.79                     | 5.14      | ≤13       |
|          |              |                         |                      | 23.50                        | 29.38                     | 5.88      | ≤13       |
|          | 20000        | 1715                    | 10                   | 22.75                        | 28.01                     | 5.26      | ≤13       |
|          |              |                         |                      | 23.76                        | 29.24                     | 5.48      | ≤13       |
|          | 20175        | 1732.5                  |                      | 23.10                        | 28.03                     | 4.93      | ≤13       |
|          |              |                         |                      | 22.71                        | 28.30                     | 5.59      | ≤13       |
|          | 20350        | 1750                    |                      | 22.48                        | 27.75                     | 5.27      | ≤13       |
|          |              |                         |                      | 23.63                        | 29.04                     | 5.41      | ≤13       |
|          | 20025        | 1717.5                  | 15                   | 22.86                        | 28.11                     | 5.25      | ≤13       |
|          |              |                         |                      | 23.73                        | 29.47                     | 5.74      | ≤13       |
|          | 20175        | 1732.5                  |                      | 23.10                        | 28.07                     | 4.97      | ≤13       |
|          |              |                         |                      | 23.43                        | 29.41                     | 5.98      | ≤13       |
|          | 20325        | 1747.5                  |                      | 22.56                        | 27.88                     | 5.32      | ≤13       |
|          |              |                         |                      | 23.62                        | 29.37                     | 5.75      | ≤13       |
|          | 20050        | 1720                    | 20                   | 22.88                        | 28.16                     | 5.28      | ≤13       |
|          |              |                         |                      | 23.65                        | 29.55                     | 5.90      | ≤13       |
|          | 20175        | 1732.5                  |                      | 23.16                        | 28.11                     | 4.95      | ≤13       |
|          |              |                         |                      | 23.52                        | 29.44                     | 5.92      | ≤13       |
|          | 20300        | 1745                    |                      | 22.58                        | 27.85                     | 5.27      | ≤13       |
|          |              |                         |                      | 23.60                        | 29.40                     | 5.80      | ≤13       |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 32 von 94  
Page 32 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) QPSK | Peak Measured Power (dBm) QPSK | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|-----------------------------------|--------------------------------|-----------|------------|
| 5        | 20407        | 824.7                   | 1.4                  | 22.40                             | 26.29                          | 3.89      | ≤13        |
|          |              |                         |                      | 20.53                             | 25.57                          | 5.04      | ≤13        |
|          | 20525        | 836.5                   |                      | 22.15                             | 26.10                          | 3.95      | ≤13        |
|          |              |                         |                      | 20.10                             | 25.20                          | 5.10      | ≤13        |
|          | 20643        | 848.3                   |                      | 22.58                             | 26.51                          | 3.93      | ≤13        |
|          |              |                         |                      | 20.47                             | 25.37                          | 4.90      | ≤13        |
|          | 20415        | 825.5                   | 3                    | 22.93                             | 27.45                          | 4.52      | ≤13        |
|          |              |                         |                      | 23.71                             | 29.00                          | 5.29      | ≤13        |
|          | 20525        | 836.5                   |                      | 22.66                             | 27.26                          | 4.60      | ≤13        |
|          |              |                         |                      | 23.53                             | 28.80                          | 5.27      | ≤13        |
|          | 20635        | 847.5                   |                      | 22.72                             | 27.29                          | 4.57      | ≤13        |
|          |              |                         |                      | 23.99                             | 29.17                          | 5.18      | ≤13        |
|          | 20425        | 826.5                   | 5                    | 23.03                             | 27.48                          | 4.45      | ≤13        |
|          |              |                         |                      | 23.69                             | 28.90                          | 5.21      | ≤13        |
|          | 20525        | 836.5                   |                      | 22.89                             | 27.38                          | 4.49      | ≤13        |
|          |              |                         |                      | 23.47                             | 28.76                          | 5.29      | ≤13        |
|          | 20625        | 846.5                   |                      | 22.96                             | 27.12                          | 4.16      | ≤13        |
|          |              |                         |                      | 24.03                             | 29.28                          | 5.25      | ≤13        |
|          | 20450        | 829                     | 10                   | 22.77                             | 27.20                          | 4.43      | ≤13        |
|          |              |                         |                      | 23.41                             | 28.45                          | 5.04      | ≤13        |
|          | 20525        | 836.5                   |                      | 22.83                             | 27.05                          | 4.22      | ≤13        |
|          |              |                         |                      | 23.77                             | 28.61                          | 4.84      | ≤13        |
|          | 20600        | 844                     |                      | 22.92                             | 27.43                          | 4.51      | ≤13        |
|          |              |                         |                      | 23.95                             | 28.83                          | 4.88      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 33 von 94  
Page 33 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) 16QAM | Peak Measured Power (dBm) 16QAM | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------------|---------------------------------|-----------|------------|
| 5        | 20407        | 824.7                   | 1.4                  | 21.44                              | 26.16                           | 4.72      | ≤13        |
|          |              |                         |                      | 20.32                              | 25.87                           | 5.55      | ≤13        |
|          | 20525        | 836.5                   |                      | 21.60                              | 26.06                           | 4.46      | ≤13        |
|          |              |                         |                      | 20.22                              | 25.76                           | 5.54      | ≤13        |
|          | 20643        | 848.3                   |                      | 21.76                              | 26.53                           | 4.77      | ≤13        |
|          |              |                         | 3                    | 20.64                              | 26.05                           | 5.41      | ≤13        |
|          | 20415        | 825.5                   |                      | 22.88                              | 28.31                           | 5.43      | ≤13        |
|          |              |                         |                      | 24.05                              | 29.82                           | 5.77      | ≤13        |
|          | 20525        | 836.5                   |                      | 22.74                              | 28.21                           | 5.47      | ≤13        |
|          |              |                         |                      | 23.75                              | 29.70                           | 5.95      | ≤13        |
|          | 20635        | 847.5                   |                      | 22.96                              | 28.31                           | 5.35      | ≤13        |
|          |              |                         | 5                    | 24.01                              | 20.02                           | -3.99     | ≤13        |
|          | 20425        | 826.5                   |                      | 22.86                              | 28.23                           | 5.37      | ≤13        |
|          |              |                         |                      | 23.92                              | 29.64                           | 5.72      | ≤13        |
|          | 20525        | 836.5                   |                      | 23.23                              | 28.13                           | 4.90      | ≤13        |
|          |              |                         |                      | 23.83                              | 29.69                           | 5.86      | ≤13        |
|          | 20625        | 846.5                   |                      | 22.13                              | 27.44                           | 5.31      | ≤13        |
|          |              |                         | 10                   | 23.34                              | 29.21                           | 5.87      | ≤13        |
|          | 20450        | 829                     |                      | 23.16                              | 28.34                           | 5.18      | ≤13        |
|          |              |                         |                      | 24.16                              | 29.42                           | 5.26      | ≤13        |
|          | 20525        | 836.5                   |                      | 23.52                              | 28.40                           | 4.88      | ≤13        |
|          |              |                         |                      | 24.05                              | 29.35                           | 5.30      | ≤13        |
|          | 20600        | 844                     |                      | 23.24                              | 28.40                           | 5.16      | ≤13        |
|          |              |                         |                      | 23.38                              | 28.77                           | 5.39      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 34 von 94  
Page 34 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 12       | 23017        | 699.7                   | 1.4                  | 22.16                        | 26.25                     | 4.09      | ≤13        |
|          |              |                         |                      | 20.12                        | 24.85                     | 4.73      | ≤13        |
|          | 23095        | 707.5                   |                      | 22.08                        | 26.19                     | 4.11      | ≤13        |
|          |              |                         |                      | 19.82                        | 24.92                     | 5.10      | ≤13        |
|          | 23173        | 715.3                   |                      | 22.10                        | 26.24                     | 4.14      | ≤13        |
|          |              |                         |                      | 19.98                        | 25.02                     | 5.04      | ≤13        |
|          | 23025        | 700.5                   | 3                    | 23.35                        | 27.73                     | 4.38      | ≤13        |
|          |              |                         |                      | 23.17                        | 28.29                     | 5.12      | ≤13        |
|          | 23095        | 707.5                   |                      | 23.29                        | 27.61                     | 4.32      | ≤13        |
|          |              |                         |                      | 23.20                        | 28.36                     | 5.16      | ≤13        |
|          | 23165        | 714.5                   |                      | 22.53                        | 26.95                     | 4.42      | ≤13        |
|          |              |                         |                      | 23.66                        | 28.84                     | 5.18      | ≤13        |
|          | 23035        | 701.5                   | 5                    | 22.45                        | 26.87                     | 4.42      | ≤13        |
|          |              |                         |                      | 23.34                        | 28.46                     | 5.12      | ≤13        |
|          | 23095        | 707.5                   |                      | 22.45                        | 26.70                     | 4.25      | ≤13        |
|          |              |                         |                      | 23.30                        | 28.57                     | 5.27      | ≤13        |
|          | 23155        | 713.5                   |                      | 22.71                        | 27.08                     | 4.37      | ≤13        |
|          |              |                         |                      | 23.81                        | 28.85                     | 5.04      | ≤13        |
|          | 23060        | 704                     | 10                   | 22.80                        | 27.96                     | 5.16      | ≤13        |
|          |              |                         |                      | 23.80                        | 29.14                     | 5.34      | ≤13        |
|          | 23095        | 707.5                   |                      | 22.62                        | 26.73                     | 4.11      | ≤13        |
|          |              |                         |                      | 23.63                        | 28.44                     | 4.81      | ≤13        |
|          | 23130        | 711                     |                      | 22.61                        | 27.00                     | 4.39      | ≤13        |
|          |              |                         |                      | 23.71                        | 28.50                     | 4.79      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 35 von 94  
Page 35 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |            |
| 12       | 23017        | 699.7                   | 1.4                  | 21.79                        | 26.38                     | 4.59      | ≤13        |
|          |              |                         |                      | 19.86                        | 25.66                     | 5.80      | ≤13        |
|          | 23095        | 707.5                   |                      | 20.78                        | 25.73                     | 4.95      | ≤13        |
|          |              |                         |                      | 19.83                        | 25.54                     | 5.71      | ≤13        |
|          | 23173        | 715.3                   |                      | 21.26                        | 25.85                     | 4.59      | ≤13        |
|          |              |                         |                      | 19.90                        | 25.59                     | 5.69      | ≤13        |
|          | 23025        | 700.5                   | 3                    | 23.15                        | 29.61                     | 6.46      | ≤13        |
|          |              |                         |                      | 23.36                        | 29.22                     | 5.86      | ≤13        |
|          | 23095        | 707.5                   |                      | 23.58                        | 28.68                     | 5.10      | ≤13        |
|          |              |                         |                      | 24.19                        | 29.13                     | 4.94      | ≤13        |
|          | 23165        | 714.5                   |                      | 22.30                        | 27.82                     | 5.52      | ≤13        |
|          |              |                         |                      | 23.82                        | 29.59                     | 5.77      | ≤13        |
|          | 23035        | 701.5                   | 5                    | 23.11                        | 27.71                     | 4.60      | ≤13        |
|          |              |                         |                      | 23.44                        | 29.25                     | 5.81      | ≤13        |
|          | 23095        | 707.5                   |                      | 22.91                        | 27.89                     | 4.98      | ≤13        |
|          |              |                         |                      | 23.52                        | 29.27                     | 5.75      | ≤13        |
|          | 23155        | 713.5                   |                      | 22.51                        | 27.85                     | 5.34      | ≤13        |
|          |              |                         |                      | 23.90                        | 29.53                     | 5.63      | ≤13        |
|          | 23060        | 704                     | 10                   | 22.68                        | 27.82                     | 5.14      | ≤13        |
|          |              |                         |                      | 23.68                        | 29.03                     | 5.35      | ≤13        |
|          | 23095        | 707.5                   |                      | 23.14                        | 27.93                     | 4.79      | ≤13        |
|          |              |                         |                      | 23.77                        | 29.15                     | 5.38      | ≤13        |
|          | 23130        | 711                     |                      | 22.74                        | 27.88                     | 5.14      | ≤13        |
|          |              |                         |                      | 23.89                        | 29.17                     | 5.28      | ≤13        |

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 13       | 23025        | 779.5                   | 5                    | 22.53                        | 26.51                     | 3.98      | ≤13        |
|          |              |                         |                      | 23.22                        | 28.10                     | 4.88      | ≤13        |
|          | 23230        | 782                     |                      | 22.57                        | 26.63                     | 4.06      | ≤13        |
|          |              |                         |                      | 23.25                        | 28.09                     | 4.84      | ≤13        |
|          | 23255        | 784.5                   |                      | 23.07                        | 27.21                     | 4.14      | ≤13        |
|          |              |                         |                      | 23.29                        | 28.40                     | 5.11      | ≤13        |
|          | 23230        | 782                     | 10                   | 22.52                        | 26.76                     | 4.24      | ≤13        |
|          |              |                         |                      | 23.41                        | 27.86                     | 4.45      | ≤13        |

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 36 von 94

Page 36 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |            |
| 13       | 23025        | 779.5                   | 5                    | 23.07                        | 27.78                     | 4.71      | ≤13        |
|          |              |                         |                      | 23.62                        | 29.18                     | 5.56      | ≤13        |
|          | 23230        | 782                     |                      | 23.15                        | 27.72                     | 4.57      | ≤13        |
|          |              |                         |                      | 23.60                        | 29.16                     | 5.56      | ≤13        |
|          | 23255        | 784.5                   |                      | 22.42                        | 27.56                     | 5.14      | ≤13        |
|          |              |                         |                      | 23.63                        | 29.04                     | 5.41      | ≤13        |
|          | 23230        | 782                     | 10                   | 23.05                        | 27.42                     | 4.37      | ≤13        |
|          |              |                         |                      | 23.52                        | 28.77                     | 5.25      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 37 von 94  
Page 37 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 25       | 26047        | 1850.7                  | 1.4                  | 21.82                        | 25.30                     | 3.48      | ≤13        |
|          |              |                         |                      | 19.65                        | 24.57                     | 4.92      | ≤13        |
|          | 26365        | 1882.5                  |                      | 21.64                        | 25.18                     | 3.54      | ≤13        |
|          |              |                         |                      | 19.46                        | 24.48                     | 5.02      | ≤13        |
|          | 26683        | 1914.3                  |                      | 21.68                        | 25.07                     | 3.39      | ≤13        |
|          |              |                         |                      | 19.38                        | 24.30                     | 4.92      | ≤13        |
|          | 26055        | 1851.5                  | 3                    | 22.58                        | 26.95                     | 4.37      | ≤13        |
|          |              |                         |                      | 23.39                        | 28.45                     | 5.06      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.20                        | 27.74                     | 4.54      | ≤13        |
|          |              |                         |                      | 23.39                        | 28.53                     | 5.14      | ≤13        |
|          | 26675        | 1913.5                  |                      | 22.99                        | 27.43                     | 4.44      | ≤13        |
|          |              |                         |                      | 23.25                        | 28.20                     | 4.95      | ≤13        |
|          | 26065        | 1852.5                  | 5                    | 22.27                        | 26.65                     | 4.38      | ≤13        |
|          |              |                         |                      | 23.57                        | 28.45                     | 4.88      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.16                        | 27.51                     | 4.35      | ≤13        |
|          |              |                         |                      | 23.92                        | 28.99                     | 5.07      | ≤13        |
|          | 26665        | 1912.5                  |                      | 22.80                        | 27.23                     | 4.43      | ≤13        |
|          |              |                         |                      | 23.96                        | 29.04                     | 5.08      | ≤13        |
|          | 26090        | 1855                    | 10                   | 23.21                        | 27.57                     | 4.36      | ≤13        |
|          |              |                         |                      | 24.14                        | 28.94                     | 4.80      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.02                        | 27.07                     | 4.05      | ≤13        |
|          |              |                         |                      | 23.98                        | 28.70                     | 4.72      | ≤13        |
|          | 26640        | 1910                    |                      | 22.77                        | 27.19                     | 4.42      | ≤13        |
|          |              |                         |                      | 23.81                        | 28.54                     | 4.73      | ≤13        |
|          | 26115        | 1857.5                  | 15                   | 23.22                        | 27.61                     | 4.39      | ≤13        |
|          |              |                         |                      | 24.03                        | 29.15                     | 5.12      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.11                        | 27.14                     | 4.03      | ≤13        |
|          |              |                         |                      | 23.99                        | 29.01                     | 5.02      | ≤13        |
|          | 26615        | 1907.5                  |                      | 22.8                         | 27.19                     | 4.39      | ≤13        |
|          |              |                         |                      | 23.72                        | 28.82                     | 5.10      | ≤13        |
|          | 26140        | 1860                    | 20                   | 23.17                        | 27.56                     | 4.39      | ≤13        |
|          |              |                         |                      | 24.07                        | 29.09                     | 5.02      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.05                        | 27.15                     | 4.10      | ≤13        |
|          |              |                         |                      | 23.9                         | 28.99                     | 5.09      | ≤13        |
|          | 26590        | 1905                    |                      | 22.68                        | 27.13                     | 4.45      | ≤13        |
|          |              |                         |                      | 23.84                        | 28.85                     | 5.01      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 38 von 94  
Page 38 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |            |
| 25       | 26047        | 1850.7                  | 1.4                  | 20.58                        | 25.08                     | 4.50      | ≤13        |
|          |              |                         |                      | 19.79                        | 25.21                     | 5.42      | ≤13        |
|          | 26365        | 1882.5                  |                      | 20.32                        | 24.90                     | 4.58      | ≤13        |
|          |              |                         |                      | 19.37                        | 24.90                     | 5.53      | ≤13        |
|          | 26683        | 1914.3                  |                      | 20.26                        | 24.79                     | 4.53      | ≤13        |
|          |              |                         |                      | 19.42                        | 24.78                     | 5.36      | ≤13        |
|          | 26055        | 1851.5                  | 3                    | 22.37                        | 27.69                     | 5.32      | ≤13        |
|          |              |                         |                      | 23.60                        | 29.22                     | 5.62      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.63                        | 28.56                     | 4.93      | ≤13        |
|          |              |                         |                      | 23.37                        | 29.10                     | 5.73      | ≤13        |
|          | 26675        | 1913.5                  |                      | 23.41                        | 28.40                     | 4.99      | ≤13        |
|          |              |                         |                      | 23.25                        | 28.97                     | 5.72      | ≤13        |
|          | 26065        | 1852.5                  | 5                    | 23.05                        | 28.37                     | 5.32      | ≤13        |
|          |              |                         |                      | 23.65                        | 29.36                     | 5.71      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.13                        | 28.29                     | 5.16      | ≤13        |
|          |              |                         |                      | 23.92                        | 29.44                     | 5.52      | ≤13        |
|          | 26665        | 1912.5                  |                      | 22.94                        | 27.97                     | 5.03      | ≤13        |
|          |              |                         |                      | 23.81                        | 29.30                     | 5.49      | ≤13        |
|          | 26090        | 1855                    | 10                   | 22.47                        | 27.66                     | 5.19      | ≤13        |
|          |              |                         |                      | 23.50                        | 28.84                     | 5.34      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.68                        | 28.40                     | 4.72      | ≤13        |
|          |              |                         |                      | 23.29                        | 28.95                     | 5.66      | ≤13        |
|          | 26640        | 1910                    |                      | 23.09                        | 28.10                     | 5.01      | ≤13        |
|          |              |                         |                      | 24.33                        | 29.25                     | 4.92      | ≤13        |
|          | 26115        | 1857.5                  | 15                   | 23.46                        | 28.52                     | 5.06      | ≤13        |
|          |              |                         |                      | 23.31                        | 29.02                     | 5.71      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.58                        | 28.42                     | 4.84      | ≤13        |
|          |              |                         |                      | 23.08                        | 28.86                     | 5.78      | ≤13        |
|          | 26615        | 1907.5                  |                      | 23.05                        | 28.17                     | 5.12      | ≤13        |
|          |              |                         |                      | 24.14                        | 29.42                     | 5.28      | ≤13        |
|          | 26140        | 1860                    | 20                   | 23.5                         | 28.48                     | 4.98      | ≤13        |
|          |              |                         |                      | 23.16                        | 29.01                     | 5.85      | ≤13        |
|          | 26365        | 1882.5                  |                      | 23.39                        | 28.4                      | 5.01      | ≤13        |
|          |              |                         |                      | 24.17                        | 29.61                     | 5.44      | ≤13        |
|          | 26590        | 1905                    |                      | 23.03                        | 28.13                     | 5.10      | ≤13        |
|          |              |                         |                      | 24.17                        | 29.43                     | 5.26      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 39 von 94  
Page 39 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) QPSK | Peak Measured Power (dBm) QPSK | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|-----------------------------------|--------------------------------|-----------|------------|
| 26       | 26797        | 814.7                   | 1.4                  | 22.98                             | 26.71                          | 3.73      | ≤13        |
|          |              |                         |                      | 20.86                             | 25.43                          | 4.57      | ≤13        |
|          | 26915        | 831.4                   |                      | 22.51                             | 26.31                          | 3.80      | ≤13        |
|          |              |                         |                      | 20.40                             | 25.10                          | 4.70      | ≤13        |
|          | 27033        | 848.2                   |                      | 23.05                             | 26.82                          | 3.77      | ≤13        |
|          |              |                         |                      | 21.19                             | 25.89                          | 4.70      | ≤13        |
|          | 26805        | 815.5                   | 3                    | 23.18                             | 27.63                          | 4.45      | ≤13        |
|          |              |                         |                      | 24.10                             | 29.05                          | 4.95      | ≤13        |
|          | 26915        | 831.4                   |                      | 23.09                             | 27.35                          | 4.26      | ≤13        |
|          |              |                         |                      | 23.60                             | 28.78                          | 5.18      | ≤13        |
|          | 27025        | 847.4                   |                      | 23.05                             | 27.33                          | 4.28      | ≤13        |
|          |              |                         |                      | 23.97                             | 29.16                          | 5.19      | ≤13        |
|          | 26815        | 816.5                   | 5                    | 23.20                             | 27.55                          | 4.35      | ≤13        |
|          |              |                         |                      | 23.74                             | 28.91                          | 5.17      | ≤13        |
|          | 26915        | 831.4                   |                      | 23.02                             | 27.39                          | 4.37      | ≤13        |
|          |              |                         |                      | 23.53                             | 28.49                          | 4.96      | ≤13        |
|          | 27015        | 846.5                   |                      | 22.93                             | 27.36                          | 4.43      | ≤13        |
|          |              |                         |                      | 23.82                             | 29.15                          | 5.33      | ≤13        |
|          | 26840        | 819                     | 10                   | 22.67                             | 26.20                          | 3.53      | ≤13        |
|          |              |                         |                      | 22.58                             | 26.76                          | 4.18      | ≤13        |
|          | 26915        | 831.4                   |                      | 22.37                             | 25.98                          | 3.61      | ≤13        |
|          |              |                         |                      | 22.56                             | 26.80                          | 4.24      | ≤13        |
|          | 26990        | 843.9                   |                      | 22.40                             | 26.28                          | 3.88      | ≤13        |
|          |              |                         |                      | 22.34                             | 27.39                          | 5.05      | ≤13        |
|          | 26765        | 821.5                   | 15                   | 22.72                             | 26.39                          | 3.67      | ≤13        |
|          |              |                         |                      | 22.59                             | 28.94                          | 6.35      | ≤13        |
|          | 26915        | 831.4                   |                      | 22.93                             | 27.30                          | 4.37      | ≤13        |
|          |              |                         |                      | 23.68                             | 29.13                          | 5.45      | ≤13        |
|          | 26965        | 841.4                   |                      | 22.46                             | 26.85                          | 4.39      | ≤13        |
|          |              |                         |                      | 23.56                             | 28.89                          | 5.33      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 40 von 94  
Page 40 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) 16QAM | Peak Measured Power (dBm) 16QAM | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------------|---------------------------------|-----------|------------|
| 26       | 26797        | 814.7                   | 1.4                  | 22.43                              | 26.72                           | 4.29      | ≤13        |
|          |              |                         |                      | 20.70                              | 25.89                           | 5.19      | ≤13        |
|          | 26915        | 831.4                   |                      | 21.66                              | 26.26                           | 4.60      | ≤13        |
|          |              |                         |                      | 20.39                              | 25.75                           | 5.36      | ≤13        |
|          | 27033        | 848.2                   |                      | 22.39                              | 26.55                           | 4.16      | ≤13        |
|          |              |                         |                      | 21.20                              | 26.55                           | 5.35      | ≤13        |
|          | 26805        | 815.5                   | 3                    | 23.28                              | 28.24                           | 4.96      | ≤13        |
|          |              |                         |                      | 23.17                              | 28.89                           | 5.72      | ≤13        |
|          | 26915        | 831.4                   |                      | 23.21                              | 28.23                           | 5.02      | ≤13        |
|          |              |                         |                      | 23.72                              | 29.51                           | 5.79      | ≤13        |
|          | 27025        | 847.4                   |                      | 22.72                              | 27.90                           | 5.18      | ≤13        |
|          |              |                         |                      | 23.09                              | 28.87                           | 5.78      | ≤13        |
|          | 26815        | 816.5                   | 5                    | 23.55                              | 28.57                           | 5.02      | ≤13        |
|          |              |                         |                      | 23.35                              | 29.01                           | 5.66      | ≤13        |
|          | 26915        | 831.4                   |                      | 23.32                              | 28.23                           | 4.91      | ≤13        |
|          |              |                         |                      | 23.70                              | 29.43                           | 5.73      | ≤13        |
|          | 27015        | 846.5                   |                      | 23.11                              | 28.28                           | 5.17      | ≤13        |
|          |              |                         |                      | 23.36                              | 29.07                           | 5.71      | ≤13        |
|          | 26840        | 819                     | 10                   | 22.98                              | 27.01                           | 4.03      | ≤13        |
|          |              |                         |                      | 21.76                              | 26.65                           | 4.89      | ≤13        |
|          | 26915        | 831.4                   |                      | 22.65                              | 26.83                           | 4.18      | ≤13        |
|          |              |                         |                      | 21.55                              | 26.51                           | 4.96      | ≤13        |
|          | 26990        | 843.9                   |                      | 22.80                              | 27.20                           | 4.40      | ≤13        |
|          |              |                         |                      | 22.21                              | 27.02                           | 4.81      | ≤13        |
|          | 26765        | 821.5                   | 15                   | 23.45                              | 28.59                           | 5.14      | ≤13        |
|          |              |                         |                      | 22.38                              | 27.97                           | 5.59      | ≤13        |
|          | 26915        | 831.4                   |                      | 23.20                              | 28.28                           | 5.08      | ≤13        |
|          |              |                         |                      | 24.04                              | 29.71                           | 5.67      | ≤13        |
|          | 26965        | 841.4                   |                      | 22.98                              | 27.88                           | 4.90      | ≤13        |
|          |              |                         |                      | 23.77                              | 29.48                           | 5.71      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 41 von 94  
Page 41 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 66       | 131979       | 1710.7                  | 1.4                  | 21.96                        | 25.70                     | 3.74      | ≤13        |
|          |              |                         |                      | 19.76                        | 24.78                     | 5.02      | ≤13        |
|          | 132322       | 1745                    |                      | 21.72                        | 25.60                     | 3.88      | ≤13        |
|          |              |                         |                      | 19.60                        | 24.78                     | 5.18      | ≤13        |
|          | 132665       | 1770.3                  |                      | 21.20                        | 25.22                     | 4.02      | ≤13        |
|          |              |                         |                      | 19.31                        | 24.27                     | 4.96      | ≤13        |
|          | 131987       | 1711.5                  | 3                    | 23.27                        | 27.92                     | 4.65      | ≤13        |
|          |              |                         |                      | 23.30                        | 28.39                     | 5.09      | ≤13        |
|          | 132322       | 1745                    |                      | 24.08                        | 29.10                     | 5.02      | ≤13        |
|          |              |                         |                      | 23.44                        | 27.94                     | 4.50      | ≤13        |
|          | 132657       | 1778.5                  |                      | 23.32                        | 27.99                     | 4.67      | ≤13        |
|          |              |                         |                      | 24.01                        | 27.88                     | 3.87      | ≤13        |
|          | 131997       | 1712.5                  | 5                    | 23.49                        | 28.00                     | 4.51      | ≤13        |
|          |              |                         |                      | 23.26                        | 28.34                     | 5.08      | ≤13        |
|          | 132322       | 1745                    |                      | 23.44                        | 27.94                     | 4.50      | ≤13        |
|          |              |                         |                      | 23.32                        | 28.34                     | 5.02      | ≤13        |
|          | 132647       | 1777.5                  |                      | 23.04                        | 27.60                     | 4.56      | ≤13        |
|          |              |                         |                      | 23.22                        | 28.38                     | 5.16      | ≤13        |
|          | 132022       | 1715                    | 10                   | 22.15                        | 25.79                     | 3.64      | ≤13        |
|          |              |                         |                      | 22.03                        | 25.90                     | 3.87      | ≤13        |
|          | 132322       | 1745                    |                      | 21.83                        | 25.46                     | 3.63      | ≤13        |
|          |              |                         |                      | 21.80                        | 25.80                     | 4.00      | ≤13        |
|          | 132622       | 1775                    |                      | 22.08                        | 25.65                     | 3.57      | ≤13        |
|          |              |                         |                      | 21.83                        | 25.74                     | 3.91      | ≤13        |
|          | 132047       | 1717.5                  | 15                   | 23.45                        | 27.99                     | 4.54      | ≤13        |
|          |              |                         |                      | 23.36                        | 28.61                     | 5.25      | ≤13        |
|          | 132322       | 1745                    |                      | 22.38                        | 26.98                     | 4.60      | ≤13        |
|          |              |                         |                      | 23.25                        | 28.61                     | 5.36      | ≤13        |
|          | 132597       | 1772.5                  |                      | 23.11                        | 27.63                     | 4.52      | ≤13        |
|          |              |                         |                      | 23.19                        | 28.51                     | 5.32      | ≤13        |
|          | 132072       | 1720                    | 20                   | 23.34                        | 27.96                     | 4.62      | ≤13        |
|          |              |                         |                      | 23.35                        | 28.76                     | 5.41      | ≤13        |
|          | 132322       | 1745                    |                      | 23.38                        | 28.03                     | 4.65      | ≤13        |
|          |              |                         |                      | 23.31                        | 28.78                     | 5.47      | ≤13        |
|          | 132572       | 1770                    |                      | 22.91                        | 27.63                     | 4.72      | ≤13        |
|          |              |                         |                      | 23.13                        | 28.32                     | 5.19      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 42 von 94  
Page 42 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |            |
| 66       | 131979       | 1710.7                  | 1.4                  | 19.82                        | 24.78                     | 4.96      | ≤13        |
|          |              |                         |                      | 19.92                        | 25.39                     | 5.47      | ≤13        |
|          | 132322       | 1745                    |                      | 20.78                        | 25.34                     | 4.56      | ≤13        |
|          |              |                         |                      | 19.49                        | 25.20                     | 5.71      | ≤13        |
|          | 132665       | 1770.3                  |                      | 20.54                        | 25.23                     | 4.69      | ≤13        |
|          |              |                         |                      | 19.39                        | 24.79                     | 5.40      | ≤13        |
|          | 131987       | 1711.5                  | 3                    | 23.58                        | 28.68                     | 5.10      | ≤13        |
|          |              |                         |                      | 23.46                        | 29.23                     | 5.77      | ≤13        |
|          | 132322       | 1745                    |                      | 22.33                        | 27.80                     | 5.47      | ≤13        |
|          |              |                         |                      | 22.70                        | 28.55                     | 5.85      | ≤13        |
|          | 132657       | 1778.5                  |                      | 22.95                        | 28.19                     | 5.24      | ≤13        |
|          |              |                         |                      | 23.71                        | 29.66                     | 5.95      | ≤13        |
|          | 131997       | 1712.5                  | 5                    | 22.68                        | 28.00                     | 5.32      | ≤13        |
|          |              |                         |                      | 23.54                        | 29.36                     | 5.82      | ≤13        |
|          | 132322       | 1745                    |                      | 22.78                        | 28.46                     | 5.68      | ≤13        |
|          |              |                         |                      | 23.87                        | 29.69                     | 5.82      | ≤13        |
|          | 132647       | 1777.5                  |                      | 23.15                        | 28.45                     | 5.30      | ≤13        |
|          |              |                         |                      | 23.27                        | 29.26                     | 5.99      | ≤13        |
|          | 132022       | 1715                    | 10                   | 22.10                        | 25.91                     | 3.81      | ≤13        |
|          |              |                         |                      | 21.03                        | 25.77                     | 4.74      | ≤13        |
|          | 132322       | 1745                    |                      | 21.65                        | 25.71                     | 4.06      | ≤13        |
|          |              |                         |                      | 20.77                        | 25.70                     | 4.93      | ≤13        |
|          | 132622       | 1775                    |                      | 22.05                        | 25.76                     | 3.71      | ≤13        |
|          |              |                         |                      | 20.98                        | 25.68                     | 4.70      | ≤13        |
|          | 132047       | 1717.5                  | 15                   | 22.98                        | 27.98                     | 5.00      | ≤13        |
|          |              |                         |                      | 23.02                        | 28                        | 4.98      | ≤13        |
|          | 132322       | 1745                    |                      | 22.74                        | 27.97                     | 5.23      | ≤13        |
|          |              |                         |                      | 23.64                        | 28.01                     | 4.37      | ≤13        |
|          | 132597       | 1772.5                  |                      | 22.65                        | 27.97                     | 5.32      | ≤13        |
|          |              |                         |                      | 23.45                        | 29.28                     | 5.83      | ≤13        |
|          | 132072       | 1720                    | 20                   | 23.7                         | 28.97                     | 5.27      | ≤13        |
|          |              |                         |                      | 23.53                        | 29.48                     | 5.95      | ≤13        |
|          | 132322       | 1745                    |                      | 22.92                        | 28.09                     | 5.17      | ≤13        |
|          |              |                         |                      | 23.49                        | 29.43                     | 5.94      | ≤13        |
|          | 132572       | 1770                    |                      | 23.71                        | 28.58                     | 4.87      | ≤13        |
|          |              |                         |                      | 23.42                        | 29.29                     | 5.87      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 43 von 94  
Page 43 of 94

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | QPSK                         | QPSK                      |           |            |
| 85       | 134027       | 700.5                   | 5                    | 22.67                        | 27.72                     | 5.05      | ≤13        |
|          |              |                         |                      | 23.50                        | 29.17                     | 5.67      | ≤13        |
|          | 134092       | 707                     |                      | 22.79                        | 27.66                     | 4.87      | ≤13        |
|          |              |                         |                      | 23.57                        | 29.15                     | 5.58      | ≤13        |
|          | 134157       | 713.5                   |                      | 22.83                        | 27.60                     | 4.77      | ≤13        |
|          |              |                         |                      | 23.61                        | 29.28                     | 5.67      | ≤13        |
|          | 134052       | 703                     | 10                   | 22.48                        | 26.70                     | 4.22      | ≤13        |
|          |              |                         |                      | 22.34                        | 27.83                     | 5.49      | ≤13        |
|          | 134092       | 707                     |                      | 23.49                        | 27.71                     | 4.22      | ≤13        |
|          |              |                         |                      | 22.45                        | 26.95                     | 4.50      | ≤13        |
|          | 134132       | 711                     |                      | 23.46                        | 27.66                     | 4.20      | ≤13        |
|          |              |                         |                      | 22.58                        | 27.21                     | 4.63      | ≤13        |

| LTE Band | Channel no's | Channel Frequency (MHz) | Cell Bandwidth (MHz) | Average Measured Power (dBm) | Peak Measured Power (dBm) | PAPR (dB) | Limit (dB) |
|----------|--------------|-------------------------|----------------------|------------------------------|---------------------------|-----------|------------|
|          |              |                         |                      | 16QAM                        | 16QAM                     |           |            |
| 85       | 134027       | 700.5                   | 5                    | 22.61                        | 27.63                     | 5.02      | ≤13        |
|          |              |                         |                      | 23.38                        | 29.09                     | 5.71      | ≤13        |
|          | 134092       | 707                     |                      | 22.64                        | 27.70                     | 5.06      | ≤13        |
|          |              |                         |                      | 23.18                        | 29.10                     | 5.92      | ≤13        |
|          | 134157       | 713.5                   |                      | 22.96                        | 27.76                     | 4.80      | ≤13        |
|          |              |                         |                      | 23.51                        | 29.32                     | 5.81      | ≤13        |
|          | 134052       | 703                     | 10                   | 23.03                        | 27.62                     | 4.59      | ≤13        |
|          |              |                         |                      | 22.53                        | 27.83                     | 5.30      | ≤13        |
|          | 134092       | 707                     |                      | 23.11                        | 27.71                     | 4.60      | ≤13        |
|          |              |                         |                      | 22.72                        | 28.00                     | 5.28      | ≤13        |
|          | 134132       | 711                     |                      | 22.78                        | 27.70                     | 4.92      | ≤13        |
|          |              |                         |                      | 22.92                        | 28.10                     | 5.18      | ≤13        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 44 von 94  
Page 44 of 94

### 7.3 Equivalent Isotropic Radiated Power (EIRP) / Effective Radiated Power (ERP)

**Result** **Pass**

|                         |                                                                                 |
|-------------------------|---------------------------------------------------------------------------------|
| Specification           | FCC Part §22.913(a)(5), §24.232 (c), §27.50(d)(4), §27.50(b)(10), §27.50(c)(10) |
| Test Method / Procedure | ANSI C63.26-2015                                                                |
| Measurement Bandwidth   | 100 kHz for frequency range < 1GHz<br>1 MHz for Frequency range >1GHz           |
| Detector function       | Refer remarks below                                                             |
| Measuring Distance      | 3 m                                                                             |
| Requirement             | As per the limits mentioned in the below table                                  |
| Test setup              | Reffer TEST METHODOLOGY                                                         |

**Limit:**

**FCC Clause**

**Requirements**

FCC Part 24.232(c)

Mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

FCC Part 27.50(d)(4)

Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1755-1780 MHz bands are limited to 1 watt EIRP.

FCC Part 22.913(a)(5)

The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC Part 27.50(b)(10)

Portable stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC Part 27.50(c)(10)

Control and mobile stations in the 698-746 MHz band are limited to 3 watts ERP.

**Environmental conditions:**

Temperature (Norm) = + 24 °C

Voltage = 110V AC 60Hz

Relative humidity = 62 %

**KDB Guidelines applied:**

All the radiated emission measurements are performed in accordance with common requirement specified in 5.5.2 and Pre-test site path loss correction factors are used to adjust the EUT emission data in place of two step substitution method (as defined in Annex B of ANSI C63.26-2015)

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 45 von 94  
Page 45 of 94

## Test results:

Note: All the losses are included during measurement and final values are mentioned in the test report. Refer TEST METHODOLOGY for more details

**Table 8: ERP/EIRP Test results for LTE**

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 2    | QPSK       | 15      | 1         | 0      | Low     | 1857.5                  | Vertical             | 27.06            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 27.57            | 33.01       |
|      |            | 5       | 6         | 0      | Mid     | 1880                    | Vertical             | 26.29            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 26.90            | 33.01       |
|      |            | 10      | 4         | 2      | High    | 1902.4                  | Vertical             | 21.25            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 25.34            | 33.01       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 2    | 16-QAM     | 5       | 6         | 0      | Low     | 1852.5                  | Vertical             | 25.89            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 26.8             | 33.01       |
|      |            | 15      | 6         | 0      | Mid     | 1880                    | Vertical             | 23.37            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 24.29            | 33.01       |
|      |            | 20      | 6         | 0      | High    | 1900                    | Vertical             | 21.03            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 24.03            | 33.01       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 4    | QPSK       | 3       | 6         | 0      | Low     | 1711.5                  | Vertical             | 25.78            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 22.11            | 30.00       |
|      |            | 3       | 6         | 0      | Mid     | 1732.5                  | Vertical             | 26.06            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 22.59            | 30.00       |
|      |            | 3       | 6         | 0      | High    | 1753.5                  | Vertical             | 24.83            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 24.46            | 30.00       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 4    | 16-QAM     | 3       | 6         | 0      | Low     | 1711.5                  | Vertical             | 25.40            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 21.97            | 30.00       |
|      |            | 3       | 6         | 0      | Mid     | 1732.5                  | Vertical             | 25.92            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 22.63            | 30.00       |
|      |            | 3       | 6         | 0      | High    | 1753.5                  | Vertical             | 25.11            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 24.43            | 30.00       |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 46 von 94  
Page 46 of 94

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 5    | QPSK       | 3       | 6         | 0      | Low     | 825.5                   | Vertical             | 18.04           | 38.45        |
|      |            |         |           |        |         |                         | Horizontal           | 17.11           | 38.45        |
|      |            | 10      | 4         | 0      | Mid     | 836.5                   | Vertical             | <b>18.19</b>    | <b>38.45</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>15.61</b>    | <b>38.45</b> |
|      |            | 5       | 6         | 0      | High    | 846.5                   | Vertical             | 17.97           | 38.45        |
|      |            |         |           |        |         |                         | Horizontal           | 17.17           | 38.45        |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 5    | 16-QAM     | 10      | 4         | 0      | Low     | 829                     | Vertical             | <b>18.30</b>    | <b>38.45</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>16.96</b>    | <b>38.45</b> |
|      |            | 10      | 4         | 0      | Mid     | 836.5                   | Vertical             | 18.28           | 38.45        |
|      |            |         |           |        |         |                         | Horizontal           | 15.73           | 38.45        |
|      |            | 3       | 6         | 0      | High    | 847.4                   | Vertical             | 17.66           | 38.45        |
|      |            |         |           |        |         |                         | Horizontal           | 17.29           | 38.45        |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 12   | QPSK       | 10      | 4         | 0      | Low     | 704                     | Vertical             | 12.060          | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 7.800           | 34.77        |
|      |            | 10      | 4         | 0      | Mid     | 707.5                   | Vertical             | 13.060          | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 8.270           | 34.77        |
|      |            | 5       | 6         | 0      | High    | 713.4                   | Vertical             | <b>14.740</b>   | <b>34.77</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>10.450</b>   | <b>34.77</b> |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 12   | 16-QAM     | 10      | 4         | 0      | Low     | 704                     | Vertical             | 11.8            | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 6.95            | 34.77        |
|      |            | 3       | 6         | 0      | Mid     | 707.5                   | Vertical             | 12.39           | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 7.53            | 34.77        |
|      |            | 5       | 6         | 0      | High    | 713.4                   | Vertical             | <b>14.89</b>    | <b>34.77</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>10.25</b>    | <b>34.77</b> |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 47 von 94  
Page 47 of 94

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|-------------|
| 13   | QPSK       | 5       | 6         | 0      | Low     | 779.5                   | Vertical             | 18.42           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 15.76           | 34.77       |
|      |            | 5       | 6         | 0      | Mid     | 782                     | Vertical             | 18.60           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 15.90           | 34.77       |
|      |            | 5       | 6         | 0      | High    | 784.4                   | Vertical             | 18.86           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 16.77           | 34.77       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|-------------|
| 13   | 16-QAM     | 5       | 6         | 0      | Low     | 779.5                   | Vertical             | 17.99           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 15.35           | 34.77       |
|      |            | 5       | 6         | 0      | Mid     | 782                     | Vertical             | 18.17           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 16.2            | 34.77       |
|      |            | 5       | 6         | 0      | High    | 784.4                   | Vertical             | 18.79           | 34.77       |
|      |            |         |           |        |         |                         | Horizontal           | 16.43           | 34.77       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 25   | QPSK       | 10      | 4         | 0      | Low     | 1855                    | Vertical             | 22.05            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 23.03            | 33.01       |
|      |            | 15      | 6         | 0      | Mid     | 1882.5                  | Vertical             | 21.31            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 22.92            | 33.01       |
|      |            | 5       | 6         | 0      | High    | 1912.4                  | Vertical             | 22.90            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 26.50            | 33.01       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 25   | 16-QAM     | 5       | 6         | 0      | Low     | 1852.5                  | Vertical             | 25.80            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 26.46            | 33.01       |
|      |            | 20      | 6         | 0      | Mid     | 1882.5                  | Vertical             | 24.43            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 22.27            | 33.01       |
|      |            | 10      | 4         | 2      | High    | 1909.4                  | Vertical             | 19.56            | 33.01       |
|      |            |         |           |        |         |                         | Horizontal           | 22.99            | 33.01       |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 48 von 94  
Page 48 of 94

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|-------------|
| 26   | QPSK       | 3       | 6         | 0      | Low     | 815.5                   | Vertical             | 20.41           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 17.93           | 38.45       |
|      |            | 15      | 6         | 0      | Mid     | 831.4                   | Vertical             | 18.04           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 15.93           | 38.45       |
|      |            | 3       | 6         | 0      | High    | 847.4                   | Vertical             | 18.18           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 15.48           | 38.45       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|-------------|
| 26   | 16-QAM     | 5       | 1         | 0      | Low     | 816.5                   | Vertical             | 20.09           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 17.68           | 38.45       |
|      |            | 15      | 6         | 0      | Mid     | 831.4                   | Vertical             | 18.09           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 14.25           | 38.45       |
|      |            | 15      | 6         | 0      | High    | 841.4                   | Vertical             | 18.14           | 38.45       |
|      |            |         |           |        |         |                         | Horizontal           | 15.40           | 38.45       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 66   | QPSK       | 5       | 1         | 0      | Low     | 1712.5                  | Vertical             | 26.67            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 23.11            | 30.00       |
|      |            | 3       | 1         | 0      | Mid     | 1745                    | Vertical             | 26.56            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 24.31            | 30.00       |
|      |            | 3       | 6         | 0      | High    | 1778.4                  | Vertical             | 26.22            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 26.99            | 30.00       |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|------------------|-------------|
| 66   | 16-QAM     | 5       | 1         | 0      | Low     | 1720                    | Vertical             | 23.32            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 23.88            | 30.00       |
|      |            | 5       | 6         | 0      | Mid     | 1745                    | Vertical             | 27.00            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 24.95            | 30.00       |
|      |            | 5       | 6         | 0      | High    | 1777.4                  | Vertical             | 27.06            | 30.00       |
|      |            |         |           |        |         |                         | Horizontal           | 27.72            | 30.00       |

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**

Seite 49 von 94

Page 49 of 94

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 85   | QPSK       | 5       | 6         | 0      | Low     | 700.5                   | Vertical             | 13.34           | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 9.66            | 34.77        |
|      |            | 5       | 6         | 0      | Mid     | 707                     | Vertical             | <b>14.45</b>    | <b>34.77</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>9.51</b>     | <b>34.77</b> |
|      |            | 5       | 6         | 0      | High    | 713.4                   | Vertical             | 14.41           | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 9.73            | 34.77        |

| Band | Modulation | Cell BW | No. of RB | RB Pos | Channel | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm)  |
|------|------------|---------|-----------|--------|---------|-------------------------|----------------------|-----------------|--------------|
| 85   | 16-QAM     | 5       | 6         | 0      | Low     | 700.5                   | Vertical             | 12.64           | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 9.42            | 34.77        |
|      |            | 5       | 6         | 0      | Mid     | 707                     | Vertical             | <b>14.24</b>    | <b>34.77</b> |
|      |            |         |           |        |         |                         | Horizontal           | <b>9.26</b>     | <b>34.77</b> |
|      |            | 5       | 6         | 0      | High    | 713.4                   | Vertical             | 14.07           | 34.77        |
|      |            |         |           |        |         |                         | Horizontal           | 9.43            | 34.77        |

**Prüfbericht - Nr.:**

Test Report No.:

**IN22Y7T9 001**


Seite 50 von 94

Page 50 of 94

**Worst case plots:**


**LTE Band 2**

**Channel Frequency: 1857.5MHz\_QPSK**



**Frequency Range: 1800MHz-1959MHz**

**Polarization: Vertical**



**Frequency Range: 1800MHz-1959MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 51 von 94

Page 51 of 94


**LTE Band 4**

**Channel Frequency: 1732.5MHz\_QPSK**



**Frequency Range: 1650MHz-1780MHz**

**Polarization: Vertical**



**Frequency Range: 1650MHz-1780MHz**

**Polarization: Horizontal**


**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 52 von 94  
Page 52 of 94


**LTE Band 5**

**Channel Frequency: 829MHz\_16QAM**



**Frequency Range: 775.5MHz-875.5MHz**

**Polarization: Vertical**




**Frequency Range: 775.5MHz-875.5MHz**

**Polarization: Horizontal**


**LTE Band 12**

**Channel Frequency: 713.4MHz\_16QAM**



**Frequency Range: 650MHz-750MHz**

**Polarization: Vertical**



**Frequency Range: 650MHz-750MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 54 von 94

Page 54 of 94


**LTE Band 13**

**Channel Frequency: 784.4MHz\_QPSK**



**Frequency Range: 730MHz-830MHz**

**Polarization: Vertical**



**Frequency Range: 730MHz-830MHz**

**Polarization: Horizontal**


**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 55 von 94  
Page 55 of 94


**LTE Band 25**

**Channel Frequency: 1912.4MHz\_QPSK**



**Frequency Range: 1860MHz-1960MHz**

**Polarization: Vertical**



**Frequency Range: 1860MHz-1960MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 56 von 94

Page 56 of 94


**LTE Band 26**

**Channel Frequency: 815.5MHz\_QPSK**



**Frequency Range: 780MHz-880MHz**

**Polarization: Vertical**



**Frequency Range: 780MHz-880MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 57 von 94

Page 57 of 94


**LTE Band 66**

**Channel Frequency: 1777.4MHz\_16QAM**



**Frequency Range: 1730MHz-1830MHz**

**Polarization: Vertical**



**Frequency Range: 1730MHz-1830MHz**

**Polarization: Horizontal**


**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 58 von 94  
Page 58 of 94


**LTE Band 85**

**Channel Frequency: 707MHz\_QPSK**



**Frequency Range: 650MHz-750MHz**

**Polarization: Vertical**



**Frequency Range: 650MHz-750MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 59 von 94  
Page 59 of 94

**GSM Test Results**

| Band    | Modulation | Slot | Channel Number | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|---------|------------|------|----------------|-------------------------|----------------------|-----------------|-------------|
| GSM 850 | GPRS       | 4    | 128            | 824.2                   | Vertical             | 8.30            | 38.45       |
|         |            |      |                |                         | Horizontal           | 5.07            | 38.45       |
|         |            | 1    | 190            | 836.6                   | Vertical             | 11.16           | 38.45       |
|         |            |      |                |                         | Horizontal           | 6.45            | 38.45       |
|         |            | 4    | 251            | 848.8                   | Vertical             | 12.42           | 38.45       |
|         |            |      |                |                         | Horizontal           | 10.37           | 38.45       |


| Band    | Modulation | Slot | Channel Number | Channel Frequency (MHz) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) |
|---------|------------|------|----------------|-------------------------|----------------------|-----------------|-------------|
| GSM 850 | EGPRS      | 4    | 128            | 824.2                   | Vertical             | 8.36            | 38.45       |
|         |            |      |                |                         | Horizontal           | 5.08            | 38.45       |
|         |            | 1    | 190            | 836.6                   | Vertical             | 11.16           | 38.45       |
|         |            |      |                |                         | Horizontal           | 6.56            | 38.45       |
|         |            | 1    | 251            | 848.8                   | Vertical             | 11.66           | 38.45       |
|         |            |      |                |                         | Horizontal           | 9.50            | 38.45       |

| Band     | Modulation | Slot | Channel Number | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|----------|------------|------|----------------|-------------------------|----------------------|------------------|-------------|
| GSM 1900 | GPRS       | 2    | 512            | 1850.2                  | Vertical             | 24.63            | 33.01       |
|          |            |      |                |                         | Horizontal           | 24.79            | 33.01       |
|          |            | 4    | 661            | 1880                    | Vertical             | 25.57            | 33.01       |
|          |            |      |                |                         | Horizontal           | 25.33            | 33.01       |
|          |            | 4    | 810            | 1909.8                  | Vertical             | 25.56            | 33.01       |
|          |            |      |                |                         | Horizontal           | 25.65            | 33.01       |

| Band     | Modulation | Slot | Channel Number | Channel Frequency (MHz) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) |
|----------|------------|------|----------------|-------------------------|----------------------|------------------|-------------|
| GSM 1900 | EGPRS      | 2    | 512            | 1850.2                  | Vertical             | 24.80            | 33.01       |
|          |            |      |                |                         | Horizontal           | 24.83            | 33.01       |
|          |            | 3    | 661            | 1880                    | Vertical             | 25.50            | 33.01       |
|          |            |      |                |                         | Horizontal           | 25.34            | 33.01       |
|          |            | 3    | 810            | 1909.8                  | Vertical             | 25.54            | 33.01       |
|          |            |      |                |                         | Horizontal           | 25.65            | 33.01       |


**GSM 850 Worst Case Plots**

**Channel Frequency: 848.8MHz\_GPRS**



**Frequency Range: 800MHz-880MHz**

**Polarization: Vertical**



**Frequency Range: 800MHz-880MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 61 von 94

Page 61 of 94


**GSM 1900 Worst Case Plots**

**Channel Frequency: 1909.8MHz\_GPRS**



**Frequency Range: 1830MHz-1930MHz**

**Polarization: Vertical**



**Frequency Range: 1830MHz-1930MHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 62 von 94  
Page 62 of 94

## 7.4 Field Strength of Spurious Radiation

**Result**

**Pass**

|                             |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specification               | FCC Part §2.1053, §22.917(a), §24.238(a), §27.53(a), §27.53(f), §27.53(g) & §27.53(h)<br>RSS 132 Issue 3, Section 5.5<br>As per sub clause 5.5 of ANSI C63.26-2015                                                                                                                                                                                                              |
| Test Method / Procedure     | As per sub clause 7 in 971168 D01 Power Meas License Digital Systems v03r01                                                                                                                                                                                                                                                                                                     |
| Measurement Bandwidth (RBW) | 100 kHz for frequency range < 1GHz<br>1 MHz for Frequency range >1GHz                                                                                                                                                                                                                                                                                                           |
| Detector Function           | Peak                                                                                                                                                                                                                                                                                                                                                                            |
| Measuring Distance          | 3 m                                                                                                                                                                                                                                                                                                                                                                             |
| Requirement                 | The power of any emission outside the authorized frequency range must be attenuated below the transmitting power (P) by a factor of at least $43+10\log(P)$ dB<br>For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -40 dBm/MHz equivalent isotopically radiated power (EIRP) for wideband signals |
| Test setup                  | Reffer TEST METHODOLOGY                                                                                                                                                                                                                                                                                                                                                         |

### Environmental conditions:

Temperature (Norm) = + 24 °C

Voltage = 110V AC 60Hz

Relative humidity = 62 %

Note: All the losses are included during measurement and final values are mentioned in the test report. Refer TEST METHODOLOGY for more details

### Note:

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Spurious emission limit is derived using the following equation:  $43 + 10 \cdot \log(P) = 43 + 10 \cdot \log(P) = -13\text{dBm}$   
P is average power in W

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 63 von 94  
Page 63 of 94

**Test results:**

**Test results for frequency range 9 kHz – 30MHz**


No emissions found in frequency range 9 kHz to 30 MHz, and measured levels are below 20dB from the limit line, hence not reported

**Spurious emissions for Model name: STFP2KHK2R0**

**Test results for frequency range 30MHz – 200MHz**

| Antenna polarization | Measured Frequency (MHz) | ERP (dBm) | Limit (dBm) | Margin (dB) |
|----------------------|--------------------------|-----------|-------------|-------------|
| Vertical             | 61.71                    | -67.70    | -13         | -54.70      |
|                      | 75.69                    | -66.30    | -13         | -53.30      |
|                      | 134.52                   | -66.36    | -13         | -53.36      |
|                      | 152.97                   | -67.20    | -13         | -54.20      |
| Horizontal           | 62.34                    | -77.5     | -13         | -64.50      |
|                      | 123.96                   | -72.5     | -13         | -59.50      |
|                      | 158.34                   | -66.40    | -13         | -53.40      |

**Plots for frequency range 30MHz to 200MHz**



**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 64 von 94  
Page 64 of 94



**Frequency Range: 30MHz-200MHz**

**Polarization: Horizontal**


**Test results for frequency range 200MHz – 1GHz**

| Antenna polarization | Measured Frequency (MHz) | ERP (dBm) | Limit (dBm) | Margin (dB) |
|----------------------|--------------------------|-----------|-------------|-------------|
| Vertical             | 254.96                   | -70.70    | -13         | -57.70      |
|                      | 396.11                   | -72.20    | -13         | -59.20      |
|                      | 639.77                   | -76.60    | -13         | -63.60      |
| Horizontal           | 254.90                   | -67.50    | -13         | -54.50      |
|                      | 356.96                   | -75.60    | -13         | -62.60      |
|                      | 639.77                   | -76.10    | -13         | -63.10      |

**Prüfbericht - Nr.:**  
Test Report No.:


**IN22Y7T9 001**

Seite 65 von 94  
Page 65 of 94



Frequency Range: 200MHz-1GHz

Polarization: Vertical



Frequency Range: 200MHz-1GHz

Polarization: Horizontal

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**


Seite 66 von 94  
Page 66 of 94

**Spurious emissions for Model Number: STFP2KHK1CA**

Test results for frequency range 30MHz – 200MHz


| Antenna polarization | Measured Frequency (MHz) | ERP (dBm) | Limit (dBm) | Margin (dB) |
|----------------------|--------------------------|-----------|-------------|-------------|
| Vertical             | 69.21                    | -31.51    | -13         | -18.51      |
|                      | 87.03                    | -27.65    | -13         | -14.65      |
|                      | 103.02                   | -28.67    | -13         | -15.67      |
|                      | 146.13                   | -32.53    | -13         | -19.53      |
| Horizontal           | 85.92                    | -24.20    | -13         | -11.20      |
|                      | 102.66                   | -27.19    | -13         | -14.19      |
|                      | 116.07                   | -31.32    | -13         | -18.32      |
|                      | 133.92                   | -32.00    | -13         | -19.00      |

Plots for frequency range 30MHz to 200MHz



Frequency Range: 30MHz-200MHz

Polarization: Vertical




Frequency Range: 30MHz-200MHz

Polarization: Horizontal


**Test results for frequency range 200MHz – 1GHz**

| Antenna polarization | Measured Frequency (MHz) | ERP (dBm) | Limit (dBm) | Margin (dB) |
|----------------------|--------------------------|-----------|-------------|-------------|
| Vertical             | 250.79                   | -30.46    | -13         | -17.46      |
|                      | 372.68                   | -31.77    | -13         | -18.77      |
|                      | 419.81                   | -33.99    | -13         | -20.99      |
|                      | 880.85                   | -33.71    | -13         | -20.71      |
| Horizontal           | 266.21                   | -37.03    | -13         | -24.03      |
|                      | 351.47                   | -34.59    | -13         | -21.59      |
|                      | 461.54                   | -37.72    | -13         | -24.72      |
|                      | 610.28                   | -36.67    | -13         | -23.67      |



**Frequency Range: 200MHz-1GHz**

**Polarization: Vertical**



**Frequency Range: 200MHz-1GHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 69 von 94  
Page 69 of 94

**Above 1GHz Test results:**

**LTE Band 2:**

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 2    | QPSK       | 15      | 1857.5                  | 3715.00                  | Vertical             | -48.63               | -13         | -35.63      |
|      |            |         |                         | 5572.50                  |                      | -44.79               | -13         | -31.79      |
|      |            |         |                         | 7430.00                  |                      | -51.27               | -13         | -38.27      |
|      |            |         |                         | 3715.00                  | Horizontal           | -45.32               | -13         | -32.32      |
|      |            |         |                         | 5572.50                  |                      | -45.50               | -13         | -32.50      |
|      |            |         |                         | 7430.00                  |                      | -45.97               | -13         | -32.97      |
|      |            | 5       | 1880                    | 3760.00                  | Vertical             | -50.12               | -13         | -37.12      |
|      |            |         |                         | 5640.00                  |                      | -46.74               | -13         | -33.74      |
|      |            |         |                         | 7520.00                  |                      | -51.24               | -13         | -38.24      |
|      |            |         |                         | 3760.00                  | Horizontal           | -49.14               | -13         | -36.14      |
|      |            |         |                         | 5640.00                  |                      | -45.94               | -13         | -32.94      |
|      |            |         |                         | 7520.00                  |                      | -47.78               | -13         | -34.78      |
|      |            | 10      | 1902.4                  | 3804.80                  | Vertical             | -52.99               | -13         | -39.99      |
|      |            |         |                         | 5707.20                  |                      | -46.59               | -13         | -33.59      |
|      |            |         |                         | 7609.60                  |                      | -50.78               | -13         | -37.78      |
|      |            |         |                         | 3804.80                  | Horizontal           | -53.11               | -13         | -40.11      |
|      |            |         |                         | 5707.20                  |                      | -46.53               | -13         | -33.53      |
|      |            |         |                         | 7609.60                  |                      | -50.65               | -13         | -37.65      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 2    | 16-QAM     | 5       | 1852.5                  | 3705.00                  | Vertical             | -45.43               | -13         | -32.43      |
|      |            |         |                         | 5557.50                  |                      | -47.09               | -13         | -34.09      |
|      |            |         |                         | 7410.00                  |                      | -51.45               | -13         | -38.45      |
|      |            |         |                         | 3705.00                  | Horizontal           | -47.31               | -13         | -34.31      |
|      |            |         |                         | 5557.50                  |                      | -46.90               | -13         | -33.90      |
|      |            |         |                         | 7410.00                  |                      | -50.80               | -13         | -37.80      |
|      |            | 15      | 1880                    | 3760.00                  | Vertical             | -47.96               | -13         | -34.96      |
|      |            |         |                         | 5640.00                  |                      | -49.54               | -13         | -36.54      |
|      |            |         |                         | 7520.00                  |                      | -50.08               | -13         | -37.08      |
|      |            |         |                         | 3760.00                  | Horizontal           | -47.12               | -13         | -34.12      |
|      |            |         |                         | 5640.00                  |                      | -46.44               | -13         | -33.44      |
|      |            |         |                         | 7520.00                  |                      | -50.03               | -13         | -37.03      |
|      |            | 20      | 1900                    | 3800.00                  | Vertical             | -53.30               | -13         | -40.30      |
|      |            |         |                         | 5700.00                  |                      | -49.76               | -13         | -36.76      |
|      |            |         |                         | 7600.00                  |                      | -51.17               | -13         | -38.17      |
|      |            |         |                         | 3800.00                  | Horizontal           | -47.75               | -13         | -34.75      |
|      |            |         |                         | 5700.00                  |                      | -46.96               | -13         | -33.96      |
|      |            |         |                         | 7600.00                  |                      | -47.23               | -13         | -34.23      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 70 von 94  
Page 70 of 94

**LTE Band 4:**

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 4    | QPSK       | 3       | 1711.5                  | 3423                     | Vertical             | -43.69               | -13         | -30.69      |
|      |            |         |                         | 5134.5                   |                      | -50.82               | -13         | -37.82      |
|      |            |         |                         | 6846                     |                      | -54.00               | -13         | -41.00      |
|      |            |         |                         | 3423                     | Horizontal           | -46.13               | -13         | -33.13      |
|      |            |         |                         | 5134.5                   |                      | -50.64               | -13         | -37.64      |
|      |            |         |                         | 6846                     |                      | -53.23               | -13         | -40.23      |
|      |            | 3       | 1732.5                  | 3465                     | Vertical             | -41.96               | -13         | -28.96      |
|      |            |         |                         | 5197.5                   |                      | -51.51               | -13         | -38.51      |
|      |            |         |                         | 6930                     |                      | -52.97               | -13         | -39.97      |
|      |            |         |                         | 3465                     | Horizontal           | -42.68               | -13         | -29.68      |
|      |            |         |                         | 5197.5                   |                      | -50.81               | -13         | -37.81      |
|      |            |         |                         | 6930                     |                      | -52.89               | -13         | -39.89      |
|      |            | 3       | 1753.5                  | 3507                     | Vertical             | -41.62               | -13         | -28.62      |
|      |            |         |                         | 5260.5                   |                      | -50.67               | -13         | -37.67      |
|      |            |         |                         | 7014                     |                      | -52.55               | -13         | -39.55      |
|      |            |         |                         | 3507                     | Horizontal           | -42.49               | -13         | -29.49      |
|      |            |         |                         | 5260.5                   |                      | -50.97               | -13         | -37.97      |
|      |            |         |                         | 7014                     |                      | -52.74               | -13         | -39.74      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 4    | 16-QAM     | 3       | 1711.5                  | 3423                     | Vertical             | -44.33               | -13         | -31.33      |
|      |            |         |                         | 5134.5                   |                      | -50.57               | -13         | -37.57      |
|      |            |         |                         | 6846                     |                      | -53.43               | -13         | -40.43      |
|      |            |         |                         | 3423                     | Horizontal           | -44.23               | -13         | -31.23      |
|      |            |         |                         | 5134.5                   |                      | -51.26               | -13         | -38.26      |
|      |            |         |                         | 6846                     |                      | -52.98               | -13         | -39.98      |
|      |            | 3       | 1732.5                  | 3465                     | Vertical             | -39.32               | -13         | -26.32      |
|      |            |         |                         | 5197.5                   |                      | -50.76               | -13         | -37.76      |
|      |            |         |                         | 6930                     |                      | -52.95               | -13         | -39.95      |
|      |            |         |                         | 3465                     | Horizontal           | -42.40               | -13         | -29.40      |
|      |            |         |                         | 5197.5                   |                      | -50.96               | -13         | -37.96      |
|      |            |         |                         | 6930                     |                      | -53.24               | -13         | -40.24      |
|      |            | 3       | 1753.5                  | 3507                     | Vertical             | -41.22               | -13         | -28.22      |
|      |            |         |                         | 5260.5                   |                      | -50.90               | -13         | -37.90      |
|      |            |         |                         | 7014                     |                      | -52.53               | -13         | -39.53      |
|      |            |         |                         | 3507                     | Horizontal           | -45.41               | -13         | -32.41      |
|      |            |         |                         | 5260.5                   |                      | -51.15               | -13         | -38.15      |
|      |            |         |                         | 7014                     |                      | -51.71               | -13         | -38.71      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 71 von 94  
Page 71 of 94

**LTE Band 5:**

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 5    | QPSK       | 3       | 825.5                   | 1651.00                  | Vertical             | -48.91               | -13         | -35.91      |
|      |            |         |                         | 2476.50                  |                      | -45.06               | -13         | -32.06      |
|      |            |         |                         | 3302.00                  |                      | -50.79               | -13         | -37.79      |
|      |            |         |                         | 1651.00                  | Horizontal           | -54.86               | -13         | -41.86      |
|      |            |         |                         | 2476.50                  |                      | -40.29               | -13         | -27.29      |
|      |            |         |                         | 3302.00                  |                      | -56.42               | -13         | -43.42      |
|      |            | 10      | 836.5                   | 1673.00                  | Vertical             | -36.58               | -13         | -23.58      |
|      |            |         |                         | 2509.50                  |                      | -47.68               | -13         | -34.68      |
|      |            |         |                         | 3346.00                  |                      | -49.39               | -13         | -36.39      |
|      |            |         |                         | 1673.00                  | Horizontal           | -39.12               | -13         | -26.12      |
|      |            |         |                         | 2509.50                  |                      | -41.49               | -13         | -28.49      |
|      |            |         |                         | 3346.00                  |                      | -52.30               | -13         | -39.30      |
|      |            | 5       | 846.5                   | 1693.00                  | Vertical             | -42.92               | -13         | -29.92      |
|      |            |         |                         | 2539.50                  |                      | -47.90               | -13         | -34.90      |
|      |            |         |                         | 3386.00                  |                      | -56.47               | -13         | -43.47      |
|      |            |         |                         | 1693.00                  | Horizontal           | -40.91               | -13         | -27.91      |
|      |            |         |                         | 2539.50                  |                      | -44.25               | -13         | -31.25      |
|      |            |         |                         | 3386.00                  |                      | -55.66               | -13         | -42.66      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB)   |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|---------------|
| 5    | 16-QAM     | 10      | 829                     | 1658                     | Vertical             | -44.09               | -13         | -31.09        |
|      |            |         |                         | 2487                     |                      | -45.92               | -13         | -32.92        |
|      |            |         |                         | 3316                     |                      | -50.69               | -13         | -37.69        |
|      |            |         |                         | 1658                     | Horizontal           | -42.88               | -13         | -29.88        |
|      |            |         |                         | 2487                     |                      | -37.28               | -13         | -24.28        |
|      |            |         |                         | 3316                     |                      | -52.93               | -13         | -39.93        |
|      |            | 10      | 836.5                   | <b>1673</b>              | Vertical             | <b>-36.05</b>        | <b>-13</b>  | <b>-23.05</b> |
|      |            |         |                         | <b>2509.5</b>            |                      | <b>-44.09</b>        | <b>-13</b>  | <b>-31.09</b> |
|      |            |         |                         | <b>3346</b>              |                      | <b>-56.53</b>        | <b>-13</b>  | <b>-43.53</b> |
|      |            |         |                         | <b>1673</b>              | Horizontal           | <b>-37.36</b>        | <b>-13</b>  | <b>-24.36</b> |
|      |            |         |                         | <b>2509.5</b>            |                      | <b>-39.48</b>        | <b>-13</b>  | <b>-26.48</b> |
|      |            |         |                         | <b>3346</b>              |                      | <b>-55.62</b>        | <b>-13</b>  | <b>-42.62</b> |
|      |            | 3       | 847.4                   | 1694.8                   | Vertical             | -40.44               | -13         | -27.44        |
|      |            |         |                         | 2542.2                   |                      | -47.72               | -13         | -34.72        |
|      |            |         |                         | 3389.6                   |                      | -56.33               | -13         | -43.33        |
|      |            |         |                         | 1694.8                   | Horizontal           | -44.30               | -13         | -31.30        |
|      |            |         |                         | 2542.2                   |                      | -44.59               | -13         | -31.59        |
|      |            |         |                         | 3389.6                   |                      | -56.67               | -13         | -43.67        |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 72 von 94  
Page 72 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB)   |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|---------------|
| 12   | QPSK       | 10      | 704                     | 1408                     | Vertical             | -47.29               | -13         | -34.29        |
|      |            |         |                         | 2112                     |                      | -51.46               | -13         | -38.46        |
|      |            |         |                         | 2816                     |                      | -53.23               | -13         | -40.23        |
|      |            |         |                         | 1408                     | Horizontal           | -47.18               | -13         | -34.18        |
|      |            |         |                         | 2112                     |                      | -49.81               | -13         | -36.81        |
|      |            |         |                         | 2816                     |                      | -52.17               | -13         | -39.17        |
|      |            | 10      | 707.5                   | 1415                     | Vertical             | <b>-51.97</b>        | <b>-13</b>  | <b>-38.97</b> |
|      |            |         |                         | 2122.5                   |                      | <b>-49.04</b>        | <b>-13</b>  | <b>-36.04</b> |
|      |            |         |                         | 2830                     |                      | <b>-52.98</b>        | <b>-13</b>  | <b>-39.98</b> |
|      |            |         |                         | 1415                     | Horizontal           | <b>-43.76</b>        | <b>-13</b>  | <b>-30.76</b> |
|      |            |         |                         | 2122.5                   |                      | <b>-47.92</b>        | <b>-13</b>  | <b>-34.92</b> |
|      |            |         |                         | 2830                     |                      | <b>-52.44</b>        | <b>-13</b>  | <b>-39.44</b> |
|      |            | 5       | 713.4                   | 1426.8                   | Vertical             | -45.84               | -13         | -32.84        |
|      |            |         |                         | 2140.2                   |                      | -46.98               | -13         | -33.98        |
|      |            |         |                         | 2853.6                   |                      | -51.36               | -13         | -38.36        |
|      |            |         |                         | 1426.8                   | Horizontal           | -46.00               | -13         | -33.00        |
|      |            |         |                         | 2140.2                   |                      | -47.10               | -13         | -34.10        |
|      |            |         |                         | 2853.6                   |                      | -52.57               | -13         | -39.57        |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 12   | 16-QAM     | 10      | 704                     | 1408                     | Vertical             | -46.82               | -13         | -33.82      |
|      |            |         |                         | 2112                     |                      | -51.71               | -13         | -38.71      |
|      |            |         |                         | 2816                     |                      | -53.51               | -13         | -40.51      |
|      |            |         |                         | 1408                     | Horizontal           | -46.82               | -13         | -33.82      |
|      |            |         |                         | 2112                     |                      | -49.93               | -13         | -36.93      |
|      |            |         |                         | 2816                     |                      | -53.12               | -13         | -40.12      |
|      |            | 3       | 707.5                   | 1415                     | Vertical             | -46.38               | -13         | -33.38      |
|      |            |         |                         | 2122.5                   |                      | -49.70               | -13         | -36.70      |
|      |            |         |                         | 2830                     |                      | -52.89               | -13         | -39.89      |
|      |            |         |                         | 1415                     | Horizontal           | -46.72               | -13         | -33.72      |
|      |            |         |                         | 2122.5                   |                      | -49.63               | -13         | -36.63      |
|      |            |         |                         | 2830                     |                      | -52.99               | -13         | -39.99      |
|      |            | 5       | 713.4                   | 1426.8                   | Vertical             | -49.85               | -13         | -36.85      |
|      |            |         |                         | 2140.2                   |                      | -49.82               | -13         | -36.82      |
|      |            |         |                         | 2853.6                   |                      | -53.45               | -13         | -40.45      |
|      |            |         |                         | 1426.8                   | Horizontal           | -46.84               | -13         | -33.84      |
|      |            |         |                         | 2140.2                   |                      | -46.42               | -13         | -33.42      |
|      |            |         |                         | 2853.6                   |                      | -53.17               | -13         | -40.17      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 73 von 94  
Page 73 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB)   |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|---------------|
| 13   | QPSK       | 5       | 779.5                   | 1559                     | Vertical             | -49.59               | -40         | -9.59         |
|      |            |         |                         | 2338.5                   |                      | -49.62               | -13         | -36.62        |
|      |            |         |                         | 3118                     |                      | -51.04               | -13         | -38.04        |
|      |            |         |                         | 1559                     | Horizontal           | -45.47               | -40         | -5.47         |
|      |            |         |                         | 2338.5                   |                      | -46.03               | -13         | -33.03        |
|      |            |         |                         | 3118                     |                      | -53.04               | -13         | -40.04        |
|      |            | 5       | 782                     | 1564                     | Vertical             | -47.52               | -40         | -7.52         |
|      |            |         |                         | 2346                     |                      | -49.10               | -13         | -36.10        |
|      |            |         |                         | 3128                     |                      | -52.39               | -13         | -39.39        |
|      |            |         |                         | 1564                     | Horizontal           | -46.22               | -40         | -6.22         |
|      |            |         |                         | 2346                     |                      | -43.84               | -13         | -30.84        |
|      |            |         |                         | 3128                     |                      | -54.50               | -13         | -41.50        |
|      |            | 5       | 784.4                   | 1568.8                   | Vertical             | <b>-48.88</b>        | <b>-40</b>  | <b>-8.88</b>  |
|      |            |         |                         | 2353.2                   |                      | <b>-49.52</b>        | <b>-13</b>  | <b>-36.52</b> |
|      |            |         |                         | 3137.6                   |                      | <b>-51.92</b>        | <b>-13</b>  | <b>-38.92</b> |
|      |            |         |                         | 1568.8                   | Horizontal           | <b>-47.44</b>        | <b>-40</b>  | <b>-7.44</b>  |
|      |            |         |                         | 2353.2                   |                      | <b>-41.89</b>        | <b>-13</b>  | <b>-28.89</b> |
|      |            |         |                         | 3137.6                   |                      | <b>-50.02</b>        | <b>-13</b>  | <b>-37.02</b> |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 13   | 16-QAM     | 5       | 779.5                   | 1559                     | Vertical             | -47.47               | -40         | -7.47       |
|      |            |         |                         | 2338.5                   |                      | -48.12               | -13         | -35.12      |
|      |            |         |                         | 3118                     |                      | -55.20               | -13         | -42.20      |
|      |            |         |                         | 1559                     | Horizontal           | -42.61               | -40         | -2.61       |
|      |            |         |                         | 2338.5                   |                      | -44.55               | -13         | -31.55      |
|      |            |         |                         | 3118                     |                      | -55.40               | -13         | -42.40      |
|      |            | 5       | 782                     | 1564                     | Vertical             | -49.19               | -40         | -9.19       |
|      |            |         |                         | 2346                     |                      | -48.75               | -13         | -35.75      |
|      |            |         |                         | 3128                     |                      | -51.29               | -13         | -38.29      |
|      |            |         |                         | 1564                     | Horizontal           | -43.86               | -40         | -3.86       |
|      |            |         |                         | 2346                     |                      | -45.82               | -13         | -32.82      |
|      |            |         |                         | 3128                     |                      | -55.01               | -13         | -42.01      |
|      |            | 5       | 784.4                   | 1568.8                   | Vertical             | -49.04               | -40         | -9.04       |
|      |            |         |                         | 2353.2                   |                      | -47.95               | -13         | -34.95      |
|      |            |         |                         | 3137.6                   |                      | -56.21               | -13         | -43.21      |
|      |            |         |                         | 1568.8                   | Horizontal           | -48.74               | -40         | -8.74       |
|      |            |         |                         | 2353.2                   |                      | -45.17               | -13         | -32.17      |
|      |            |         |                         | 3137.6                   |                      | -55.09               | -13         | -42.09      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 74 von 94  
Page 74 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 25   | QPSK       | 10      | 1855                    | 3710                     | Vertical             | -45.43               | -13         | -32.43      |
|      |            |         |                         | 5565                     |                      | -44.66               | -13         | -31.66      |
|      |            |         |                         | 7420                     |                      | -51.16               | -13         | -38.16      |
|      |            |         |                         | 3710                     | Horizontal           | -45.34               | -13         | -32.34      |
|      |            |         |                         | 5565                     |                      | -44.15               | -13         | -31.15      |
|      |            |         |                         | 7420                     |                      | -46.63               | -13         | -33.63      |
|      |            | 15      | 1882.5                  | 3765                     | Vertical             | -48.08               | -13         | -35.08      |
|      |            |         |                         | 5647.5                   |                      | -46.67               | -13         | -33.67      |
|      |            |         |                         | 7530                     |                      | -51.31               | -13         | -38.31      |
|      |            |         |                         | 3765                     | Horizontal           | -47.27               | -13         | -34.27      |
|      |            |         |                         | 5647.5                   |                      | -45.46               | -13         | -32.46      |
|      |            |         |                         | 7530                     |                      | -47.62               | -13         | -34.62      |
|      |            | 5       | 1912.4                  | 3824.8                   | Vertical             | -52.01               | -13         | -39.01      |
|      |            |         |                         | 5737.2                   |                      | -47.15               | -13         | -34.15      |
|      |            |         |                         | 7649.6                   |                      | -50.94               | -13         | -37.94      |
|      |            |         |                         | 3824.8                   | Horizontal           | -48.12               | -13         | -35.12      |
|      |            |         |                         | 5737.2                   |                      | -46.03               | -13         | -33.03      |
|      |            |         |                         | 7649.6                   |                      | -51.47               | -13         | -38.47      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 25   | 16-QAM     | 5       | 1852.5                  | 3705                     | Vertical             | -46.86               | -13         | -33.86      |
|      |            |         |                         | 5557.5                   |                      | -49.65               | -13         | -36.65      |
|      |            |         |                         | 7410                     |                      | -50.39               | -13         | -37.39      |
|      |            |         |                         | 3705                     | Horizontal           | -47.04               | -13         | -34.04      |
|      |            |         |                         | 5557.5                   |                      | -47.44               | -13         | -34.44      |
|      |            |         |                         | 7410                     |                      | -47.97               | -13         | -34.97      |
|      |            | 20      | 1882.5                  | 3765                     | Vertical             | -47.15               | -13         | -34.15      |
|      |            |         |                         | 5647.5                   |                      | -46.03               | -13         | -33.03      |
|      |            |         |                         | 7530                     |                      | -50.3                | -13         | -37.3       |
|      |            |         |                         | 3765                     | Horizontal           | -45.36               | -13         | -32.36      |
|      |            |         |                         | 5647.5                   |                      | -43.96               | -13         | -30.96      |
|      |            |         |                         | 7530                     |                      | -46.87               | -13         | -33.87      |
|      |            | 10      | 1909.4                  | 3818.8                   | Vertical             | -49.24               | -13         | -36.24      |
|      |            |         |                         | 5728.2                   |                      | -46.13               | -13         | -33.13      |
|      |            |         |                         | 7637.6                   |                      | -50.76               | -13         | -37.76      |
|      |            |         |                         | 3818.8                   | Horizontal           | -48.44               | -13         | -35.44      |
|      |            |         |                         | 5728.2                   |                      | -45.30               | -13         | -32.30      |
|      |            |         |                         | 7637.6                   |                      | -51.45               | -13         | -38.45      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 75 von 94  
Page 75 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 26   | QPSK       | 3       | 815.5                   | 1631                     | Vertical             | -49.52               | -13         | -36.52      |
|      |            |         |                         | 2446.5                   |                      | -43.48               | -13         | -30.48      |
|      |            |         |                         | 3262                     |                      | -52.47               | -13         | -39.47      |
|      |            |         |                         | 1631                     | Horizontal           | -48.58               | -13         | -35.58      |
|      |            |         |                         | 2446.5                   |                      | -40.09               | -13         | -27.09      |
|      |            |         |                         | 3262                     |                      | -51.88               | -13         | -38.88      |
|      |            | 15      | 831.4                   | 1662.8                   | Vertical             | -49.53               | -13         | -36.53      |
|      |            |         |                         | 2494.2                   |                      | -45.37               | -13         | -32.37      |
|      |            |         |                         | 3325.6                   |                      | -50.11               | -13         | -37.11      |
|      |            |         |                         | 1662.8                   | Horizontal           | -46.78               | -13         | -33.78      |
|      |            |         |                         | 2494.2                   |                      | -41.02               | -13         | -28.02      |
|      |            |         |                         | 3325.6                   |                      | -56.64               | -13         | -43.64      |
|      |            | 3       | 847.4                   | 1694.8                   | Vertical             | -40.56               | -13         | -27.56      |
|      |            |         |                         | 2542.2                   |                      | -50.83               | -13         | -37.83      |
|      |            |         |                         | 3389.6                   |                      | -50.27               | -13         | -37.27      |
|      |            |         |                         | 1694.8                   | Horizontal           | -45.64               | -13         | -32.64      |
|      |            |         |                         | 2542.2                   |                      | -38.85               | -13         | -25.85      |
|      |            |         |                         | 3389.6                   |                      | -56.02               | -13         | -43.02      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 26   | 16-QAM     | 5       | 816.5                   | 1633                     | Vertical             | -49.31               | -13         | -36.31      |
|      |            |         |                         | 2449.5                   |                      | -42.70               | -13         | -29.70      |
|      |            |         |                         | 3266                     |                      | -46.93               | -13         | -33.93      |
|      |            |         |                         | 1633                     | Horizontal           | -48.95               | -13         | -35.95      |
|      |            |         |                         | 2449.5                   |                      | -36.97               | -13         | -23.97      |
|      |            |         |                         | 3266                     |                      | -50.50               | -13         | -37.50      |
|      |            | 15      | 831.4                   | 1662.8                   | Vertical             | -49.71               | -13         | -36.71      |
|      |            |         |                         | 2494.2                   |                      | -43.15               | -13         | -30.15      |
|      |            |         |                         | 3325.6                   |                      | -52.35               | -13         | -39.35      |
|      |            |         |                         | 1662.8                   | Horizontal           | -45.77               | -13         | -32.77      |
|      |            |         |                         | 2494.2                   |                      | -39.16               | -13         | -26.16      |
|      |            |         |                         | 3325.6                   |                      | -53.12               | -13         | -40.12      |
|      |            | 15      | 841.4                   | 1682.8                   | Vertical             | -40.13               | -13         | -27.13      |
|      |            |         |                         | 2524.2                   |                      | -49.19               | -13         | -36.19      |
|      |            |         |                         | 3365.6                   |                      | -52.21               | -13         | -39.21      |
|      |            |         |                         | 1682.8                   | Horizontal           | -37.39               | -13         | -24.39      |
|      |            |         |                         | 2524.2                   |                      | -38.95               | -13         | -25.95      |
|      |            |         |                         | 3365.6                   |                      | -53.34               | -13         | -40.34      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 76 von 94  
Page 76 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB)   |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|---------------|
| 66   | QPSK       | 5       | 1712.5                  | 3425                     | Vertical             | -41.8                | -13         | -28.8         |
|      |            |         |                         | 5137.5                   |                      | -50.68               | -13         | -37.68        |
|      |            |         |                         | 6850                     |                      | -53.67               | -13         | -40.67        |
|      |            |         |                         | 3425                     | Horizontal           | -45.19               | -13         | -32.19        |
|      |            |         |                         | 5137.5                   |                      | -50.35               | -13         | -37.35        |
|      |            |         |                         | 6850                     |                      | -53.68               | -13         | -40.68        |
|      |            | 3       | 1745                    | 3490                     | Vertical             | <b>-40.23</b>        | <b>-13</b>  | <b>-27.23</b> |
|      |            |         |                         | 5235                     |                      | <b>-51.08</b>        | <b>-13</b>  | <b>-38.08</b> |
|      |            |         |                         | 6980                     |                      | <b>-45.18</b>        | <b>-13</b>  | <b>-32.18</b> |
|      |            |         |                         | 3490                     | Horizontal           | <b>-45.94</b>        | <b>-13</b>  | <b>-32.94</b> |
|      |            |         |                         | 5235                     |                      | <b>-50.84</b>        | <b>-13</b>  | <b>-37.84</b> |
|      |            |         |                         | 6980                     |                      | <b>-52.76</b>        | <b>-13</b>  | <b>-39.76</b> |
|      |            | 3       | 1778.4                  | 3556.8                   | Vertical             | -40.88               | -13         | -27.88        |
|      |            |         |                         | 5335.2                   |                      | -50.7                | -13         | -37.7         |
|      |            |         |                         | 7113.6                   |                      | -51.52               | -13         | -38.52        |
|      |            |         |                         | 3556.8                   | Horizontal           | -43.78               | -13         | -30.78        |
|      |            |         |                         | 5335.2                   |                      | -51.34               | -13         | -38.34        |
|      |            |         |                         | 7113.6                   |                      | -52.35               | -13         | -39.35        |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 66   | 16-QAM     | 5       | 1720                    | 3440                     | Vertical             | -42.83               | -13         | -29.83      |
|      |            |         |                         | 5160                     |                      | -50.53               | -13         | -37.53      |
|      |            |         |                         | 6880                     |                      | -53.06               | -13         | -40.06      |
|      |            |         |                         | 3440                     | Horizontal           | -43.58               | -13         | -30.58      |
|      |            |         |                         | 5160                     |                      | -48.13               | -13         | -35.13      |
|      |            |         |                         | 6880                     |                      | -49.32               | -13         | -36.32      |
|      |            | 5       | 1745                    | 3490                     | Vertical             | -43.58               | -13         | -30.58      |
|      |            |         |                         | 5235                     |                      | -51.31               | -13         | -38.31      |
|      |            |         |                         | 6980                     |                      | -52.73               | -13         | -39.73      |
|      |            |         |                         | 3490                     | Horizontal           | -44.39               | -13         | -31.39      |
|      |            |         |                         | 5235                     |                      | -50.83               | -13         | -37.83      |
|      |            |         |                         | 6980                     |                      | -52.43               | -13         | -39.43      |
|      |            | 5       | 1777.4                  | 3554.8                   | Vertical             | -42.99               | -13         | -29.99      |
|      |            |         |                         | 5332.2                   |                      | -50.92               | -13         | -37.92      |
|      |            |         |                         | 7109.6                   |                      | -51.76               | -13         | -38.76      |
|      |            |         |                         | 3554.8                   | Horizontal           | -40.81               | -13         | -27.81      |
|      |            |         |                         | 5332.2                   |                      | -51.32               | -13         | -38.32      |
|      |            |         |                         | 7109.6                   |                      | -51.48               | -13         | -38.48      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 77 von 94  
Page 77 of 94

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 85   | QPSK       | 5       | 700.5                   | 1401                     | Vertical             | -51.59               | -13         | -38.59      |
|      |            |         |                         | 2101.5                   |                      | -48.54               | -13         | -35.54      |
|      |            |         |                         | 2802                     |                      | -55.32               | -13         | -42.32      |
|      |            |         |                         | 1401                     | Horizontal           | -50.94               | -13         | -37.94      |
|      |            |         |                         | 2101.5                   |                      | -44.51               | -13         | -31.51      |
|      |            |         |                         | 2802                     |                      | -55.70               | -13         | -42.70      |
|      |            | 5       | 707                     | 1414                     | Vertical             | -57.15               | -13         | -44.15      |
|      |            |         |                         | 2121                     |                      | -52.91               | -13         | -39.91      |
|      |            |         |                         | 1414                     | Horizontal           | -49.32               | -13         | -36.32      |
|      |            |         |                         | 2121                     |                      | -45.97               | -13         | -32.97      |
|      |            | 5       | 713.4                   | 1426.8                   | Vertical             | -47.40               | -13         | -34.40      |
|      |            |         |                         | 2140.2                   |                      | -52.60               | -13         | -39.60      |
|      |            |         |                         | 1426.8                   | Horizontal           | -41.74               | -13         | -28.74      |
|      |            |         |                         | 2140.2                   |                      | -47.67               | -13         | -34.67      |

| Band | Modulation | Cell BW | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|------|------------|---------|-------------------------|--------------------------|----------------------|----------------------|-------------|-------------|
| 85   | 16-QAM     | 5       | 700.5                   | 1401                     | Vertical             | -53.90               | -13         | -40.90      |
|      |            |         |                         | 2101.5                   |                      | -50.69               | -13         | -37.69      |
|      |            |         |                         | 2802                     |                      | -55.57               | -13         | -42.57      |
|      |            |         |                         | 1401                     | Horizontal           | -53.75               | -13         | -40.75      |
|      |            |         |                         | 2101.5                   |                      | -44.60               | -13         | -31.60      |
|      |            |         |                         | 2802                     |                      | -55.48               | -13         | -42.48      |
|      |            | 5       | 707                     | 1414                     | Vertical             | -51.10               | -13         | -38.10      |
|      |            |         |                         | 2121                     |                      | -49.91               | -13         | -36.91      |
|      |            |         |                         | 1414                     | Horizontal           | -48.31               | -13         | -35.31      |
|      |            |         |                         | 2121                     |                      | -47.38               | -13         | -34.38      |
|      |            | 5       | 713.4                   | 1426.8                   | Vertical             | -48.43               | -13         | -35.43      |
|      |            |         |                         | 2140.2                   |                      | -50.85               | -13         | -37.85      |
|      |            |         |                         | 1426.8                   | Horizontal           | -45.74               | -13         | -32.74      |
|      |            |         |                         | 2140.2                   |                      | -50.05               | -13         | -37.05      |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 78 von 94  
Page 78 of 94

### GSM Test Results

| Band    | Modulation | Slot | Channel | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit | Margin |
|---------|------------|------|---------|-------------------------|--------------------------|----------------------|----------------------|-------|--------|
| GSM 850 | GPRS       | 4    | 128     | 824.2                   | 1648.4                   | Vertical             | -59.64               | -13   | -46.64 |
|         |            |      |         |                         | 2472.6                   |                      | -57.11               | -13   | -44.11 |
|         |            |      |         |                         | 1648.4                   | Horizontal           | -61.34               | -13   | -48.34 |
|         |            |      |         |                         | 2472.6                   |                      | -57.08               | -13   | -44.08 |
|         |            | 1    | 190     | 836.6                   | 1673.2                   | Vertical             | -60.92               | -13   | -47.92 |
|         |            |      |         |                         | 2509.8                   |                      | -57.13               | -13   | -44.13 |
|         |            |      |         |                         | 1673.2                   | Horizontal           | -58.18               | -13   | -45.18 |
|         |            |      |         |                         | 2509.8                   |                      | -57.19               | -13   | -44.19 |
|         |            | 4    | 251     | 848.8                   | 1697.6                   | Vertical             | -60.12               | -13   | -47.12 |
|         |            |      |         |                         | 2546.4                   |                      | -56.99               | -13   | -43.99 |
|         |            |      |         |                         | 1697.6                   | Horizontal           | -60.70               | -13   | -47.70 |
|         |            |      |         |                         | 2546.4                   |                      | -56.76               | -13   | -43.76 |

| Band    | Modulation | Slot | Channel | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit | Margin |
|---------|------------|------|---------|-------------------------|--------------------------|----------------------|----------------------|-------|--------|
| GSM 850 | EGPRS      | 4    | 128     | 824.2                   | 1648.4                   | Vertical             | -61.55               | -13   | -48.55 |
|         |            |      |         |                         | 2472.6                   |                      | -56.92               | -13   | -43.92 |
|         |            |      |         |                         | 1648.4                   | Horizontal           | -61.23               | -13   | -48.23 |
|         |            |      |         |                         | 2472.6                   |                      | -56.03               | -13   | -43.03 |
|         |            | 1    | 190     | 836.6                   | 1673.2                   | Vertical             | -58.10               | -13   | -45.10 |
|         |            |      |         |                         | 2509.8                   |                      | -57.01               | -13   | -44.01 |
|         |            |      |         |                         | 1673.2                   | Horizontal           | -60.97               | -13   | -47.97 |
|         |            |      |         |                         | 2509.8                   |                      | -57.82               | -13   | -44.82 |
|         |            | 1    | 251     | 848.8                   | 1697.6                   | Vertical             | -61.35               | -13   | -48.35 |
|         |            |      |         |                         | 2546.4                   |                      | -56.84               | -13   | -43.84 |
|         |            |      |         |                         | 1697.6                   | Horizontal           | -60.73               | -13   | -47.73 |
|         |            |      |         |                         | 2546.4                   |                      | -57.68               | -13   | -44.68 |

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 79 von 94  
Page 79 of 94

| Band     | Modulation | Slot | Channel | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit | Margin |
|----------|------------|------|---------|-------------------------|--------------------------|----------------------|----------------------|-------|--------|
| GSM 1900 | GPRS       | 2    | 512     | 1850.2                  | 3700.40                  | Vertical             | -53.94               | -13   | -40.94 |
|          |            |      |         |                         | 5550.60                  |                      | -49.76               | -13   | -36.76 |
|          |            |      |         |                         | 3700.40                  | Horizontal           | -53.20               | -13   | -40.20 |
|          |            |      |         |                         | 5550.60                  |                      | -49.81               | -13   | -36.81 |
|          |            | 4    | 661     | 1880                    | 3760.00                  | Vertical             | -53.50               | -13   | -40.50 |
|          |            |      |         |                         | 5640.00                  |                      | -50.00               | -13   | -37.00 |
|          |            |      |         |                         | 3760.00                  | Horizontal           | -53.46               | -13   | -40.46 |
|          |            |      |         |                         | 5640.00                  |                      | -50.73               | -13   | -37.73 |
|          |            | 4    | 810     | 1909.8                  | 3819.60                  | Vertical             | -52.57               | -13   | -39.57 |
|          |            |      |         |                         | 5729.40                  |                      | -50.56               | -13   | -37.56 |
|          |            |      |         |                         | 3819.60                  | Horizontal           | -52.96               | -13   | -39.96 |
|          |            |      |         |                         | 5729.40                  |                      | -50.48               | -13   | -37.48 |

| Band     | Modulation | Slot | Channel | Channel Frequency (MHz) | Measured Frequency (MHz) | Antenna Polarization | Emission Level (dBm) | Limit | Margin |
|----------|------------|------|---------|-------------------------|--------------------------|----------------------|----------------------|-------|--------|
| GSM 1900 | EGPRS      | 2    | 512     | 1850.2                  | 3700.4                   | Vertical             | -53.82               | -13   | -40.8  |
|          |            |      |         |                         | 5550.6                   |                      | -50.88               | -13   | -37.9  |
|          |            |      |         |                         | 3700.4                   | Horizontal           | -53.89               | -13   | -40.9  |
|          |            |      |         |                         | 5550.6                   |                      | -49.88               | -13   | -36.9  |
|          |            | 3    | 661     | 1880                    | 3760                     | Vertical             | -53.02               | -13   | -40.0  |
|          |            |      |         |                         | 5640                     |                      | -49.91               | -13   | -36.9  |
|          |            |      |         |                         | 3760                     | Horizontal           | -53.56               | -13   | -40.6  |
|          |            |      |         |                         | 5640                     |                      | -50.35               | -13   | -37.4  |
|          |            | 3    | 810     | 1909.8                  | 3819.6                   | Vertical             | -53.25               | -13   | -40.3  |
|          |            |      |         |                         | 5729.4                   |                      | -50.24               | -13   | -37.2  |
|          |            |      |         |                         | 3819.6                   | Horizontal           | -53.03               | -13   | -40.0  |
|          |            |      |         |                         | 5729.4                   |                      | -50.02               | -13   | -37.0  |

**Prüfbericht - Nr.:**  
Test Report No.:


**IN22Y7T9 001**

Seite 80 von 94  
Page 80 of 94

**Worst Case Plots:**


**LTE Band 2**

**Channel Frequency: 1857.5MHz\_QPSK**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**




**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**


**LTE Band 4**

**Channel Frequency: 1732.5MHz\_QPSK**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**



**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 82 von 94

Page 82 of 94


**LTE Band 5**

**Channel Frequency: 836.5MHz\_16QAM**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**




**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**


**LTE Band 12**

**Channel Frequency: 707.5MHz\_QPSK**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**



**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**

# Prüfbericht - Nr.:

Test Report No.:


IN22Y7T9 001

Seite 84 von 94

Page 84 of 94


## LTE Band 13

Channel Frequency: 784.4MHz\_QPSK



Frequency Range: 1GHz-18GHz

Polarization: Vertical




Frequency Range: 1GHz-18GHz

Polarization: Horizontal


**LTE Band 25**

**Channel Frequency: 1882.5MHz\_16QAM**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**




**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**


**LTE Band 26**

**Channel Frequency: 816.5MHz\_16QAM**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**




**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**


**LTE Band 66**

**Channel Frequency: 1745MHz\_QPSK**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**



**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**


**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 88 von 94  
Page 88 of 94


**LTE Band 85**

**Channel Frequency: 713.5MHz\_QPSK**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**



**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**  
Test Report No.:


**IN22Y7T9 001**

Seite 89 von 94  
Page 89 of 94

## GSM Worst Case Plots


### GSM-1900 EGPRS

Channell Frequency: 824.2MHz



Frequency Range: 1GHz-18GHz

Polarization: Vertical




Frequency Range: 1GHz-18GHz

Polarization: Horizontal


**GSM-1900 EGPRS Worst Case Plots**

**Channel Frequency: 1850.2MHz**



**Frequency Range: 1GHz-18GHz**

**Polarization: Vertical**



**Frequency Range: 1GHz-18GHz**

**Polarization: Horizontal**

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 91 von 94  
Page 91 of 94

## 8 CONDUCTED SPURIOUS EMISSION TEST ON AC POWER LINE

**Result**

**Pass**

Test Specification : FCC Part 15 Section 15.207 / RSS Gen Issue 5 Section 8.8  
Test Method : ANSI C 63.10-2013  
Testing Location : Screened room  
Measurement Bandwidth : 9kHz  
Frequency Range : 150kHz – 30MHz  
Supply Voltage : 110VAC,60Hz  
Test Method : Reffer TEST METHODOLOGY

**\*Note: The product has tested with AC to DC adapter**

**Limits of section 15.207**

| Frequency of emission<br>(MHz) | QP Limit<br>(dB $\mu$ V) | AV Limit<br>(dB $\mu$ V/m) |
|--------------------------------|--------------------------|----------------------------|
| 0.15 – 0.5                     | 66 – 56*                 | 56 – 46*                   |
| 0.5 – 5                        | 56                       | 46                         |
| 5 – 30                         | 60                       | 50                         |

\* Decreases with the logarithm of the frequency

**Test Conditions:**

Normal Temperature = +24°C

Voltage (V norm) = 110V AC 60Hz

Relative Humidity = 64%

**Prüfbericht - Nr.:**

Test Report No.:


**IN22Y7T9 001**

Seite 92 von 94

Page 92 of 94

**Test Result:**

**Power: 110V 60Hz\_LINE**



**Line Graph**

**Quasipeak:-**

| Frequency (MHz) | Level (dBμV) | Limit (dBμV) | Margin (dB) | Pos     | Comments | Correction (dB) |
|-----------------|--------------|--------------|-------------|---------|----------|-----------------|
| 0.15225         | 52.57        | 65.78        | -13.21      | Phase 1 | Pass     | 19.89           |
| 0.17465         | 48.17        | 64.77        | -16.59      | Phase 1 | Pass     | 19.88           |
| 9.47715         | 40.5         | 60           | -19.5       | Phase 1 | Pass     | 20.07           |
| 18.09975        | 40.32        | 60           | -19.68      | Phase 1 | Pass     | 20.27           |
| 15.1237         | 40.08        | 60           | -19.92      | Phase 1 | Pass     | 20.21           |
| 0.2783          | 39.58        | 60.88        | -21.3       | Phase 1 | Pass     | 19.86           |
| 13.096          | 38.44        | 60           | -21.56      | Phase 1 | Pass     | 20.16           |
| 0.424           | 33.74        | 57.41        | -23.67      | Phase 1 | Pass     | 19.88           |

**Line Table**

**Average:-**

| Frequency (MHz) | Level (dBμV) | Limit (dBμV) | Margin (dB) | Pos     | Comments | Correction (dB) |
|-----------------|--------------|--------------|-------------|---------|----------|-----------------|
| 0.15225         | 32.3         | 55.78        | -23.48      | Phase 1 | Pass     | 19.89           |
| 0.424           | 22.81        | 47.41        | -24.59      | Phase 1 | Pass     | 19.88           |
| 0.2783          | 25.48        | 50.88        | -25.4       | Phase 1 | Pass     | 19.86           |
| 0.17465         | 29.04        | 54.77        | -25.73      | Phase 1 | Pass     | 19.88           |
| 18.09975        | 23.93        | 50           | -26.07      | Phase 1 | Pass     | 20.27           |
| 9.47715         | 21.57        | 50           | -28.43      | Phase 1 | Pass     | 20.07           |
| 13.096          | 20.69        | 50           | -29.31      | Phase 1 | Pass     | 20.16           |
| 15.1237         | 20.66        | 50           | -29.34      | Phase 1 | Pass     | 20.21           |


**Line Table**

**Prüfbericht - Nr.:**  
Test Report No.:

**IN22Y7T9 001**

Seite 93 von 94  
Page 93 of 94

**Power: 110V 60Hz\_NEUTRAL**



**Neutral Graph**

**Quasipeak:-**

| Frequency (MHz) | Level (dBμV) | Limit (dBμV) | Margin (dB) | Pos     | Comments | Correction (dB) |
|-----------------|--------------|--------------|-------------|---------|----------|-----------------|
| 0.15225         | 52.7         | 65.78        | -13.08      | Neutral | Pass     | 19.87           |
| 15.21085        | 45.23        | 60           | -14.77      | Neutral | Pass     | 20.03           |
| 13.23195        | 42.77        | 60           | -17.23      | Neutral | Pass     | 19.98           |
| 0.1944          | 46.55        | 63.86        | -17.31      | Neutral | Pass     | 19.83           |
| 11.28295        | 42.13        | 60           | -17.87      | Neutral | Pass     | 19.93           |
| 9.74825         | 39.62        | 60           | -20.38      | Neutral | Pass     | 19.9            |
| 0.3979          | 37.25        | 57.9         | -20.64      | Neutral | Pass     | 19.77           |
| 17.48265        | 25.74        | 60           | -34.26      | Neutral | Pass     | 20.08           |

**Neutral Table**

**Average:-**

| Frequency (MHz) | Level (dBμV) | Limit (dBμV) | Margin (dB) | Pos     | Comments | Correction (dB) |
|-----------------|--------------|--------------|-------------|---------|----------|-----------------|
| 11.28295        | 28.52        | 50           | -21.48      | Neutral | Pass     | 19.93           |
| 0.3979          | 25.77        | 47.9         | -22.13      | Neutral | Pass     | 19.77           |
| 13.23195        | 26.92        | 50           | -23.08      | Neutral | Pass     | 19.98           |
| 0.15225         | 32.37        | 55.78        | -23.41      | Neutral | Pass     | 19.87           |
| 0.1944          | 30.01        | 53.86        | -23.86      | Neutral | Pass     | 19.83           |
| 9.74825         | 24.89        | 50           | -25.11      | Neutral | Pass     | 19.9            |
| 17.48265        | 19.77        | 50           | -30.23      | Neutral | Pass     | 20.08           |
| 15.21085        | 17.05        | 50           | -32.95      | Neutral | Pass     | 20.03           |

**Neutral Table**

**Prüfbericht - Nr.:**  
*Test Report No.:*

**IN22Y7T9 001**

Seite 94 von 94  
Page 94 of 94

## 9 LIST OF TABLES

|                                                                  |    |
|------------------------------------------------------------------|----|
| Table 1: List of test and measurement instruments .....          | 7  |
| Table 2: Instrument application Software versions .....          | 7  |
| Table 3: Ratings and System Details as declared by Client* ..... | 8  |
| Table 4: Measurement Uncertainty .....                           | 9  |
| Table 5: List of Center frequencies .....                        | 10 |
| Table 6: Conducted Power test results .....                      | 18 |
| Table 7: PAPR test results .....                                 | 28 |
| Table 8: ERP/EIRP Test results for LTE .....                     | 45 |

## 10 LIST OF FIGURES

|                                                  |    |
|--------------------------------------------------|----|
| Figure 1: Frequency Range 9 kHz- 30 MHz .....    | 13 |
| Figure 2: Frequency Range 30 MHz – 200 MHz ..... | 13 |
| Figure 3: Frequency Range 200 MHz - 1GHz .....   | 14 |
| Figure 4: Frequency Range above 1 GHz .....      | 14 |

**\*\*\*END OF TEST REPORT\*\*\***