

Appendix A

Test Information:

Serial No.:	39XB-2	Test Date:	2025/09/19~2025/10/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Fermin Fu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9~27.6	Relative Humidity: (%)	64~73	ATM Pressure: (kPa)	99.1~100.8
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Minl-Clruids	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2025/02/25	2026/02/24
Micro-Coax	Coaxial Cable	UFB205A	323308-015	2025/06/01	2026/05/31
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2025/06/06	2026/06/05
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM504	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101947	2025/07/28	2026/07/27
R&S	Wideband Radio Communication Tester	CMW500	149216	2025/07/28	2026/07/27
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2025/08/01	2026/07/31
All-sun	Multimeter	EM305A	8348897	2025/08/18	2026/08/17
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability

Part 22H

WCDMA Band 5

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_Middle_TN/VN	836.6	-1.31	-0.0016	±2.5	Pass
R99_Middle_T1/VN	836.6	-1.06	-0.0013	±2.5	Pass
R99_Middle_T2/VN	836.6	-0.39	-0.0005	±2.5	Pass
R99_Middle_T3/VN	836.6	-1.12	-0.0013	±2.5	Pass
R99_Middle_T4/VN	836.6	-0.68	-0.0008	±2.5	Pass
R99_Middle_T5/VN	836.6	-0.90	-0.0011	±2.5	Pass
R99_Middle_T6/VN	836.6	-0.21	-0.0003	±2.5	Pass
R99_Middle_T7/VN	836.6	-0.19	-0.0002	±2.5	Pass
R99_Middle_T8/VN	836.6	-0.70	-0.0008	±2.5	Pass
R99_Middle_TN/VH	836.6	-0.30	-0.0004	±2.5	Pass
R99_Middle_TN/VL	836.6	-0.51	-0.0006	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Part 24E

WCDMA Band 2

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1850.315	1850	Pass
R99_Low_T1/VN	1850.305	1850	Pass
R99_Low_T2/VN	1850.305	1850	Pass
R99_Low_T3/VN	1850.305	1850	Pass
R99_Low_T4/VN	1850.305	1850	Pass
R99_Low_T5/VN	1850.315	1850	Pass
R99_Low_T6/VN	1850.295	1850	Pass
R99_Low_T7/VN	1850.315	1850	Pass
R99_Low_T8/VN	1850.315	1850	Pass
R99_Low_TN/VH	1850.335	1850	Pass
R99_Low_TN/VL	1850.305	1850	Pass
R99_High_TN/VN	1909.675	1910	Pass
R99_High_T1/VN	1909.675	1910	Pass
R99_High_T2/VN	1909.685	1910	Pass
R99_High_T3/VN	1909.675	1910	Pass
R99_High_T4/VN	1909.685	1910	Pass
R99_High_T5/VN	1909.675	1910	Pass
R99_High_T6/VN	1909.675	1910	Pass
R99_High_T7/VN	1909.675	1910	Pass
R99_High_T8/VN	1909.665	1910	Pass
R99_High_TN/VH	1909.685	1910	Pass
R99_High_TN/VL	1909.675	1910	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Part 27

WCDMA Band 4

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1710.305	1710	Pass
R99_Low_T1/VN	1710.305	1710	Pass
R99_Low_T2/VN	1710.305	1710	Pass
R99_Low_T3/VN	1710.295	1710	Pass
R99_Low_T4/VN	1710.295	1710	Pass
R99_Low_T5/VN	1710.325	1710	Pass
R99_Low_T6/VN	1710.285	1710	Pass
R99_Low_T7/VN	1710.325	1710	Pass
R99_Low_T8/VN	1710.315	1710	Pass
R99_Low_TN/VH	1710.325	1710	Pass
R99_Low_TN/VL	1710.315	1710	Pass
R99_High_TN/VN	1754.675	1755	Pass
R99_High_T1/VN	1754.675	1755	Pass
R99_High_T2/VN	1754.695	1755	Pass
R99_High_T3/VN	1754.675	1755	Pass
R99_High_T4/VN	1754.695	1755	Pass
R99_High_T5/VN	1754.705	1755	Pass
R99_High_T6/VN	1754.665	1755	Pass
R99_High_T7/VN	1754.685	1755	Pass
R99_High_T8/VN	1754.695	1755	Pass
R99_High_TN/VH	1754.675	1755	Pass
R99_High_TN/VL	1754.685	1755	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Occupied Bandwidth


FCC Part 22H

WCDMA Band 5, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.180	4.725
R99_Middle	4.160	4.735
R99_High	4.160	4.725
HSDPA_Low_Subtest1	4.180	4.715
HSDPA_Middle_Subtest1	4.160	4.725
HSDPA_High_Subtest1	4.150	4.725
HSUPA_Low_Subtest1	4.170	4.715
HSUPA_Middle_Subtest1	4.160	4.715
HSUPA_High_Subtest1	4.150	4.695


WCDMA Band 5, Normal

R99_Low




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 21:52:51

R99_Middle




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 21:53:25

R99_High




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 21:54:01

HSDPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 21:56:39

HSDPA_Middle_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 21:59:58

HSDPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 19_SEP.2025 22:01:49

HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 22.SEP.2025 15:04:23

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 19.SEP.2025 22:05:48

HSUPA_High_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 22.SEP.2025 13:54:57


FCC Part 24E

WCDMA Band 2, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.155	4.730
R99_Middle	4.170	4.715
R99_High	4.170	4.715
HSDPA_Low_Subtest1	4.170	4.715
HSDPA_Middle_Subtest1	4.155	4.700
HSDPA_High_Subtest1	4.170	4.715
HSUPA_Low_Subtest1	4.170	4.730
HSUPA_Middle_Subtest1	4.155	4.700
HSUPA_High_Subtest1	4.170	4.715


WCDMA Band 2, Normal

R99_Low




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:55:02

R99_Middle




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:58:02

R99_High




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:59:29

HSDPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 16:02:51

HSDPA_Middle_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 16:07:00

HSDPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 16:09:02

HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 2.OCT.2025 16:11:56

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 2.OCT.2025 16:13:45

HSUPA_High_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Pu
Date: 2.OCT.2025 16:18:12


FCC Part 27

WCDMA Band 4, Normal


Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.170	4.745
R99_Middle	4.185	4.790
R99_High	4.200	4.775
HSDPA_Low_Subtest1	4.170	4.700
HSDPA_Middle_Subtest1	4.155	4.745
HSDPA_High_Subtest1	4.140	4.715
HSUPA_Low_Subtest1	4.140	4.730
HSUPA_Middle_Subtest1	4.170	4.730
HSUPA_High_Subtest1	4.155	4.730

WCDMA Band 4, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:07:43

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:10:08

HSUPA_High_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:12:41

RF Output Power

FCC Part 22H

WCDMA Band 5, Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	Limit (dBm)	Verdict
R99_Low	21.84	18.15	38.45	Pass
R99_Middle	21.85	18.16	38.45	Pass
R99_High	21.82	18.13	38.45	Pass
HSDPA_Low_Subtest1	20.10	16.41	38.45	Pass
HSDPA_Low_Subtest2	20.27	16.58	38.45	Pass
HSDPA_Low_Subtest3	20.20	16.51	38.45	Pass
HSDPA_Low_Subtest4	20.18	16.49	38.45	Pass
HSDPA_Middle_Subtest1	20.18	16.49	38.45	Pass
HSDPA_Middle_Subtest2	20.30	16.61	38.45	Pass
HSDPA_Middle_Subtest3	20.20	16.51	38.45	Pass
HSDPA_Middle_Subtest4	20.20	16.51	38.45	Pass
HSDPA_High_Subtest1	20.08	16.39	38.45	Pass
HSDPA_High_Subtest2	20.29	16.60	38.45	Pass
HSDPA_High_Subtest3	20.19	16.50	38.45	Pass
HSDPA_High_Subtest4	20.20	16.51	38.45	Pass
HSUPA_Low_Subtest1	20.63	16.94	38.45	Pass
HSUPA_Low_Subtest2	20.60	16.91	38.45	Pass
HSUPA_Low_Subtest3	20.60	16.91	38.45	Pass
HSUPA_Low_Subtest4	20.60	16.91	38.45	Pass
HSUPA_Low_Subtest5	20.60	16.91	38.45	Pass
HSUPA_Middle_Subtest1	20.63	16.94	38.45	Pass
HSUPA_Middle_Subtest2	20.61	16.92	38.45	Pass
HSUPA_Middle_Subtest3	20.62	16.93	38.45	Pass
HSUPA_Middle_Subtest4	20.62	16.93	38.45	Pass
HSUPA_Middle_Subtest5	20.60	16.91	38.45	Pass
HSUPA_High_Subtest1	20.60	16.91	38.45	Pass
HSUPA_High_Subtest2	20.59	16.90	38.45	Pass
HSUPA_High_Subtest3	20.59	16.90	38.45	Pass
HSUPA_High_Subtest4	20.60	16.91	38.45	Pass
HSUPA_High_Subtest5	20.60	16.91	38.45	Pass

Note:

ERP = Average Conducted Power(dBm) + Antenna Gain(dBd) - Cable Loss(dB)

Antenna Gain(dBd) = Antenna Gain(dBi) - 2.15

1.Antenna Gain = -1.44dBi;

2.Cable Loss = 0.1dB.

FCC Part 24E

WCDMA Band 2, Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	17.79	18.01	33	Pass
R99_Middle	17.63	17.85	33	Pass
R99_High	17.47	17.69	33	Pass
HSDPA_Low_Subtest1	15.68	15.90	33	Pass
HSDPA_Low_Subtest2	15.86	16.08	33	Pass
HSDPA_Low_Subtest3	15.82	16.04	33	Pass
HSDPA_Low_Subtest4	15.83	16.05	33	Pass
HSDPA_Middle_Subtest1	15.70	15.92	33	Pass
HSDPA_Middle_Subtest2	15.80	16.02	33	Pass
HSDPA_Middle_Subtest3	15.70	15.92	33	Pass
HSDPA_Middle_Subtest4	15.71	15.93	33	Pass
HSDPA_High_Subtest1	15.30	15.52	33	Pass
HSDPA_High_Subtest2	15.55	15.77	33	Pass
HSDPA_High_Subtest3	15.49	15.71	33	Pass
HSDPA_High_Subtest4	15.55	15.77	33	Pass
HSUPA_Low_Subtest1	16.25	16.47	33	Pass
HSUPA_Low_Subtest2	16.28	16.50	33	Pass
HSUPA_Low_Subtest3	16.23	16.45	33	Pass
HSUPA_Low_Subtest4	16.17	16.39	33	Pass
HSUPA_Low_Subtest5	16.16	16.38	33	Pass
HSUPA_Middle_Subtest1	15.93	16.15	33	Pass
HSUPA_Middle_Subtest2	15.89	16.11	33	Pass
HSUPA_Middle_Subtest3	15.90	16.12	33	Pass
HSUPA_Middle_Subtest4	16.00	16.22	33	Pass
HSUPA_Middle_Subtest5	15.89	16.11	33	Pass
HSUPA_High_Subtest1	16.23	16.45	33	Pass
HSUPA_High_Subtest2	16.04	16.26	33	Pass
HSUPA_High_Subtest3	16.18	16.40	33	Pass
HSUPA_High_Subtest4	16.17	16.39	33	Pass
HSUPA_High_Subtest5	16.11	16.33	33	Pass

Note:

EIRP = Average Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

1.Antenna Gain = 0.22dBi;

2.Cable Loss = 0dB.

FCC Part 27

WCDMA Band 4, Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	18.31	18.49	30	Pass
R99_Middle	18.19	18.37	30	Pass
R99_High	18.17	18.35	30	Pass
HSDPA_Low_Subtest1	16.11	16.29	30	Pass
HSDPA_Low_Subtest2	16.43	16.61	30	Pass
HSDPA_Low_Subtest3	16.36	16.54	30	Pass
HSDPA_Low_Subtest4	16.36	16.54	30	Pass
HSDPA_Middle_Subtest1	16.14	16.32	30	Pass
HSDPA_Middle_Subtest2	16.33	16.51	30	Pass
HSDPA_Middle_Subtest3	16.25	16.43	30	Pass
HSDPA_Middle_Subtest4	16.26	16.44	30	Pass
HSDPA_High_Subtest1	16.17	16.35	30	Pass
HSDPA_High_Subtest2	16.30	16.48	30	Pass
HSDPA_High_Subtest3	16.20	16.38	30	Pass
HSDPA_High_Subtest4	16.25	16.43	30	Pass
HSUPA_Low_Subtest1	16.74	16.92	30	Pass
HSUPA_Low_Subtest2	16.72	16.90	30	Pass
HSUPA_Low_Subtest3	16.72	16.90	30	Pass
HSUPA_Low_Subtest4	16.72	16.90	30	Pass
HSUPA_Low_Subtest5	16.73	16.91	30	Pass
HSUPA_Middle_Subtest1	16.60	16.78	30	Pass
HSUPA_Middle_Subtest2	16.61	16.79	30	Pass
HSUPA_Middle_Subtest3	16.63	16.81	30	Pass
HSUPA_Middle_Subtest4	16.61	16.79	30	Pass
HSUPA_Middle_Subtest5	16.62	16.80	30	Pass
HSUPA_High_Subtest1	16.58	16.76	30	Pass
HSUPA_High_Subtest2	16.57	16.75	30	Pass
HSUPA_High_Subtest3	16.57	16.75	30	Pass
HSUPA_High_Subtest4	16.57	16.75	30	Pass
HSUPA_High_Subtest5	16.58	16.76	30	Pass

Note:

EIRP = Average Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

1.Antenna Gain = 0.18dBi;

2.Cable Loss = 0dB.

Peak-to-average Ratio(PAR)


FCC Part 22H

WCDMA Band 5, Normal


Mode	Result (dB)	Limit (dB)
R99_Low	2.90	13
R99_Middle	2.49	13
R99_High	2.67	13
HSDPA_Low_Subtest1	3.74	13
HSDPA_Middle_Subtest2	3.65	13
HSDPA_High_Subtest1	3.86	13
HSUPA_Low_Subtest1	4.58	13
HSUPA_Middle_Subtest1	4.20	13
HSUPA_High_Subtest1	4.41	13

WCDMA Band 5, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest2



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 14:40:36

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 14:41:40

HSUPA_High_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 14:42:37


FCC Part 24E

WCDMA Band 2, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	2.52	13
R99_Middle	2.55	13
R99_High	2.72	13
HSDPA_Low_Subtest1	3.77	13
HSDPA_Middle_Subtest1	3.83	13
HSDPA_High_Subtest1	3.94	13
HSUPA_Low_Subtest1	4.32	13
HSUPA_Middle_Subtest1	4.35	13
HSUPA_High_Subtest1	4.49	13


WCDMA Band 2, Normal

R99_Low




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:40:00

R99_Middle




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:40:48

R99_High




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:41:37

HSDPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:43:34

HSDPA_Middle_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:44:56

HSDPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:46:32

HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:48:00

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:50:52

HSUPA_High_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:52:21


FCC Part 27

WCDMA Band 4, Normal


Mode	Result (dB)	Limit (dB)
R99_Low	2.23	13
R99_Middle	1.97	13
R99_High	2.35	13
HSDPA_Low_Subtest1	3.54	13
HSDPA_Middle_Subtest1	3.39	13
HSDPA_High_Subtest1	3.59	13
HSUPA_Low_Subtest1	3.97	13
HSUPA_Middle_Subtest1	3.83	13
HSUPA_High_Subtest1	4.14	13

WCDMA Band 4, Normal


R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1




HSDPA_Middle_Subtest1



HSDPA_High_Subtest1




HSUPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 11:42:57

HSUPA_Middle_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 13:06:57

HSUPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 13:08:27

Out of band emission,Band Edge

FCC Part 22H


WCDMA Band 5, Normal

R99_Low




ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:40:38

R99_High




ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:41:17

HSDPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:43:15

HSDPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:48:49

HSUPA_Low_Subtest1



ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:49:58

HSUPA_High_Subtest1





ProjectNo.:2502X32646E-RF Tester:Feimin Fu
Date: 19.SEP.2025 21:47:07

FCC Part 24E

WCDMA Band 2, Normal



R99_Low

R99_High





HSDPA_Low_Subtest1

HSDPA_High_Subtest1



HSUPA_Low_Subtest1


HSUPA_High_Subtest1



FCC Part 27


WCDMA Band 4, Normal

R99_Low




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:17:26

R99_High




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:18:24

HSDPA_Low_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:20:04

HSDPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:21:25

HSUPA_Low_Subtest1



ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:25:38

HSUPA_High_Subtest1




ProjectNo.:2502X32646E-RF Tester:Permin Fu
Date: 2.OCT.2025 15:27:19

Spurious Emissions at Antenna Terminal


FCC Part 22H
WCDMA Band 5, Normal
Worst case

R99_Low

Below 1G




Above 1G




R99_Middle

Below 1G




Above 1G




R99_High

Below 1G



Above 1G




FCC Part 24E


WCDMA Band 2, Normal

Worst case


R99_Low



R99_Middle



R99_High





FCC Part 27



WCDMA Band 4, Normal

Worst case



R99_Low



R99_Middle



R99_High



***** END *****