






Date: 13.NOV.2025 16:20:41




Date: 13.NOV.2025 16:24:00

NTNV-11N40MIMO-Ant1-5190

NTNV-11N40MIMO-Ant2-5190




Date: 13.NOV.2025 16:29:01




Date: 13.NOV.2025 16:32:21

NTNV-11N40MIMO-Ant1-5230

NTNV-11N40MIMO-Ant2-5230




Date: 13.NOV.2025 16:36:56




Date: 13.NOV.2025 16:42:22

NTNV-11AC20MIMO-Ant1-5180

NTNV-11AC20MIMO-Ant2-5180




Date: 13.NOV.2025 16:46:42




Date: 13.NOV.2025 16:49:56

NTNV-11AC20MIMO-Ant1-5200

NTNV-11AC20MIMO-Ant2-5200




Date: 13.NOV.2025 16:55:17




Date: 13.NOV.2025 16:58:30

NTNV-11AC20MIMO-Ant1-5240

NTNV-11AC20MIMO-Ant2-5240




Date: 13.NOV.2025 17:07:09




Date: 13.NOV.2025 17:10:28

NTNV-11AC40MIMO-Ant1-5190

NTNV-11AC40MIMO-Ant2-5190




Date: 13.NOV.2025 17:17:50




Date: 13.NOV.2025 17:21:09

NTNV-11AC40MIMO-Ant1-5230

NTNV-11AC40MIMO-Ant2-5230




Date: 13.NOV.2025 18:22:34




Date: 13.NOV.2025 18:26:38

NTNV-11AC80MIMO-Ant1-5210

NTNV-11AC80MIMO-Ant2-5210





Date: 13.NOV.2025 18:36:38



Date: 13.NOV.2025 18:39:52



NTNV-11AX20MIMO-Ant1-5180

NTNV-11AX20MIMO-Ant2-5180





NTNV-11AX20MIMO-Ant1-5200

NTNV-11AX20MIMO-Ant2-5200





NTNV-11AX20MIMO-Ant1-5240

NTNV-11AX20MIMO-Ant2-5240





NTNV-11AX40MIMO-Ant1-5190

NTNV-11AX40MIMO-Ant2-5190



NTNV-11AX40MIMO-Ant1-5230

NTNV-11AX40MIMO-Ant2-5230



NTNV-11AX80MIMO-Ant1-5210

NTNV-11AX80MIMO-Ant2-5210

4: Maximum conducted output power

4.1 Test Result

TestMode	Antenna	Frequency [MHz]	Raw Power [dBm]	DC Factor	Result [dBm]	Limit[dBm]	Verdict
11A-CDD	Ant1	5180	7.39	0.27	7.66	≤23.98	PASS
11A-CDD	Ant2	5180	7.42	0.30	7.72	≤23.98	PASS
11A-CDD	total	5180	---	---	10.70	≤22.84	PASS
11A-CDD	Ant1	5200	5.54	0.30	5.84	≤23.98	PASS
11A-CDD	Ant2	5200	5.87	0.30	6.17	≤23.98	PASS
11A-CDD	total	5200	---	---	9.02	≤22.84	PASS
11A-CDD	Ant1	5240	6.07	0.30	6.37	≤23.98	PASS
11A-CDD	Ant2	5240	6.43	0.30	6.73	≤23.98	PASS
11A-CDD	total	5240	---	---	9.56	≤22.84	PASS
11N20MIMO	Ant1	5180	7.08	0.32	7.40	≤23.98	PASS
11N20MIMO	Ant2	5180	7.24	0.32	7.56	≤23.98	PASS
11N20MIMO	total	5180	---	---	10.49	≤22.84	PASS
11N20MIMO	Ant1	5200	7.48	0.32	7.80	≤23.98	PASS
11N20MIMO	Ant2	5200	7.74	0.32	8.06	≤23.98	PASS
11N20MIMO	total	5200	---	---	10.94	≤22.84	PASS
11N20MIMO	Ant1	5240	5.53	0.32	5.85	≤23.98	PASS
11N20MIMO	Ant2	5240	6.24	0.32	6.56	≤23.98	PASS
11N20MIMO	total	5240	---	---	9.23	≤22.84	PASS
11N40MIMO	Ant1	5190	11.26	0.62	11.88	≤23.98	PASS
11N40MIMO	Ant2	5190	11.49	0.62	12.11	≤23.98	PASS
11N40MIMO	total	5190	---	---	15.01	≤22.84	PASS
11N40MIMO	Ant1	5230	11.82	0.62	12.44	≤23.98	PASS
11N40MIMO	Ant2	5230	12.10	0.62	12.72	≤23.98	PASS
11N40MIMO	total	5230	---	---	15.59	≤22.84	PASS
11AC20MIMO	Ant1	5180	7.38	0.04	7.42	≤23.98	PASS
11AC20MIMO	Ant2	5180	7.69	0.04	7.73	≤23.98	PASS
11AC20MIMO	total	5180	---	---	10.59	≤22.84	PASS
11AC20MIMO	Ant1	5200	7.82	0.04	7.86	≤23.98	PASS
11AC20MIMO	Ant2	5200	8.09	0.04	8.13	≤23.98	PASS
11AC20MIMO	total	5200	---	---	11.01	≤22.84	PASS
11AC20MIMO	Ant1	5240	6.28	0.07	6.35	≤23.98	PASS
11AC20MIMO	Ant2	5240	6.25	0.04	6.29	≤23.98	PASS
11AC20MIMO	total	5240	---	---	9.33	≤22.84	PASS
11AC40MIMO	Ant1	5190	11.87	0.06	11.93	≤23.98	PASS
11AC40MIMO	Ant2	5190	12.04	0.08	12.12	≤23.98	PASS
11AC40MIMO	total	5190	---	---	15.04	≤22.84	PASS
11AC40MIMO	Ant1	5230	12.41	0.06	12.47	≤23.98	PASS
11AC40MIMO	Ant2	5230	12.76	0.06	12.82	≤23.98	PASS
11AC40MIMO	total	5230	---	---	15.66	≤22.84	PASS

11AC80MIMO	Ant1	5210	11.84	0.04	11.88	≤23.98	PASS
11AC80MIMO	Ant2	5210	12.16	0.06	12.22	≤23.98	PASS
11AC80MIMO	total	5210	---	---	15.06	≤22.84	PASS
11AX20MIMO	Ant1	5180	7.74	0.16	7.90	≤23.98	PASS
11AX20MIMO	Ant2	5180	7.80	0.16	7.96	≤23.98	PASS
11AX20MIMO	total	5180	---	---	10.94	≤22.84	PASS
11AX20MIMO	Ant1	5200	8.14	0.09	8.23	≤23.98	PASS
11AX20MIMO	Ant2	5200	8.22	0.09	8.31	≤23.98	PASS
11AX20MIMO	total	5200	---	---	11.28	≤22.84	PASS
11AX20MIMO	Ant1	5240	8.59	0.09	8.68	≤23.98	PASS
11AX20MIMO	Ant2	5240	8.70	0.09	8.79	≤23.98	PASS
11AX20MIMO	total	5240	---	---	11.75	≤22.84	PASS
11AX40MIMO	Ant1	5190	11.84	0.29	12.13	≤23.98	PASS
11AX40MIMO	Ant2	5190	12.07	0.29	12.36	≤23.98	PASS
11AX40MIMO	total	5190	---	---	15.26	≤22.84	PASS
11AX40MIMO	Ant1	5230	10.27	0.28	10.55	≤23.98	PASS
11AX40MIMO	Ant2	5230	10.86	0.28	11.14	≤23.98	PASS
11AX40MIMO	total	5230	---	---	13.87	≤22.84	PASS
11AX80MIMO	Ant1	5210	12.10	0.31	12.41	≤23.98	PASS
11AX80MIMO	Ant2	5210	12.30	0.31	12.61	≤23.98	PASS
11AX80MIMO	total	5210	---	---	15.52	≤22.84	PASS

Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving.

When ANT.1 and ANT. 2 transmitting simultaneously, and the
Directional Gain=7.14dBi > 6dBi. (Ant.1: 4.09dBi; Ant.2: 4.16dBi)

So $P_{out} = P_{limit} - (G_{Tx} - 6) = (23.98 - 1.14) \text{dBm} = 22.84 \text{dBm}$

Directional Gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).

5: Maximum power spectral density

5.1 Test Result

Test Mode	Ant.	Frequency [MHz]	RawData [dBm/3kHz]	DC Factor	Result [dBm/MHz] Result [dBm/500kHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
11A-CDD	Ant1	5180	-0.83	0.27	-0.56	≤11.00	PASS
11A-CDD	Ant2	5180	-0.76	0.30	-0.46	≤11.00	PASS
11A-CDD	total	5180	---	---	2.50	≤9.86	PASS
11A-CDD	Ant1	5200	-2.59	0.30	-2.29	≤11.00	PASS
11A-CDD	Ant2	5200	-2.54	0.30	-2.24	≤11.00	PASS
11A-CDD	total	5200	---	---	0.75	≤9.86	PASS
11A-CDD	Ant1	5240	-2.23	0.30	-1.93	≤11.00	PASS
11A-CDD	Ant2	5240	-1.63	0.30	-1.33	≤11.00	PASS
11A-CDD	total	5240	---	---	1.39	≤9.86	PASS
11N20MIMO	Ant1	5180	-1.35	0.32	-1.03	≤11.00	PASS
11N20MIMO	Ant2	5180	-1.07	0.32	-0.75	≤11.00	PASS
11N20MIMO	total	5180	---	---	2.12	≤9.86	PASS
11N20MIMO	Ant1	5200	-0.79	0.32	-0.47	≤11.00	PASS
11N20MIMO	Ant2	5200	-0.67	0.32	-0.35	≤11.00	PASS
11N20MIMO	total	5200	---	---	2.60	≤9.86	PASS
11N20MIMO	Ant1	5240	-2.64	0.32	-2.32	≤11.00	PASS
11N20MIMO	Ant2	5240	-2.03	0.32	-1.71	≤11.00	PASS
11N20MIMO	total	5240	---	---	1.01	≤9.86	PASS
11N40MIMO	Ant1	5190	-2.37	0.62	-1.75	≤11.00	PASS
11N40MIMO	Ant2	5190	-1.94	0.62	-1.32	≤11.00	PASS
11N40MIMO	total	5190	---	---	1.48	≤9.86	PASS
11N40MIMO	Ant1	5230	-1.75	0.62	-1.13	≤11.00	PASS
11N40MIMO	Ant2	5230	-1.48	0.62	-0.86	≤11.00	PASS
11N40MIMO	total	5230	---	---	2.02	≤9.86	PASS
11AC20MIMO	Ant1	5180	-0.88	0.04	-0.84	≤11.00	PASS
11AC20MIMO	Ant2	5180	-0.82	0.04	-0.78	≤11.00	PASS
11AC20MIMO	total	5180	---	---	2.20	≤9.86	PASS
11AC20MIMO	Ant1	5200	-0.65	0.04	-0.61	≤11.00	PASS
11AC20MIMO	Ant2	5200	-0.31	0.04	-0.27	≤11.00	PASS
11AC20MIMO	total	5200	---	---	2.57	≤9.86	PASS
11AC20MIMO	Ant1	5240	-2.1	0.07	-2.03	≤11.00	PASS
11AC20MIMO	Ant2	5240	-2.08	0.04	-2.04	≤11.00	PASS
11AC20MIMO	total	5240	---	---	0.98	≤9.86	PASS
11AC40MIMO	Ant1	5190	-2.13	0.06	-2.07	≤11.00	PASS
11AC40MIMO	Ant2	5190	-1.61	0.08	-1.53	≤11.00	PASS
11AC40MIMO	total	5190	---	---	1.22	≤9.86	PASS
11AC40MIMO	Ant1	5230	-1.58	0.06	-1.52	≤11.00	PASS
11AC40MIMO	Ant2	5230	-1.04	0.06	-0.98	≤11.00	PASS
11AC40MIMO	total	5230	---	---	1.77	≤9.86	PASS
11AC80MIMO	Ant1	5210	-4.88	0.04	-4.84	≤11.00	PASS

11AC80MIMO	Ant2	5210	-4.37	0.06	-4.31	≤11.00	PASS
11AC80MIMO	total	5210	---	---	-1.56	≤9.86	PASS
11AX20MIMO	Ant1	5180	-2.15	0.16	-1.99	≤11.00	PASS
11AX20MIMO	Ant2	5180	-2.05	0.16	-1.89	≤11.00	PASS
11AX20MIMO	total	5180	---	---	1.07	≤9.86	PASS
11AX20MIMO	Ant1	5200	-1.82	0.09	-1.73	≤11.00	PASS
11AX20MIMO	Ant2	5200	-1.48	0.09	-1.39	≤11.00	PASS
11AX20MIMO	total	5200	---	---	1.45	≤9.86	PASS
11AX20MIMO	Ant1	5240	-1.38	0.09	-1.29	≤11.00	PASS
11AX20MIMO	Ant2	5240	-0.95	0.09	-0.86	≤11.00	PASS
11AX20MIMO	total	5240	---	---	1.94	≤9.86	PASS
11AX40MIMO	Ant1	5190	-2.21	0.29	-1.92	≤11.00	PASS
11AX40MIMO	Ant2	5190	-1.6	0.29	-1.31	≤11.00	PASS
11AX40MIMO	total	5190	---	---	1.41	≤9.86	PASS
11AX40MIMO	Ant1	5230	-3.7	0.28	-3.42	≤11.00	PASS
11AX40MIMO	Ant2	5230	-2.96	0.28	-2.68	≤11.00	PASS
11AX40MIMO	total	5230	---	---	-0.02	≤9.86	PASS
11AX80MIMO	Ant1	5210	-5.01	0.31	-4.70	≤11.00	PASS
11AX80MIMO	Ant2	5210	-4.38	0.31	-4.07	≤11.00	PASS
11AX80MIMO	total	5210	---	---	-1.36	≤9.86	PASS

Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving.


When ANT.1 and ANT. 2 transmitting simultaneously, and the
Directional Gain=7.14dBi>6dBi. (Ant.1: 4.09dBi; Ant.2: 4.16dBi)

$$\text{So } P_{\text{out}} = P_{\text{limit}} - (G_{\text{TX}} - 6) = (11 - 1.14) \text{dBm} = 9.86 \text{dBm}$$


$$\text{Directional Gain} = 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{\text{ANT}}]$$

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).

5.2 Test Graphs




11A-CDD-Ant1-5240-PASS




Date: 13.NOV.2025 16:08:47

11A-CDD-Ant2-5240-PASS




Date: 13.NOV.2025 16:09:16

11N20MIMO-Ant1-5180-PASS




Date: 13.NOV.2025 16:06:18

11N20MIMO-Ant2-5180-PASS




Date: 13.NOV.2025 16:06:47

11N20MIMO-Ant1-5200-PASS



Date: 13.NOV.2025 16:17:05


11N20MIMO-Ant2-5200-PASS




Date: 13.NOV.2025 16:17:20

11N20MIMO-Ant1-5240-PASS

11N20MIMO-Ant2-5240-PASS




Date: 13.NOV.2025 16:27:19




Date: 13.NOV.2025 16:27:36

11N40MIMO-Ant1-5190-PASS

11N40MIMO-Ant2-5190-PASS




Date: 13.NOV.2025 16:29:17




Date: 13.NOV.2025 16:32:37

11N40MIMO-Ant1-5230-PASS

11N40MIMO-Ant2-5230-PASS




Date: 13.NOV.2025 16:37:12




Date: 13.NOV.2025 16:42:39

11AC20MIMO-Ant1-5180-PASS

11AC20MIMO-Ant2-5180-PASS




Date: 13.NOV.2025 16:46:58




Date: 13.NOV.2025 16:50:12

11AC20MIMO-Ant1-5200-PASS

11AC20MIMO-Ant2-5200-PASS




Date: 13.NOV.2025 17:04:20




Date: 13.NOV.2025 17:04:35

11AC20MIMO-Ant1-5240-PASS

11AC20MIMO-Ant2-5240-PASS




Date: 13.NOV.2025 17:07:25




Date: 13.NOV.2025 17:10:45

11AC40MIMO-Ant1-5190-PASS

11AC40MIMO-Ant2-5190-PASS




Date: 13.NOV.2025 17:18:06




Date: 13.NOV.2025 17:21:26

11AC40MIMO-Ant1-5230-PASS

11AC40MIMO-Ant2-5230-PASS




Date: 13.NOV.2025 18:31:18




Date: 13.NOV.2025 18:31:35

11AC80MIMO-Ant1-5210-PASS

11AC80MIMO-Ant2-5210-PASS




Date: 13.NOV.2025 18:36:54




Date: 13.NOV.2025 18:40:09

11AX20MIMO-Ant1-5180-PASS

11AX20MIMO-Ant2-5180-PASS




Date: 13.NOV.2025 18:46:14




Date: 13.NOV.2025 18:49:28

11AX20MIMO-Ant1-5200-PASS

11AX20MIMO-Ant2-5200-PASS




Date: 13.NOV.2025 18:54:10




Date: 13.NOV.2025 18:57:23

11AX20MIMO-Ant1-5240-PASS

11AX20MIMO-Ant2-5240-PASS




Date: 13.NOV.2025 19:01:48




Date: 13.NOV.2025 19:05:08

11AX40MIMO-Ant1-5190-PASS

11AX40MIMO-Ant2-5190-PASS




Date: 13.NOV.2025 19:13:23




Date: 13.NOV.2025 19:13:40

11AX40MIMO-Ant1-5230-PASS

11AX40MIMO-Ant2-5230-PASS



Date: 13.NOV.2025 19:22:30



Date: 13.NOV.2025 19:26:31

11AX80MIMO-Ant1-5210-PASS

11AX80MIMO-Ant2-5210-PASS

6: Conducted Spurious Emission


6.1 Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	30~1000	891.9	-49.76	≤-27	PASS
11A-CDD	Ant2	5180	30~1000	890.05	-49.04	≤-27	PASS
11A-CDD	Ant1	5180	1000~40000	39985.7	-35.32	≤-27	PASS
11A-CDD	Ant2	5180	1000~40000	39659.4	-34.66	≤-27	PASS
11A-CDD	Ant1	5200	30~1000	871.56	-49.95	≤-27	PASS
11A-CDD	Ant2	5200	30~1000	796.81	-50.43	≤-27	PASS
11A-CDD	Ant1	5200	1000~40000	39974	-34.28	≤-27	PASS
11A-CDD	Ant2	5200	1000~40000	39807.6	-35.41	≤-27	PASS
11A-CDD	Ant1	5240	30~1000	969.56	-49.72	≤-27	PASS
11A-CDD	Ant2	5240	30~1000	818.6	-49.5	≤-27	PASS
11A-CDD	Ant1	5240	1000~40000	39893.4	-34.89	≤-27	PASS
11A-CDD	Ant2	5240	1000~40000	39353.9	-34.33	≤-27	PASS
11N20MIMO	Ant1	5180	30~1000	925.88	-50.25	≤-27	PASS
11N20MIMO	Ant2	5180	30~1000	966.1	-49.25	≤-27	PASS
11N20MIMO	Ant1	5180	1000~40000	39624.3	-35.13	≤-27	PASS
11N20MIMO	Ant2	5180	1000~40000	39678.9	-33.5	≤-27	PASS
11N20MIMO	Ant1	5200	30~1000	962.61	-49.45	≤-27	PASS
11N20MIMO	Ant2	5200	30~1000	707.18	-48.97	≤-27	PASS
11N20MIMO	Ant1	5200	1000~40000	39602.2	-34.49	≤-27	PASS
11N20MIMO	Ant2	5200	1000~40000	39599.6	-35.48	≤-27	PASS
11N20MIMO	Ant1	5240	30~1000	958.95	-49.6	≤-27	PASS
11N20MIMO	Ant2	5240	30~1000	864.8	-46.7	≤-27	PASS
11N20MIMO	Ant1	5240	1000~40000	39714	-34.23	≤-27	PASS
11N20MIMO	Ant2	5240	1000~40000	39684.1	-34.06	≤-27	PASS
11N40MIMO	Ant1	5190	30~1000	959.89	-48.85	≤-27	PASS
11N40MIMO	Ant2	5190	30~1000	890.47	-49.54	≤-27	PASS
11N40MIMO	Ant1	5190	1000~40000	39958.4	-35.16	≤-27	PASS
11N40MIMO	Ant2	5190	1000~40000	39663.3	-34.79	≤-27	PASS
11N40MIMO	Ant1	5230	30~1000	893.42	-49.69	≤-27	PASS
11N40MIMO	Ant2	5230	30~1000	891.19	-47.75	≤-27	PASS
11N40MIMO	Ant1	5230	1000~40000	39437.1	-35.54	≤-27	PASS
11N40MIMO	Ant2	5230	1000~40000	39758.2	-35.03	≤-27	PASS
11AC20MIMO	Ant1	5180	30~1000	959.67	-50.21	≤-27	PASS
11AC20MIMO	Ant2	5180	30~1000	863.22	-49.13	≤-27	PASS
11AC20MIMO	Ant1	5180	1000~40000	39625.6	-35.19	≤-27	PASS
11AC20MIMO	Ant2	5180	1000~40000	39658.1	-35.35	≤-27	PASS
11AC20MIMO	Ant1	5200	30~1000	961.61	-49.98	≤-27	PASS
11AC20MIMO	Ant2	5200	30~1000	962.45	-48.98	≤-27	PASS
11AC20MIMO	Ant1	5200	1000~40000	39806.3	-33.67	≤-27	PASS
11AC20MIMO	Ant2	5200	1000~40000	39376	-34.98	≤-27	PASS


11AC20MIMO	Ant1	5240	30~1000	892.87	-49.57	≤-27	PASS
11AC20MIMO	Ant2	5240	30~1000	891.15	-49.44	≤-27	PASS
11AC20MIMO	Ant1	5240	1000~40000	39450.1	-35.44	≤-27	PASS
11AC20MIMO	Ant2	5240	1000~40000	39701	-34.96	≤-27	PASS
11AC40MIMO	Ant1	5190	30~1000	888.18	-49.7	≤-27	PASS
11AC40MIMO	Ant2	5190	30~1000	895.87	-49.24	≤-27	PASS
11AC40MIMO	Ant1	5190	1000~40000	39742.6	-34.68	≤-27	PASS
11AC40MIMO	Ant2	5190	1000~40000	39957.1	-35.15	≤-27	PASS
11AC40MIMO	Ant1	5230	30~1000	863.74	-50.04	≤-27	PASS
11AC40MIMO	Ant2	5230	30~1000	865.13	-49.05	≤-27	PASS
11AC40MIMO	Ant1	5230	1000~40000	39628.2	-35.16	≤-27	PASS
11AC40MIMO	Ant2	5230	1000~40000	39833.6	-33.53	≤-27	PASS
11AC80MIMO	Ant1	5210	30~1000	959.31	-48.71	≤-27	PASS
11AC80MIMO	Ant2	5210	30~1000	708.41	-50.23	≤-27	PASS
11AC80MIMO	Ant1	5210	1000~40000	39985.7	-35.44	≤-27	PASS
11AC80MIMO	Ant2	5210	1000~40000	39650.3	-34.34	≤-27	PASS
11AX20MIMO	Ant1	5180	30~1000	863.09	-50.05	≤-27	PASS
11AX20MIMO	Ant2	5180	30~1000	860.57	-48.62	≤-27	PASS
11AX20MIMO	Ant1	5180	1000~40000	39630.8	-34.63	≤-27	PASS
11AX20MIMO	Ant2	5180	1000~40000	39651.6	-34.98	≤-27	PASS
11AX20MIMO	Ant1	5200	30~1000	959.05	-48.81	≤-27	PASS
11AX20MIMO	Ant2	5200	30~1000	888.83	-49.13	≤-27	PASS
11AX20MIMO	Ant1	5200	1000~40000	38437.4	-35.41	≤-27	PASS
11AX20MIMO	Ant2	5200	1000~40000	39576.2	-35.53	≤-27	PASS
11AX20MIMO	Ant1	5240	30~1000	712.19	-49.96	≤-27	PASS
11AX20MIMO	Ant2	5240	30~1000	860.02	-49.8	≤-27	PASS
11AX20MIMO	Ant1	5240	1000~40000	39819.3	-35.36	≤-27	PASS
11AX20MIMO	Ant2	5240	1000~40000	39742.6	-35.13	≤-27	PASS
11AX40MIMO	Ant1	5190	30~1000	891.22	-49.77	≤-27	PASS
11AX40MIMO	Ant2	5190	30~1000	860.6	-49.89	≤-27	PASS
11AX40MIMO	Ant1	5190	1000~40000	39988.3	-35.71	≤-27	PASS
11AX40MIMO	Ant2	5190	1000~40000	39975.3	-34.88	≤-27	PASS
11AX40MIMO	Ant1	5230	30~1000	961.54	-49.92	≤-27	PASS
11AX40MIMO	Ant2	5230	30~1000	863.12	-49.61	≤-27	PASS
11AX40MIMO	Ant1	5230	1000~40000	39971.4	-35.37	≤-27	PASS
11AX40MIMO	Ant2	5230	1000~40000	39937.6	-34.88	≤-27	PASS
11AX80MIMO	Ant1	5210	30~1000	893.74	-50.73	≤-27	PASS
11AX80MIMO	Ant2	5210	30~1000	958.41	-49.92	≤-27	PASS
11AX80MIMO	Ant1	5210	1000~40000	39641.2	-35.13	≤-27	PASS
11AX80MIMO	Ant2	5210	1000~40000	39642.5	-34.27	≤-27	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).


6.2 Test Graphs




11A-CDD-Ant1-5180-30~1000-PASS




11A-CDD-Ant2-5180-30~1000-PASS




11A-CDD-Ant1-5180-1000~40000-PASS





11A-CDD-Ant2-5180-1000~40000-PASS





11A-CDD-Ant1-5200-30~1000-PASS



11A-CDD-Ant2-5200-30~1000-PASS





11A-CDD-Ant1-5200-1000~40000-PASS





11A-CDD-Ant1-5240-30~1000-PASS

11A-CDD-Ant2-5240-30~1000-PASS





11A-CDD-Ant1-5240-1000~40000-PASS

11A-CDD-Ant2-5240-1000~40000-PASS





11N20MIMO-Ant1-5180-30~1000-PASS



11N20MIMO-Ant1-5180-1000~40000-PASS

11N20MIMO-Ant2-5180-1000~40000-PASS



11N20MIMO-Ant1-5200-30~1000-PASS

11N20MIMO-Ant2-5200-30~1000-PASS