



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402



2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.15	2.00	1.10	38.15	≤54	PASS
				AV	2369.720	-58.69	2.00	1.10	39.61	≤54	PASS
				AV	2390.000	-59.82	2.00	1.10	38.48	≤54	PASS
				Peak	2310.000	-51.38	2.00	0.00	45.82	≤74	PASS
				Peak	2376.650	-48.58	2.00	0.00	48.62	≤74	PASS
				Peak	2390.000	-51.25	2.00	0.00	45.95	≤74	PASS
		High	2480	AV	2483.500	-57.91	2.00	1.10	40.39	≤54	PASS
				AV	2483.520	-57.91	2.00	1.10	40.39	≤54	PASS
				AV	2500.000	-58.57	2.00	1.10	39.73	≤54	PASS
				Peak	2483.500	-50.06	2.00	0.00	47.14	≤74	PASS
				Peak	2497.920	-48.75	2.00	0.00	48.45	≤74	PASS
				Peak	2500.000	-51.56	2.00	0.00	45.64	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.37	2.00	1.09	37.92	≤54	PASS
				AV	2382.215	-58.82	2.00	1.09	39.47	≤54	PASS
				AV	2390.000	-59.73	2.00	1.09	38.56	≤54	PASS
				Peak	2310.000	-51.4	2.00	0.00	45.80	≤74	PASS
				Peak	2378.120	-48.77	2.00	0.00	48.43	≤74	PASS
				Peak	2390.000	-50.11	2.00	0.00	47.09	≤74	PASS
		High	2480	AV	2483.500	-58.51	2.00	1.09	39.78	≤54	PASS
				AV	2498.480	-58.21	2.00	1.09	40.08	≤54	PASS
				AV	2500.000	-59.34	2.00	1.09	38.95	≤54	PASS
				Peak	2483.500	-50.72	2.00	0.00	46.48	≤74	PASS
				Peak	2484.560	-46.87	2.00	0.00	50.33	≤74	PASS
				Peak	2500.000	-50.22	2.00	0.00	46.98	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-60.15	2.00	1.09	38.14	≤54	PASS
				AV	2383.895	-58.68	2.00	1.09	39.61	≤54	PASS
				AV	2390.000	-59.41	2.00	1.09	38.88	≤54	PASS
				Peak	2310.000	-51.17	2.00	0.00	46.03	≤74	PASS
				Peak	2376.125	-47.4	2.00	0.00	49.80	≤74	PASS
				Peak	2390.000	-51.98	2.00	0.00	45.22	≤74	PASS
		High	2480	AV	2483.500	-58.19	2.00	1.09	40.10	≤54	PASS
				AV	2483.520	-58.19	2.00	1.09	40.10	≤54	PASS
				AV	2500.000	-59.1	2.00	1.09	39.19	≤54	PASS
				Peak	2483.500	-49.6	2.00	0.00	47.60	≤74	PASS
				Peak	2498.800	-47.52	2.00	0.00	49.68	≤74	PASS
				Peak	2500.000	-52.18	2.00	0.00	45.02	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

