

1. Let the color screen be powered on for a period of time. Only when the icon in the lower left corner of the color screen has a gear can the network be started:



1. Set up and turn on the hotspot, use wopadnetconfig for the hotspot name, password is 12345678, and the AP frequency band must be 2.4GHz

12:46 PM | 2.2KB/s

Set up portable hotspot

SSID wopadnetconfig

Password 12345678

Security WPA3-Personal

Select AP Band 2.4 GHz Band

Hide its SSID Off

1. After turning on the hotspot, open the WoPda app on your phone and find the download link for the app <https://www.pggyer.com/NHaD>
2. Host Address: Fill in the system address of your software and enter your username and password
3. Enter the login page: Login

Set Host

http://oa.greenisplay.cn:8099

Submit

LOGIN

Change Host

User visitor

enter username

Password


enter password

Remember Me

LOGIN login

Change Host

4. When the hotspot displays that a device is connected (the color screen must be connected to the phone hotspot to access the network), click on the network, enter page three, fill in the wifi name and password, and click start:



4. When you see the green wifi symbol programmed in the bottom left corner of the color screen, it means that the network has been successfully connected



Other instructions:

1. If the screen is disconnected from the venue's WiFi, a red WiFi icon will be displayed, as shown in the following figure:



3.If the color screen is not connected to your phone hotspot (wopadnetconfig), please power off and restart it; The color screen that has already been configured will automatically connect after restarting, so there is no need to reconfigure the network

4.It should be noted that if the power on status of the color screen is disconnected for more than 30 minutes, the color screen will forget the previous WiFi network (when the venue WiFi needs to be reconfigured, this feature can be used to replace the venue WiFi)

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.