






DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000



DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference







2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500







2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500





A.8 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.95	≤-41.20	46.25	≤54	PASS
				AV	2386.100	-48.5	≤-41.20	46.70	≤54	PASS
				AV	2390.000	-48.63	≤-41.20	46.57	≤54	PASS
				Peak	2310.000	-42.66	≤-21.20	52.54	≤74	PASS
				Peak	2343.785	-38.93	≤-21.20	56.27	≤74	PASS
				Peak	2390.000	-40.95	≤-21.20	54.25	≤74	PASS
		High	2480	AV	2483.500	-48	≤-41.20	47.20	≤54	PASS
				AV	2497.600	-47.92	≤-41.20	47.28	≤54	PASS
				AV	2500.000	-48.07	≤-41.20	47.13	≤54	PASS
				Peak	2483.500	-40.7	≤-21.20	54.50	≤74	PASS
				Peak	2485.440	-38.38	≤-21.20	56.82	≤74	PASS
				Peak	2500.000	-42.17	≤-21.20	53.03	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-41.95	≤-21.20	53.25	≤74	PASS
				Peak	2369.195	-38.2	≤-21.20	57.00	≤74	PASS
				Peak	2390.000	-39.19	≤-21.20	56.01	≤74	PASS
		High	Hop_2480	Peak	2483.500	-38.82	≤-21.20	56.38	≤74	PASS
				Peak	2487.920	-37.58	≤-21.20	57.62	≤74	PASS
				Peak	2500.000	-39.43	≤-21.20	55.77	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.04	≤-41.20	46.16	≤54	PASS
				AV	2389.670	-48.49	≤-41.20	46.71	≤54	PASS
				AV	2390.000	-48.71	≤-41.20	46.49	≤54	PASS
				Peak	2310.000	-41.14	≤-21.20	54.06	≤74	PASS
				Peak	2369.825	-38.38	≤-21.20	56.82	≤74	PASS
				Peak	2390.000	-41.91	≤-21.20	53.29	≤74	PASS
		High	2480	AV	2483.500	-47.9	≤-41.20	47.30	≤54	PASS
				AV	2483.520	-47.9	≤-41.20	47.30	≤54	PASS
				AV	2500.000	-48.02	≤-41.20	47.18	≤54	PASS
				Peak	2483.500	-41.08	≤-21.20	54.12	≤74	PASS
				Peak	2491.360	-38.33	≤-21.20	56.87	≤74	PASS
				Peak	2500.000	-41.67	≤-21.20	53.53	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-41.29	≤-21.20	53.91	≤74	PASS
				Peak	2388.410	-38.26	≤-21.20	56.94	≤74	PASS
				Peak	2390.000	-40.32	≤-21.20	54.88	≤74	PASS
		High	Hop_2480	Peak	2483.500	-40.05	≤-21.20	55.15	≤74	PASS
				Peak	2495.760	-37.35	≤-21.20	57.85	≤74	PASS
				Peak	2500.000	-39.74	≤-21.20	55.46	≤74	PASS




Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV



DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak







DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak





2DH5_Ant1_Low_Hop_2402_Peak



2DH5_Ant1_High_Hop_2480_Peak

