

FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

SENWA MEXICO,S.A.DE C.V

CARRETERA MEXICO-TOLUCA No. 5324, INT. PLANTA BAJA, COL. EL YAQUI,
DELEGACION CUAJIMALPA DE MORELOS, CIUDAD DE MEXICO, Mexico

FCC ID: 2AAA6-LS5518H

Report Type: Original Report	Product Type: Mobile Phone
Report Number: RSZ180508001-00A	
Report Date: 2018-05-30	
Simon Wang <i>Simon wang</i>	
Reviewed By: RF Engineer	
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	3
MEASUREMENT UNCERTAINTY	4
SYSTEM TEST CONFIGURATION.....	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS.....	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50 (D) (H) - RF OUTPUT POWER	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	30
APPLICABLE STANDARD	30
TEST PROCEDURE	30
TEST DATA	30
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	55
APPLICABLE STANDARD	55
TEST PROCEDURE	55
TEST DATA	55
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS.....	85
APPLICABLE STANDARD	85
TEST PROCEDURE	85
TEST DATA	85
FCC § 22.917 (A); § 24.238 (A); §27.53 (H)(M) - BAND EDGES	89
APPLICABLE STANDARD	89
TEST PROCEDURE	89
TEST DATA	89
FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY	130
APPLICABLE STANDARD	130
TEST PROCEDURE	130
TEST DATA	131

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The *SENWA MEXICO, S.A. DE C.V.*'s product, model number: *LS5518H* (FCC ID: *2AAA6-LS5518H*) or the "EUT" in this report was a *Mobile Phone*, which was measured approximately: 152 mm (L) * 72 mm (W) * 9.35 mm (H), rated with input voltage: DC 3.8 V from rechargeable li-ion battery or DC 5.0V from adapter.

Adapter Information:

Model: SENWAC1A

Input: AC 100-240V, 50/60Hz, 0.15A

Output: DC 5.0V, 1A

**All measurement and test data in this report was gathered from production sample serial number: 180508001 (Assigned by BACL, Shenzhen). The EUT supplied by the applicant was received on 2018-05-08.*

Objective

This test report is prepared on behalf of *SENWA MEXICO, S.A. DE C.V.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DTS & DSS submissions with FCC ID: 2AAA6-LS5518H.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D and KDB 971168 D01 v03.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		$\pm 5\%$
RF output power, conducted		$\pm 1.5\text{dB}$
Unwanted Emission, conducted		$\pm 1.5\text{dB}$
Emissions, radiated	Below 1GHz	$\pm 4.70\text{dB}$
	Above 1GHz	$\pm 4.80\text{dB}$
Temperature		$\pm 1^\circ\text{C}$
Supply voltages		$\pm 0.4\%$

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307, §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ180508001-20A.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal ANALYZER	FSIQ26	8386001028	2018-04-24	2019-04-24
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2017-12-22	2020-12-21
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2017-05-21	2018-05-21
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2018-05-21	2019-05-21
HP	Amplifier	HP8447E	1937A01046	2017-11-19	2018-05-19
HP	Amplifier	HP8447E	1937A01046	2018-05-19	2018-11-19
Anritsu	Signal Generator	68369B	004114	2017-12-07	2018-12-07
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2018-01-11	2019-01-11
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2015-08-18	2018-08-17
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2017-11-19	2018-05-19
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2018-05-19	2018-11-19
Ducommun technologies	RF Cable	104PEA	218124002	2017-11-19	2018-05-19
Ducommun technologies	RF Cable	104PEA	218124002	2018-05-19	2018-11-19
Ducommun technologies	RF Cable	RG-214	1	2017-11-19	2018-05-19
Ducommun technologies	RF Cable	RG-214	1	2018-05-19	2018-11-19
Ducommun technologies	RF Cable	RG-214	2	2017-11-22	2018-05-22
Ducommun technologies	RF Cable	RG-214	2	2018-05-22	2018-11-22
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Ducommun technologies	Pre-amplifier	ALN-22093530-01	991373-01	2017-08-03	2018-08-03

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2017-12-24	2018-12-24
ESPEC	Temperature & Humidity Chamber	EL-10KA	09107726	2017-12-21	2018-12-21
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Aglient	ESG Vector Signal Generator	E4438C	MY42080875	2018-05-09	2019-05-09
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891	2017-12-14	2018-12-14
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2018-04-24	2019-04-24
Ducommun technologies	RF Cable	RG-214	3	Each Time	
WEINSCHTEL	10dB Attenuator	5324	AU 3842	Each Time	
WEINSCHTEL	3dB Attenuator	N/A	N/A	Each Time	
N/A	Power Splitter	N/A	N/A	2017-05-21	2018-05-21
N/A	Power Splitter	N/A	N/A	2018-05-21	2019-05-21

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ180508001-20A.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (d) (h) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He on 2018-05-24.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	32.82	38.45
	190	836.6	31.99	38.45
	251	848.8	32.52	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	32.17	30.11	28.23	26.65	38.45
	190	836.6	31.37	29.65	28.17	26.18	38.45
	251	848.8	31.10	28.93	27.77	25.77	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		22.05	21.91	21.84
		HSDPA	1	21.49	21.65	21.23
			2	21.49	21.53	21.19
			3	21.58	21.78	21.29
			4	21.41	21.60	21.10
		HSUPA	1	21.57	21.59	21.13
			2	21.57	21.51	21.05
			3	21.64	21.71	21.18
			4	21.45	21.47	21.06
			5	21.57	21.51	21.05
		HSPA+	1	21.55	21.26	21.03

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	29.61	33
	661	1880.0	29.52	33
	810	1909.8	29.04	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	28.65	26.94	24.27	23.23	33
	661	1880.0	28.57	26.88	24.25	23.20	33
	810	1909.8	28.77	26.75	25.26	23.10	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		21.92	21.89	21.90
		HSDPA	1	20.72	21.22	20.80
			2	20.72	21.10	20.72
			3	20.78	21.28	20.86
			4	20.62	21.18	20.70
		HSUPA	1	20.68	21.08	20.77
			2	20.68	20.99	20.66
			3	20.73	21.19	20.81
			4	20.57	20.97	20.69
			5	20.79	21.13	20.83
		HSPA+	1	20.55	20.37	20.19

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.28	13
	Middle	2.36	13
	High	2.19	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.24	13
	Middle	3.67	13
	High	3.73	13
HSDPA (16QAM)	Low	3.62	13
	Middle	3.75	13
	High	3.43	13
HSUPA (BPSK)	Low	3.23	13
	Middle	3.14	13
	High	3.21	13
HSPA+	Low	3.15	13
	Middle	3.20	13
	High	3.11	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.32	13
	Middle	2.59	13
	High	2.69	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	4.43	13
	Middle	4.38	13
	High	4.46	13
HSDPA (16QAM)	Low	4.79	13
	Middle	4.68	13
	High	4.82	13
HSUPA (BPSK)	Low	4.76	13
	Middle	4.91	13
	High	4.86	13
HSPA+	Low	4.27	13
	Middle	4.41	13
	High	4.38	13

Radiated Power**GSM Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	93.33	85	1.0	H	30.9	0.7	0.0	30.20	38.45	8.25
836.6	89.16	99	2.5	V	28.7	0.7	0.0	28.00	38.45	10.45
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	91.70	106	2.2	H	21.7	1.30	9.40	29.80	33	3.20
1880.00	88.61	12	1.0	V	18.3	1.30	9.40	26.40	33	6.60

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	83.75	143	1.4	H	21.4	0.7	0.0	20.70	38.45	17.75
836.6	79.07	231	1.3	V	18.6	0.7	0.0	17.90	38.45	20.55
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	82.34	68	2.1	H	12.3	1.30	9.40	20.40	33	12.60
1880.00	81.44	131	1.1	V	11.2	1.30	9.40	19.30	33	13.70

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.67	22.65	22.64
		RB Size=1, RB Offset=2	22.57	22.56	22.68
		RB Size=1, RB Offset=5	22.36	22.59	22.59
		RB Size=3, RB Offset=0	22.45	22.37	22.37
		RB Size=3, RB Offset=1	22.32	22.37	22.22
		RB Size=3, RB Offset=2	22.21	22.21	22.19
		RB Size=6, RB Offset=0	22.67	22.65	22.64
	16QAM	RB Size=1, RB Offset=0	22.24	22.18	22.14
		RB Size=1, RB Offset=2	22.05	22.07	22.02
		RB Size=1, RB Offset=5	22.06	21.97	22.97
		RB Size=3, RB Offset=0	21.81	21.77	22.90
		RB Size=3, RB Offset=1	21.80	21.87	21.85
		RB Size=3, RB Offset=2	21.83	21.83	21.78
		RB Size=6, RB Offset=0	21.24	21.18	21.14
3.0	QPSK	RB Size=1, RB Offset=0	22.86	22.78	22.86
		RB Size=1, RB Offset=7	22.79	22.72	22.77
		RB Size=1, RB Offset=14	22.62	22.65	22.82
		RB Size=8, RB Offset=0	21.91	21.87	21.96
		RB Size=8, RB Offset=4	21.84	21.76	21.80
		RB Size=8, RB Offset=7	21.58	21.63	21.74
		RB Size=15, RB Offset=0	22.86	22.78	22.86
	16QAM	RB Size=1, RB Offset=0	22.13	22.13	22.06
		RB Size=1, RB Offset=7	22.13	22.03	22.07
		RB Size=1, RB Offset=14	22.23	21.82	21.93
		RB Size=8, RB Offset=0	20.87	20.80	20.95
		RB Size=8, RB Offset=4	20.67	20.78	20.90
		RB Size=8, RB Offset=7	20.42	20.65	20.80
		RB Size=15, RB Offset=0	20.33	20.43	20.56

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.90	22.82	22.85
		RB Size=1, RB Offset=12	22.83	22.77	22.73
		RB Size=1, RB Offset=24	22.54	22.89	22.46
		RB Size=12, RB Offset=0	21.88	21.82	21.91
		RB Size=12, RB Offset=6	21.88	21.74	21.74
		RB Size=12, RB Offset=11	21.85	21.56	21.79
		RB Size=25, RB Offset=0	22.90	22.82	22.85
	16QAM	RB Size=1, RB Offset=0	21.98	21.56	21.64
		RB Size=1, RB Offset=12	22.06	21.64	21.69
		RB Size=1, RB Offset=24	22.06	21.64	21.69
		RB Size=12, RB Offset=0	21.82	21.39	21.72
		RB Size=12, RB Offset=6	22.56	22.91	22.46
		RB Size=12, RB Offset=11	21.84	21.84	21.91
		RB Size=25, RB Offset=0	21.86	21.74	21.75
10.0	QPSK	RB Size=1, RB Offset=0	22.82	22.83	22.72
		RB Size=1, RB Offset=24	22.75	22.82	22.68
		RB Size=1, RB Offset=49	22.67	22.73	22.62
		RB Size=25, RB Offset=0	21.80	21.76	21.78
		RB Size=25, RB Offset=12	21.80	21.72	21.70
		RB Size=25, RB Offset=24	21.90	21.59	21.55
		RB Size=50, RB Offset=0	21.60	21.55	21.59
	16QAM	RB Size=1, RB Offset=0	21.66	21.68	21.66
		RB Size=1, RB Offset=24	21.65	21.51	21.67
		RB Size=1, RB Offset=49	21.47	21.39	21.76
		RB Size=25, RB Offset=0	22.67	20.72	20.76
		RB Size=25, RB Offset=12	22.56	20.52	20.92
		RB Size=25, RB Offset=24	21.59	20.71	20.79
		RB Size=50, RB Offset=0	20.52	20.51	20.54

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.13	22.07	22.37
		RB Size=1, RB Offset=37	22.05	21.96	22.24
		RB Size=1, RB Offset=74	22.04	22.05	22.27
		RB Size=36, RB Offset=0	22.07	22.01	22.04
		RB Size=36, RB Offset=18	22.08	21.98	21.93
		RB Size=36, RB Offset=37	22.16	21.73	21.62
		RB Size=75, RB Offset=0	21.90	21.92	22.06
	16QAM	RB Size=1, RB Offset=0	21.84	21.89	21.77
		RB Size=1, RB Offset=37	21.86	21.87	21.60
		RB Size=1, RB Offset=74	21.82	21.82	21.44
		RB Size=36, RB Offset=0	21.84	21.84	22.08
		RB Size=36, RB Offset=18	21.87	21.76	22.04
		RB Size=36, RB Offset=37	21.60	21.63	21.83
		RB Size=75, RB Offset=0	21.21	21.17	21.00
20.0	QPSK	RB Size=1, RB Offset=0	22.95	22.94	22.99
		RB Size=1, RB Offset=49	22.94	22.87	22.87
		RB Size=1, RB Offset=99	22.84	22.85	22.83
		RB Size=50, RB Offset=0	21.86	21.85	21.96
		RB Size=50, RB Offset=24	21.83	21.87	21.91
		RB Size=50, RB Offset=49	21.72	21.68	21.68
		RB Size=100, RB Offset=0	21.79	21.78	21.87
	16QAM	RB Size=1, RB Offset=0	22.06	21.97	22.08
		RB Size=1, RB Offset=49	21.96	21.90	21.89
		RB Size=1, RB Offset=99	21.95	21.73	21.90
		RB Size=50, RB Offset=0	20.95	20.88	21.03
		RB Size=50, RB Offset=24	20.81	20.87	21.02
		RB Size=50, RB Offset=49	20.53	20.73	20.94
		RB Size=100, RB Offset=0	20.85	20.82	20.99

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.31	13	Pass
QPSK (100RB Size)	5.26	13	Pass
16QAM (1RB Size)	6.31	13	Pass
16QAM (100RB Size)	6.38	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	85.21	357	1.9	H	15.2	1.30	9.40	23.30	33
1880.00	82.63	291	1.2	V	12.4	1.30	9.40	20.50	33
3 MHz Bandwidth									
1880.00	85.07	327	1.6	H	15.0	1.30	9.40	23.10	33
1880.00	83.17	167	1.1	V	12.9	1.30	9.40	21.00	33
5 MHz Bandwidth									
1880.00	85.14	72	1.1	H	15.1	1.30	9.40	23.20	33
1880.00	83.20	94	1.9	V	12.9	1.30	9.40	21.00	33
10 MHz Bandwidth									
1880.00	85.07	106	2.3	H	15.0	1.30	9.40	23.10	33
1880.00	83.24	222	1.4	V	13.0	1.30	9.40	21.10	33
15 MHz Bandwidth									
1880.00	85.06	276	1.8	H	15.0	1.30	9.40	23.10	33
1880.00	82.75	147	2.4	V	12.5	1.30	9.40	20.60	33
20 MHz Bandwidth									
1880.00	85.07	65	1.0	H	15.0	1.30	9.40	23.10	33
1880.00	83.19	175	1.9	V	12.9	1.30	9.40	21.00	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	84.97	148	2.1	H	14.9	1.30	9.40	23.00	33
1880.00	83.06	232	1.9	V	12.8	1.30	9.40	20.90	33
3 MHz Bandwidth									
1880.00	85.05	70	1.3	H	15.0	1.30	9.40	23.10	33
1880.00	82.94	164	2.3	V	12.7	1.30	9.40	20.80	33
5 MHz Bandwidth									
1880.00	85.14	94	1.4	H	15.1	1.30	9.40	23.20	33
1880.00	83.11	178	1.6	V	12.8	1.30	9.40	20.90	33
10 MHz Bandwidth									
1880.00	85.24	192	1.9	H	15.2	1.30	9.40	23.30	33
1880.00	83.12	123	2.1	V	12.9	1.30	9.40	21.00	33
15 MHz Bandwidth									
1880.00	85.71	13	1.2	H	15.7	1.30	9.40	23.80	33
1880.00	82.97	306	1.6	V	12.7	1.30	9.40	20.80	33
20 MHz Bandwidth									
1880.00	84.53	263	1.7	H	14.5	1.30	9.40	22.60	33
1880.00	82.11	151	1.7	V	11.8	1.30	9.40	19.90	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.46	22.40	22.54
		RB Size=1, RB Offset=2	22.50	22.27	22.56
		RB Size=1, RB Offset=5	22.44	22.02	22.60
		RB Size=3, RB Offset=0	22.68	22.66	22.68
		RB Size=3, RB Offset=1	22.60	22.66	22.65
		RB Size=3, RB Offset=2	22.50	22.55	22.46
		RB Size=6, RB Offset=0	21.47	21.47	21.93
	16QAM	RB Size=1, RB Offset=0	21.92	21.88	21.78
		RB Size=1, RB Offset=2	21.78	21.86	21.87
		RB Size=1, RB Offset=5	22.49	22.43	22.60
		RB Size=3, RB Offset=0	22.54	22.30	22.61
		RB Size=3, RB Offset=1	22.46	22.10	22.67
		RB Size=3, RB Offset=2	22.22	22.00	22.11
		RB Size=6, RB Offset=0	21.63	21.71	21.69
3.0	QPSK	RB Size=1, RB Offset=0	22.53	22.50	22.44
		RB Size=1, RB Offset=7	22.29	22.41	22.28
		RB Size=1, RB Offset=14	22.36	22.24	22.23
		RB Size=8, RB Offset=0	21.57	21.61	21.65
		RB Size=8, RB Offset=4	21.48	21.45	21.66
		RB Size=8, RB Offset=7	21.34	21.30	21.66
		RB Size=15, RB Offset=0	21.58	21.60	21.59
	16QAM	RB Size=1, RB Offset=0	21.73	21.63	21.50
		RB Size=1, RB Offset=7	21.75	21.60	21.30
		RB Size=1, RB Offset=14	22.61	22.56	22.49
		RB Size=8, RB Offset=0	22.31	22.46	22.32
		RB Size=8, RB Offset=4	22.42	22.26	22.31
		RB Size=8, RB Offset=7	21.59	21.65	21.67
		RB Size=15, RB Offset=0	21.52	21.47	21.68

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.70	22.62	22.74
		RB Size=1, RB Offset=12	22.61	22.56	22.60
		RB Size=1, RB Offset=24	22.53	22.52	22.67
		RB Size=12, RB Offset=0	21.82	21.65	21.68
		RB Size=12, RB Offset=6	21.71	21.65	21.69
		RB Size=12, RB Offset=11	21.51	21.70	21.64
		RB Size=25, RB Offset=0	21.76	21.72	21.59
	16QAM	RB Size=1, RB Offset=0	21.88	21.70	21.76
		RB Size=1, RB Offset=12	21.78	21.71	21.72
		RB Size=1, RB Offset=24	22.74	22.70	22.78
		RB Size=12, RB Offset=0	22.61	22.59	22.64
		RB Size=12, RB Offset=6	22.64	22.58	22.66
		RB Size=12, RB Offset=11	21.84	21.68	21.75
		RB Size=25, RB Offset=0	21.82	21.70	21.76
10.0	QPSK	RB Size=1, RB Offset=0	22.75	22.74	22.80
		RB Size=1, RB Offset=24	22.69	22.63	22.78
		RB Size=1, RB Offset=49	22.56	22.72	22.72
		RB Size=25, RB Offset=0	21.79	21.80	21.71
		RB Size=25, RB Offset=12	21.63	21.80	21.74
		RB Size=25, RB Offset=24	21.61	21.55	21.64
		RB Size=50, RB Offset=0	21.85	21.81	22.29
	16QAM	RB Size=1, RB Offset=0	22.20	22.20	22.29
		RB Size=1, RB Offset=24	22.10	22.10	22.05
		RB Size=1, RB Offset=49	22.79	22.78	22.86
		RB Size=25, RB Offset=0	22.75	22.69	22.85
		RB Size=25, RB Offset=12	22.59	22.75	22.80
		RB Size=25, RB Offset=24	21.83	21.85	21.77
		RB Size=50, RB Offset=0	21.71	21.85	21.78

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.68	22.61	22.56
		RB Size=1, RB Offset=37	22.64	22.39	22.45
		RB Size=1, RB Offset=74	22.52	22.41	22.49
		RB Size=36, RB Offset=0	22.01	21.92	21.89
		RB Size=36, RB Offset=18	21.93	21.73	21.78
		RB Size=36, RB Offset=37	21.98	21.69	21.76
		RB Size=75, RB Offset=0	21.77	21.57	21.61
	16QAM	RB Size=1, RB Offset=0	21.73	21.61	21.70
		RB Size=1, RB Offset=37	21.59	21.49	21.52
		RB Size=1, RB Offset=74	22.71	22.64	22.58
		RB Size=36, RB Offset=0	22.69	22.44	22.50
		RB Size=36, RB Offset=18	22.55	22.44	22.53
		RB Size=36, RB Offset=37	22.08	21.97	21.92
		RB Size=75, RB Offset=0	21.98	21.76	21.81
20.0	QPSK	RB Size=1, RB Offset=0	22.70	22.41	22.45
		RB Size=1, RB Offset=49	22.65	22.30	22.47
		RB Size=1, RB Offset=99	22.68	22.32	22.20
		RB Size=50, RB Offset=0	21.84	21.89	21.93
		RB Size=50, RB Offset=24	21.79	21.88	21.88
		RB Size=50, RB Offset=49	21.74	21.84	21.80
		RB Size=100, RB Offset=0	21.78	21.47	21.62
	16QAM	RB Size=1, RB Offset=0	22.70	22.41	22.44
		RB Size=1, RB Offset=49	22.68	22.31	22.47
		RB Size=1, RB Offset=99	22.67	22.30	22.19
		RB Size=50, RB Offset=0	21.83	21.90	21.94
		RB Size=50, RB Offset=24	21.78	21.89	21.88
		RB Size=50, RB Offset=49	21.71	21.85	21.80
		RB Size=100, RB Offset=0	21.77	21.53	21.63

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.22	13	Pass
QPSK (100RB Size)	5.35	13	Pass
16QAM (1RB Size)	6.69	13	Pass
16QAM (100RB Size)	6.72	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	86.62	56	1.2	H	13.5	1.30	8.90	21.10	30
1732.50	85.70	336	1.6	V	13.1	1.30	8.90	20.70	30
3 MHz Bandwidth									
1732.50	86.96	217	2.3	H	13.8	1.30	8.90	21.40	30
1732.50	85.79	255	1.5	V	13.2	1.30	8.90	20.80	30
5 MHz Bandwidth									
1732.50	86.74	261	2.4	H	13.6	1.30	8.90	21.20	30
1732.50	86.08	67	2.3	V	13.5	1.30	8.90	21.10	30
10 MHz Bandwidth									
1732.50	86.42	249	1.8	H	13.3	1.30	8.90	20.90	30
1732.50	85.79	29	1.8	V	13.2	1.30	8.90	20.80	30
15 MHz Bandwidth									
1732.50	86.39	157	2.5	H	13.2	1.30	8.90	20.80	30
1732.50	85.61	267	1.7	V	13.0	1.30	8.90	20.60	30
20 MHz Bandwidth									
1732.50	86.42	300	1.4	H	13.3	1.30	8.90	20.90	30
1732.50	85.36	46	2.2	V	12.8	1.30	8.90	20.40	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	86.49	329	1.6	H	13.3	1.30	8.90	20.90	30
1732.50	85.11	304	2.2	V	12.5	1.30	8.90	20.10	30
3 MHz Bandwidth									
1732.50	86.74	117	1.6	H	13.6	1.30	8.90	21.20	30
1732.50	85.09	255	1.6	V	12.5	1.30	8.90	20.10	30
5 MHz Bandwidth									
1732.50	86.42	169	1.4	H	13.3	1.30	8.90	20.90	30
1732.50	85.03	197	1.7	V	12.5	1.30	8.90	20.10	30
10 MHz Bandwidth									
1732.50	86.59	176	2.1	H	13.4	1.30	8.90	21.00	30
1732.50	85.06	300	2.1	V	12.5	1.30	8.90	20.10	30
15 MHz Bandwidth									
1732.50	86.84	37	1.2	H	13.7	1.30	8.90	21.30	30
1732.50	85.69	129	1.0	V	13.1	1.30	8.90	20.70	30
20 MHz Bandwidth									
1732.50	86.49	220	2.0	H	13.3	1.30	8.90	20.90	30
1732.50	84.96	352	1.8	V	12.4	1.30	8.90	20.00	30

LTE Band 7:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	23.23	22.99	22.58
		RB Size=1, RB Offset=12	22.78	22.48	22.29
		RB Size=1, RB Offset=24	23.34	22.97	22.86
		RB Size=12, RB Offset=0	22.02	21.55	21.28
		RB Size=12, RB Offset=6	22.07	21.61	21.40
		RB Size=12, RB Offset=11	22.07	21.57	21.50
		RB Size=25, RB Offset=0	22.05	21.56	22.12
	16QAM	RB Size=1, RB Offset=0	22.59	21.93	22.09
		RB Size=1, RB Offset=12	22.52	21.82	22.26
		RB Size=1, RB Offset=24	23.27	23.02	22.66
		RB Size=12, RB Offset=0	22.86	22.55	22.33
		RB Size=12, RB Offset=6	23.38	23.02	22.93
		RB Size=12, RB Offset=11	22.07	21.57	21.31
		RB Size=25, RB Offset=0	21.72	21.19	21.16
10.0	QPSK	RB Size=1, RB Offset=0	22.67	22.43	22.85
		RB Size=1, RB Offset=24	22.77	22.36	22.62
		RB Size=1, RB Offset=49	22.61	22.28	22.78
		RB Size=25, RB Offset=0	21.85	21.64	22.09
		RB Size=25, RB Offset=12	21.88	21.79	22.01
		RB Size=25, RB Offset=24	21.83	21.74	22.04
		RB Size=50, RB Offset=0	22.04	21.48	21.98
	16QAM	RB Size=1, RB Offset=0	21.88	22.06	22.00
		RB Size=1, RB Offset=24	21.71	22.20	21.99
		RB Size=1, RB Offset=49	22.73	22.47	22.92
		RB Size=25, RB Offset=0	22.82	22.39	22.66
		RB Size=25, RB Offset=12	22.67	22.36	22.83
		RB Size=25, RB Offset=24	21.87	21.68	22.14
		RB Size=50, RB Offset=0	21.51	21.31	22.08

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.73	22.63	23.83
		RB Size=1, RB Offset=37	22.64	22.73	23.62
		RB Size=1, RB Offset=74	22.80	22.66	23.84
		RB Size=36, RB Offset=0	21.97	21.95	22.93
		RB Size=36, RB Offset=18	21.98	21.69	23.09
		RB Size=36, RB Offset=37	22.08	21.90	23.05
		RB Size=75, RB Offset=0	22.12	21.34	21.97
	16QAM	RB Size=1, RB Offset=0	22.01	22.00	22.92
		RB Size=1, RB Offset=37	22.01	21.72	23.19
		RB Size=1, RB Offset=74	22.79	22.63	23.90
		RB Size=36, RB Offset=0	22.69	22.71	23.67
		RB Size=36, RB Offset=18	22.86	22.72	23.89
		RB Size=36, RB Offset=37	22.00	22.03	22.96
		RB Size=75, RB Offset=0	22.00	21.75	23.17
20.0	QPSK	RB Size=1, RB Offset=0	22.81	22.95	23.59
		RB Size=1, RB Offset=49	22.67	22.90	23.40
		RB Size=1, RB Offset=99	22.99	23.13	23.68
		RB Size=50, RB Offset=0	22.00	22.19	22.80
		RB Size=50, RB Offset=24	22.04	22.20	22.76
		RB Size=50, RB Offset=49	22.06	22.15	22.83
		RB Size=100, RB Offset=0	22.26	21.64	22.87
	16QAM	RB Size=1, RB Offset=0	22.11	22.27	22.65
		RB Size=1, RB Offset=49	21.97	22.33	22.96
		RB Size=1, RB Offset=99	22.86	23.02	23.65
		RB Size=50, RB Offset=0	22.74	22.97	23.46
		RB Size=50, RB Offset=24	23.02	23.18	23.73
		RB Size=50, RB Offset=49	22.02	22.21	22.83
		RB Size=100, RB Offset=0	22.09	22.23	22.81

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.08	13	Pass
QPSK (100RB Size)	4.97	13	Pass
16QAM (1RB Size)	6.43	13	Pass
16QAM (100RB Size)	6.36	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	84.28	177	2.3	H	14.8	2.60	10.20	22.40	33
2535.00	84.39	291	2.2	V	15.5	2.60	10.20	23.10	33
10 MHz Bandwidth									
2535.00	84.12	282	1.7	H	14.6	2.60	10.20	22.20	33
2535.00	84.06	141	2.5	V	15.2	2.60	10.20	22.80	33
15 MHz Bandwidth									
2535.00	84.62	15	1.4	H	15.1	2.60	10.20	22.70	33
2535.00	83.17	5	1.8	V	14.3	2.60	10.20	21.90	33
20 MHz Bandwidth									
2535.00	83.97	139	1.5	H	14.5	2.60	10.20	22.10	33
2535.00	83.20	144	2.1	V	14.3	2.60	10.20	21.90	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	84.21	34	2.1	H	14.7	2.60	10.20	22.30	33
2535.00	83.60	106	1.0	V	14.7	2.60	10.20	22.30	33
10 MHz Bandwidth									
2535.00	83.97	1	2.0	H	14.5	2.60	10.20	22.10	33
2535.00	83.12	119	1.1	V	14.2	2.60	10.20	21.80	33
15 MHz Bandwidth									
2535.00	84.52	104	1.8	H	15.0	2.60	10.20	22.60	33
2535.00	83.23	132	2.4	V	14.4	2.60	10.20	22.00	33
20 MHz Bandwidth									
2535.00	84.19	32	1.3	H	14.7	2.60	10.20	22.30	33
2535.00	83.06	299	1.3	V	14.2	2.60	10.20	21.80	33

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	48~50 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He from 2018-05-11 to 2018-05-30.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)


Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	245.19	318.91

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.167	4.679
HSUPA (BPSK)	836.6	4.167	4.712
HSDPA (16QAM)	836.6	4.151	4.679


PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	243.59	317.31

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.167	4.696
HSUPA (BPSK)	1880.0	4.167	4.679
HSDPA (16QAM)	1880.0	4.167	4.696


Cellular Band (Part 22H)**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode**

Date: 11.MAY.2018 10:49:12

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode


Date: 22.MAY.2018 10:22:17

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 22.MAY.2018 10:27:04


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 22.MAY.2018 10:25:49


PCS Band (Part 24E)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 11.MAY.2018 10:32:20

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 22.MAY.2018 10:51:15

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 30.MAY.2018 15:35:37


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 30.MAY.2018 15:32:55

LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.12	1.28
	16QAM	1.12	1.32
3.0	QPSK	2.72	3.06
	16QAM	2.70	2.99
5.0	QPSK	4.54	5.07
	16QAM	4.52	5.40
10.0	QPSK	8.96	9.87
	16QAM	8.94	9.78
15.0	QPSK	13.51	15.08
	16QAM	13.46	14.89
20.0	QPSK	17.95	19.38
	16QAM	18.00	19.64

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 14.MAY.2018 23:57:21

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 14.MAY.2018 23:55:30

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.MAY.2018 16:06:53

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 00:00:12




QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 24.MAY.2018 19:39:20


16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 00:12:43

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 00:16:11

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 00:18:04

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 00:20:17

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.MAY.2018 16:03:24

LTE Band 4: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.12	1.44
	16QAM	1.12	1.38
3.0	QPSK	2.72	3.10
	16QAM	2.72	3.07
5.0	QPSK	4.54	5.10
	16QAM	4.54	5.42
10.0	QPSK	8.97	9.78
	16QAM	8.94	9.78
15.0	QPSK	13.46	15.26
	16QAM	13.46	14.97
20.0	QPSK	17.95	19.74
	16QAM	18.01	19.68

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 00:29:21

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 00:31:28




QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 00:37:52


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 00:41:07

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 00:44:12

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 00:45:31


QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 00:49:42

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 00:47:19

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 15.MAY.2018 00:53:48

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 00:52:23

LTE Band 7: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.55	5.05
	16QAM	4.54	5.46
10.0	QPSK	8.97	9.89
	16QAM	8.97	9.86
15.0	QPSK	13.56	15.37
	16QAM	13.51	14.94
20.0	QPSK	17.95	20.00
	16QAM	18.08	19.94

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 01:01:49


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 15.MAY.2018 00:59:36


QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 15.MAY.2018 01:06:56

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 15.MAY.2018 01:03:47

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 01:10:57

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 15.MAY.2018 01:13:17

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 15.MAY.2018 01:16:17

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 15.MAY.2018 01:18:59

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	48~50 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He from 2018-05-11 to 2018-05-25.


Test result: Compliance,

EUT operation mode: transmitting

Please refer to the following plots.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GSM Mode)



Fundamental test


Date: 25.MAY.2018 16:56:23

1 GHz – 10 GHz (GSM Mode)




Date: 11.MAY.2018 10:00:06

30 MHz – 1 GHz (WCDMA Mode)



Date: 22.MAY.2018 10:42:36


1 GHz – 10 GHz (WCDMA Mode)



Date: 22.MAY.2018 10:43:45


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)




Date: 11.MAY.2018 10:35:51

1 GHz – 2 GHz (GSM Mode)




Fundamental test

Date: 25.MAY.2018 16:55:11


2 GHz – 20 GHz (GSM Mode)

Date: 11.MAY.2018 10:39:24

30 MHz – 1 GHz (WCDMA Mode)

Date: 22.MAY.2018 11:03:27


1 GHz – 2 GHz (WCDMA Mode)



Fundamental test

Date: 22.MAY.2018 11:04:35


2 GHz – 20 GHz (WCDMA Mode)



Date: 22.MAY.2018 11:06:37


LTE Band 2: (QPSK)

30 MHz - 1 GHz (1.4 MHz, Middle Channel)



Date: 15.MAY.2018 02:41:36


1 GHz - 2 GHz (1.4 MHz, Middle Channel)



Fundamental test


Date: 15.MAY.2018 02:57:44

2 GHz - 20 GHz (1.4 MHz, Middle Channel)




Date: 15.MAY.2018 02:44:20

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:39:46

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:56:37

2 GHz - 20 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:45:24

30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Date: 15.MAY.2018 02:38:55


1 GHz - 2 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 15.MAY.2018 02:55:30

2 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:46:25

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:34:23

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:54:40

2 GHz - 20 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:47:04

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:29:36

1 GHz -2 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:53:05

2 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:47:42

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:28:51

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 15.MAY.2018 02:51:48


2 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 15.MAY.2018 02:48:49


LTE Band 4: (QPSK)

30 MHz - 1 GHz (1.4 MHz, Middle Channel)



Date: 15.MAY.2018 03:07:27


1 GHz - 2 GHz (1.4 MHz, Middle Channel)



Fundamental test


Date: 15.MAY.2018 02:58:57

2 GHz - 20 GHz (1.4 MHz, Middle Channel)




Date: 15.MAY.2018 03:06:25

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:07:53

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 02:59:44

2 GHz - 20 GHz (3.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:06:15

30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Date: 15.MAY.2018 03:07:53


1 GHz - 2 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 15.MAY.2018 03:00:33

2 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:05:40

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:08:11

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:01:28

2 GHz - 20 GHz (10.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:05:25

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:08:27

1 GHz -2 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:02:14

2 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:04:52

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 15.MAY.2018 03:08:43

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 15.MAY.2018 03:02:43


2 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 15.MAY.2018 03:04:07


LTE Band 7: (QPSK)

30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Date: 17.MAY.2018 14:25:28


1 GHz - 3 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 17.MAY.2018 15:10:00

3 GHz - 26 GHz (5.0 MHz, Middle Channel)




Date: 17.MAY.2018 14:37:13

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 17.MAY.2018 14:33:39


1 GHz - 3 GHz (10.0 MHz, Middle Channel)



Fundamental test


Date: 17.MAY.2018 15:12:01

3 GHz - 26 GHz (10.0 MHz, Middle Channel)




Date: 17.MAY.2018 14:36:58

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 17.MAY.2018 14:34:06

1 GHz - 3 GHz (15.0 MHz, Middle Channel)




Date: 17.MAY.2018 15:12:29

3 GHz - 26 GHz (15.0 MHz, Middle Channel)




Date: 17.MAY.2018 14:36:42

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 17.MAY.2018 14:34:26

1 GHz - 3 GHz (20.0 MHz, Middle Channel)



Date: 17.MAY.2018 15:12:59

3 GHz - 26 GHz (20.0 MHz, Middle Channel)



Date: 17.MAY.2018 14:36:11

FCC § 2.1053; § 22.917 (a);§ 24.238 (a); §27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He on 2018-05-24.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, Middle channel										
163.56	39.83	121	1.6	H	-57.2	0.27	0	-57.47	-13	44.47
163.56	38.41	23	1.5	V	-58.6	0.27	0	-58.87	-13	45.87
1673.20	57.12	47	1.3	H	-50.0	1.30	8.90	-42.40	-13	29.40
1673.20	54.05	286	1.8	V	-52.4	1.30	8.90	-44.80	-13	31.80
2509.80	52.50	21	2.0	H	-51.0	2.60	10.20	-43.40	-13	30.40
2509.80	53.04	99	1.5	V	-49.9	2.60	10.20	-42.30	-13	29.30
3346.40	45.41	152	2.4	H	-54.9	1.50	11.70	-44.70	-13	31.70
3346.40	43.01	208	1.0	V	-57.4	1.50	11.70	-47.20	-13	34.20
WCDMA Mode, Middle channel										
163.56	38.18	17	2.5	H	-58.8	0.27	0	-59.07	-13	46.07
163.56	38.84	52	1.7	V	-58.2	0.27	0	-58.47	-13	45.47
1673.20	44.36	350	1.4	H	-62.7	1.30	8.90	-55.10	-13	42.10
1673.20	44.65	316	2.1	V	-61.8	1.30	8.90	-54.20	-13	41.20
2509.80	44.32	125	1.0	H	-59.2	2.60	10.20	-51.60	-13	38.60
2509.80	46.05	193	1.0	V	-56.9	2.60	10.20	-49.30	-13	36.30
3346.40	42.96	90	1.8	H	-57.4	1.50	11.70	-47.20	-13	34.20
3346.40	42.45	260	2.3	V	-57.9	1.50	11.70	-47.70	-13	34.70

30 MHz ~ 20 GHz:**PCS Band (Part 24E)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, Middle channel										
163.56	39.30	90	1.8	H	-57.7	0.27	0	-57.97	-13	44.97
163.56	38.59	74	2.1	V	-58.4	0.27	0	-58.67	-13	45.67
3760.00	43.77	354	2.4	H	-57.5	1.50	11.80	-47.20	-13	34.20
3760.00	44.21	265	1.7	V	-56.5	1.50	11.80	-46.20	-13	33.20
5640.00	42.88	38	1.7	H	-54.7	1.70	12.40	-44.00	-13	31.00
5640.00	42.02	216	1.8	V	-55.2	1.70	12.40	-44.50	-13	31.50
WCDMA Mode, Middle channel										
163.56	38.08	31	1.0	H	-58.9	0.27	0	-59.17	-13	46.17
163.56	38.89	223	1.5	V	-58.1	0.27	0	-58.37	-13	45.37
3760.00	43.31	49	2.3	H	-57.9	1.50	11.80	-47.60	-13	34.60
3760.00	43.45	347	2.4	V	-57.3	1.50	11.80	-47.00	-13	34.00
5640.00	42.51	66	2.5	H	-55.1	1.70	12.40	-44.40	-13	31.40
5640.00	42.61	144	2.1	V	-54.6	1.70	12.40	-43.90	-13	30.90

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
Band 2										
Test frequency range: 30 MHz ~ 20 GHz										
163.56	38.33	186	1.1	H	-58.7	0.27	0	-58.97	-13	45.97
163.56	38.57	272	2.4	V	-58.4	0.27	0	-58.67	-13	45.67
3760.00	44.38	127	2.0	H	-56.8	1.50	11.80	-46.50	-13	33.50
3760.00	45.8	59	2.1	V	-55.0	1.50	11.80	-44.70	-13	31.70
5640.00	42.42	82	1.1	H	-55.2	1.70	12.40	-44.50	-13	31.50
5640.00	42.75	228	1.8	V	-54.5	1.70	12.40	-43.80	-13	30.80
Band 4										
Test frequency range: 30 MHz ~ 18 GHz										
163.56	38.99	30	2.2	H	-58.0	0.27	0	-58.27	-13	45.27
163.56	38.37	281	1.5	V	-58.6	0.27	0	-58.87	-13	45.87
3465.00	43.68	2	2.2	H	-56.7	1.50	12.00	-46.20	-13	33.20
3465.00	44.48	129	1.0	V	-56.7	1.50	12.00	-46.20	-13	33.20
5197.50	43.01	254	2.5	H	-55.6	1.60	12.10	-45.10	-13	32.10
5197.50	42.68	139	1.9	V	-55.5	1.60	12.10	-45.00	-13	32.00
Band 7										
Test frequency range: 30 MHz ~ 26 GHz										
163.56	38.78	57	1.5	H	-58.2	0.27	0	-58.47	-25	33.47
163.56	39.95	15	1.6	V	-57.0	0.27	0	-57.27	-25	32.27
5070.00	51.37	237	1.2	H	-46.5	1.60	12.10	-36.00	-25	11.00
5070.00	51.21	151	1.9	V	-46.7	1.60	12.10	-36.20	-25	11.20
7605.00	43.55	279	2.3	H	-51.7	2.10	10.50	-43.30	-25	18.30
7605.00	45.9	19	1.1	V	-49.1	2.10	10.50	-40.70	-25	15.70

Note:

- 1) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 2) Margin = Limit- Absolute Level

FCC § 22.917 (a); § 24.238 (a); §27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	24~25 °C
Relative Humidity:	48~50 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He from 2018-05-11 to 2018-05-23.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 11.MAY.2018 09:54:47

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 11.MAY.2018 09:55:51

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 22.MAY.2018 10:34:59


Cellular Band, Right Band Edge for WCDMA (BPSK) Mode



Date: 22.MAY.2018 10:36:18


Cellular Band, Left Band Edge for HSDPA (16QAM) Mode

Date: 22.MAY.2018 10:38:57

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode


Date: 22.MAY.2018 10:39:35

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 22.MAY.2018 10:38:13

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 22.MAY.2018 10:37:20

PCS Band, Left Band Edge for GSM (GMSK) Mode




Date: 11.MAY.2018 10:27:08

PCS Band, Right Band Edge for GSM (GMSK) Mode




Date: 11.MAY.2018 10:29:03

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 22.MAY.2018 10:52:44

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 22.MAY.2018 10:53:28

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 23.MAY.2018 14:17:33

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 23.MAY.2018 14:18:30

PCS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 23.MAY.2018 14:21:03


PCS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 23.MAY.2018 14:20:17


LTE Band 2:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 15:53:20

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 15:57:39

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 15:55:00

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 15:57:03

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:02:34

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:00:15

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:02:00

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:00:53

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:03:51

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:07:02

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:04:30

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:06:01

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:10:49


QPSK (10.0 MHz, FULL RB) - Right Band Edge



Date: 17.MAY.2018 16:08:24


16-QAM (10.0 MHz, FULL RB) - Left Band Edge

Date: 17.MAY.2018 16:10:22

16-QAM (10.0 MHz, FULL RB) - Right Band Edge


Date: 17.MAY.2018 16:09:17

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:12:31

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:15:04

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:13:36


16-QAM (15.0 MHz, FULL RB) - Right Band Edge



Date: 17.MAY.2018 16:14:24

QPSK (20.0 MHz, FULL RB) - Left Band Edge


Date: 17.MAY.2018 16:19:23

QPSK (20.0 MHz, FULL RB) - Right Band Edge

Date: 17.MAY.2018 16:16:32

[illegible]


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Page 109 of 136


LTE Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:53:53

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:59:19

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 16:55:09

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 16:57:58

QPSK (3.0 MHz, FULL RB) - Left Band Edge



Date: 17.MAY.2018 17:03:25

QPSK (3.0 MHz, FULL RB) - Right Band Edge



Date: 17.MAY.2018 17:00:49

Ref 29.5 dBm * Att 10 dB

Offset 14.5 dB

1 RBW *
MAXH


D1 -13 dBm

Marker 1 [T1]
-18.38 dBm
1.709990385 GHz

Center 1.71 GHz 600 kHz/ Span 6 MHz


LVL
3DB

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Page 113 of 136

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:06:02

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:08:50

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:07:07

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:08:13

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:13:47

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:10:20

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:12:46

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:11:28

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:15:05

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:17:51

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:15:56

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:16:39

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:23:29

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:20:35

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 17.MAY.2018 17:22:48


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 17.MAY.2018 17:21:31


LTE Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 22.MAY.2018 16:32:02

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 22.MAY.2018 16:30:51

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 22.MAY.2018 16:33:35

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 22.MAY.2018 16:29:47

QPSK (10.0 MHz, FULL RB) - Left Band Edge



Date: 22.MAY.2018 16:21:13

QPSK (10.0 MHz, FULL RB) - Right Band Edge



Date: 22.MAY.2018 16:26:17

Ref 29.5 dBm * Att 10 dB * RBW 100 kHz VBW 300 kHz SWT 10 ms Marker 1 [T1] -22.42 dBm 2.498493590 GHz

Offset 14.5 dB

1 RM * MAXH

A


LVL

3dB

D1 -13 dBm


Center 2.5 GHz 2 MHz/ Span 20 MHz

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Page 125 of 136

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:33:28

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:30:59

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:32:57

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:31:41

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 17.MAY.2018 17:26:52

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 17.MAY.2018 17:29:29

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 17.MAY.2018 17:27:42

16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 17.MAY.2018 17:28:59

FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and & §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Hill He on 2018-05-24.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	7	0.008367	2.5
-20		-15	-0.017930	2.5
-10		11	0.013148	2.5
0		9	0.010758	2.5
10		6	0.007172	2.5
20		4	0.004781	2.5
30		5	0.005977	2.5
40		8	0.009563	2.5
50		10	0.011953	2.5
25	V min.= 3.6	14	0.016734	2.5
	V max.= 4.2	12	0.014344	2.5

WCDMA Mode

Middle Channel, $f_0 = 836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	5	0.005977	2.5
-20		6	0.007172	2.5
-10		-9	-0.010758	2.5
0		-7	-0.008367	2.5
10		-5	-0.005977	2.5
20		1	0.001195	2.5
30		-6	-0.007172	2.5
40		-3	-0.003586	2.5
50		-10	-0.011953	2.5
25	V min.= 3.6	6	0.007172	2.5
	V max.= 4.2	3	0.003586	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_0 = 1880.0\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	14	0.007447	pass
-20		-12	-0.006383	pass
-10		10	0.005319	pass
0		8	0.004255	pass
10		6	0.003191	pass
20		17	0.009043	pass
30		16	0.008511	pass
40		8	0.004255	pass
50		7	0.003723	pass
25	V min.= 3.6	8	0.004255	pass
	V max.= 4.2	11	0.005851	pass

WCDMA Mode

Middle Channel, $f_o=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-16	-0.008511	pass
-20		5	0.002660	pass
-10		17	0.009043	pass
0		8	0.004255	pass
10		-6	-0.003191	pass
20		7	0.003723	pass
30		9	0.004787	pass
40		2	0.001064	pass
50		3	0.001596	pass
25	V min.= 3.6	-6	-0.003191	pass
	V max.= 4.2	-15	-0.007979	pass

LTE:
QPSK:

Band 2:

10.0 MHz Middle Channel, $f_o=1880$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	9	0.004787	pass
-20		6	0.003191	pass
-10		7	0.003723	pass
0		5	0.002660	pass
10		2	0.001064	pass
20		0.99	0.000527	pass
30		-4	-0.002128	pass
40		-2	-0.001064	pass
50		-1	-0.000532	pass
20	V min.= 3.6	-9	-0.004787	pass
	V max.= 4.2	-6	-0.003191	pass

Band 4:

10.0 MHz Middle Channel, $f_0 = 1732.5$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	9	0.005195	pass
-20		3	0.001732	pass
-10		8	0.004618	pass
0		7	0.004040	pass
10		5	0.002886	pass
20		6.18	0.003567	pass
30		4	0.002309	pass
40		2	0.001154	pass
50		-1	-0.000577	pass
20	V min.= 3.6	-5	-0.002886	pass
	V max.= 4.2	-7	-0.004040	pass

Band 7:

10.0 MHz Middle Channel, $f_0 = 2535$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-14	-0.005523	pass
-20		-18	-0.007101	pass
-10		-21	-0.008284	pass
0		-26	-0.010256	pass
10		-23	-0.009073	pass
20		-27.45	-0.010828	pass
30		-29	-0.011440	pass
40		22	0.008679	pass
50		-13	-0.005128	pass
20	V min.= 3.6	17	0.006706	pass
	V max.= 4.2	-11	-0.004339	pass

16QAM:**Band 2:**

10.0 MHz Middle Channel, $f_o = 1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	7	0.003723	pass
-20		6	0.003191	pass
-10		4	0.002128	pass
0		-2	-0.001064	pass
10		2	0.001064	pass
20		-9	-0.004787	pass
30		3	0.001596	pass
40		-6	-0.003191	pass
50		-5	-0.002660	pass
20	V min.= 3.6	-9	-0.004787	pass
	V max.= 4.2	-4	-0.002128	pass

Band 4:

10.0 MHz Middle Channel, $f_o = 1732.5\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-7	-0.004040	pass
-20		-5	-0.002886	pass
-10		-3	-0.001732	pass
0		1	0.000577	pass
10		2	0.001154	pass
20		7	0.004040	pass
30		6	0.003463	pass
40		-8	-0.004618	pass
50		3	0.001732	pass
	V min.= 3.6	17	0.009812	pass
	V max.= 4.2	10	0.005772	pass

Band 7:

10.0 MHz Middle Channel, $f_o = 2535$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-26	-0.010256	pass
-20		-21	-0.008284	pass
-10		-6	-0.002367	pass
0		19	0.007495	pass
10		-22	-0.008679	pass
20		25	0.009862	pass
30		-18	-0.007101	pass
40		15	0.005917	pass
50		-11	-0.004339	pass
20	V min.= 3.6	-7	-0.002761	pass
	V max.= 4.2	-4	-0.001578	pass

***** END OF REPORT *****