



BUREAU
VERITAS

FCC SAR Test Report




Certificate #6613.01

<Photographs of EUT>





<Antenna Location>




<EUT Back View>


The separation distance for antenna to edge:

Antenna	Overall diagonal(mm)	Display diagonal(mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN Ant 1	143.15	62	5	47	5	113
WWAN Ant 2			15	5	112	5
WWAN Ant 3			51	4	52	50
WWAN Ant 4			5	47	5	113
WWAN Ant 5			4	51	52	47
WWAN Ant 6			5	51	99	20
WWAN Ant 7			52	5	112	5
WLAN/BT Ant 8			5	52	5	113
WLAN Ant 9			5	51	24	90

Antenna	Supported bands
WWAN Ant 1	LTE 2/4/7/25/38/41/66, NR n2/7/25/38/41/66
WWAN Ant 2	LTE 5/12/13/14/17/26/30/71, NR n5/12/14/30/71
WWAN Ant 3	LTE 2/4/7/25/38/41/66(ENDC Only), NR n2/7/25/38/41/66(ENDC Only)
WWAN Ant 4	LTE 42/43/48(ENDC Only), NR n48/77/78(ENDC Only), SRS: NR n77/78
WWAN Ant 5	RX only, SRS: NR n77/78
WWAN Ant 6	RX only, SRS: NR n77/78
WWAN Ant 7	LTE 42/43/48, NR n48/77/78, SRS: NR n77/78
WLAN/BT Ant 8	WLAN2.4G, WLAN5G, Bluetooth
WLAN Ant 9	WLAN2.4G, WLAN5G

<Photographs of SAR Setup>

**Front Face of EUT with 1.0 cm Gap****Rear Face of EUT with 1.0 cm Gap****Left Side of EUT with 1.0 cm Gap****Right Side of EUT with 1.0 cm Gap****Top Side of EUT with 1.0 cm Gap****Bottom Side of EUT with 1.0 cm Gap**

**Rear Face(Battery 2) of EUT with 1.0 cm Gap****Bottom Side(Battery 2) of EUT with 1.0 cm Gap**