




CH56665


MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7385.000	-51.76	-63.36	-40.00	-11.76	11.60	Peak	Horizontal
2	PP11081.000	-44.08	-64.14	-40.00	-4.08	20.06	Peak	Horizontal



MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7392.000	-49.46	-63.73	-40.00	-9.46	14.27	Peak	Vertical
2	PP11077.500	-44.91	-64.75	-40.00	-4.91	19.84	Peak	Vertical



CHANNEL BANDWIDTH: 20MHz / QPSK


MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-51.13	-62.94	-40.00	-11.13	11.81	Peak	Horizontal
2	PP10875.000	-46.00	-65.61	-40.00	-6.00	19.61	Peak	Horizontal



MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7250.000	-48.98	-62.69	-40.00	-8.98	13.71	Peak	Vertical
2	PP10877.000	-45.40	-65.08	-40.00	-5.40	19.68	Peak	Vertical






LTE Band CA_48C

Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

CHANNEL BANDWIDTH: 5 MHz + 20MHz


MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.600	-53.15	-65.00	-40.00	-13.15	11.85	Peak	Horizontal
2	PP10843.000	-48.12	-67.65	-40.00	-8.12	19.53	Peak	Horizontal



MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.40	-65.07	-40.00	-11.40	13.67	Peak	Vertical
2	PP10847.400	-48.37	-67.91	-40.00	-8.37	19.54	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz + 20MHz


MODE	TX channel PCC 55896	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56040		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.200	-53.57	-65.42	-40.00	-13.57	11.85	Peak	Horizontal
2	PP10843.000	-49.06	-68.59	-40.00	-9.06	19.53	Peak	Horizontal



MODE	TX channel PCC 55896	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56040		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.52	-65.19	-40.00	-11.52	13.67	Peak	Vertical
2	PP10846.800	-47.82	-67.36	-40.00	-7.82	19.54	Peak	Vertical



CHANNEL BANDWIDTH: 15MHz + 20MHz


MODE	TX channel PCC 55893	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55064		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.600	-52.88	-64.74	-40.00	-12.88	11.86	Peak	Horizontal
2	PP10843.000	-47.84	-67.37	-40.00	-7.84	19.53	Peak	Horizontal



MODE	TX channel PCC 55893	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55064		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.00	-64.67	-40.00	-11.00	13.67	Peak	Vertical
2	PP10845.900	-48.70	-68.23	-40.00	-8.70	19.53	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 5MHz


MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.72	-64.56	-40.00	-12.72	11.84	Peak	Horizontal
2	PP10867.500	-47.69	-67.28	-40.00	-7.69	19.59	Peak	Horizontal



MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7245.000	-51.02	-64.71	-40.00	-11.02	13.69	Peak	Vertical
2	PP10860.000	-48.12	-67.72	-40.00	-8.12	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz


MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-53.09	-65.12	-40.00	-13.09	12.03	Peak	Horizontal
2	PP10860.000	-48.65	-68.22	-40.00	-8.65	19.57	Peak	Horizontal



MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-52.09	-65.29	-40.00	-12.09	13.20	Peak	Vertical
2	PP10860.000	-47.98	-67.58	-40.00	-7.98	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz


MODE	TX channel PCC 55941	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56085		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.98	-64.82	-40.00	-12.98	11.84	Peak	Horizontal
2	PP10860.300	-48.67	-68.24	-40.00	-8.67	19.57	Peak	Horizontal



MODE	TX channel PCC 55941	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56085		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7240.200	-50.80	-64.47	-40.00	-10.80	13.67	Peak	Vertical
2	PP10860.000	-47.41	-67.01	-40.00	-7.41	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz


MODE	TX channel PCC 56541	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56685		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7358.000	-53.33	-64.98	-40.00	-13.33	11.65	Peak	Horizontal
2	PP11040.300	-46.36	-66.37	-40.00	-6.36	20.01	Peak	Horizontal



MODE	TX channel PCC 56541	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56685		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7360.200	-50.07	-64.22	-40.00	-10.07	14.15	Peak	Vertical
2	PP11047.000	-46.01	-66.01	-40.00	-6.01	20.00	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 15MHz


MODE	TX channel PCC 55916	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56087		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-53.02	-64.86	-40.00	-13.02	11.84	Peak	Horizontal
2	PP10852.800	-48.32	-67.87	-40.00	-8.32	19.55	Peak	Horizontal



MODE	TX channel PCC 55916	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56087		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7235.200	-51.27	-64.93	-40.00	-11.27	13.66	Peak	Vertical
2	PP10860.000	-48.91	-68.51	-40.00	-8.91	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 20MHz


MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7222.000	-51.85	-63.72	-40.00	-11.85	11.87	Peak	Horizontal
2	PP10845.300	-48.84	-68.37	-40.00	-8.84	19.53	Peak	Horizontal



MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.230	-51.49	-65.13	-40.00	-11.49	13.64	Peak	Vertical
2	PP10843.000	-48.42	-67.94	-40.00	-8.42	19.52	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-P22110036RF10

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

6 Appendix

LTE BAND48 (INCLUDING LTE BAND42/43)

PEAK-TO-AVERAGE RATIO (CCDF)

TEST RESULT

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	4.05	13	PASS
Band48	5MHz	QPSK	55265	25RB#0	6.50	13	PASS
Band48	5MHz	QPSK	55990	1RB#0	3.97	13	PASS
Band48	5MHz	QPSK	55990	25RB#0	5.24	13	PASS
Band48	5MHz	QPSK	56715	1RB#0	3.82	13	PASS
Band48	5MHz	QPSK	56715	25RB#0	5.72	13	PASS
Band48	5MHz	16QAM	55265	1RB#0	6.12	13	PASS
Band48	5MHz	16QAM	55265	25RB#0	6.75	13	PASS
Band48	5MHz	16QAM	55990	1RB#0	5.88	13	PASS
Band48	5MHz	16QAM	55990	25RB#0	6.40	13	PASS
Band48	5MHz	16QAM	56715	1RB#0	5.38	13	PASS
Band48	5MHz	16QAM	56715	25RB#0	6.46	13	PASS
Band48	5MHz	64QAM	55265	1RB#0	6.40	13	PASS
Band48	5MHz	64QAM	55265	25RB#0	7.07	13	PASS
Band48	5MHz	64QAM	55990	1RB#0	7.74	13	PASS
Band48	5MHz	64QAM	55990	25RB#0	6.88	13	PASS
Band48	5MHz	64QAM	56715	1RB#0	6.79	13	PASS
Band48	5MHz	64QAM	56715	25RB#0	6.74	13	PASS
Band48	10MHz	QPSK	55290	1RB#0	3.82	13	PASS
Band48	10MHz	QPSK	55290	50RB#0	5.29	13	PASS
Band48	10MHz	QPSK	55990	1RB#0	3.76	13	PASS
Band48	10MHz	QPSK	55990	50RB#0	5.15	13	PASS
Band48	10MHz	QPSK	56690	1RB#0	3.55	13	PASS
Band48	10MHz	QPSK	56690	50RB#0	5.11	13	PASS
Band48	10MHz	16QAM	55290	1RB#0	6.39	13	PASS
Band48	10MHz	16QAM	55290	50RB#0	6.65	13	PASS
Band48	10MHz	16QAM	55990	1RB#0	5.78	13	PASS
Band48	10MHz	16QAM	55990	50RB#0	6.04	13	PASS
Band48	10MHz	16QAM	56690	1RB#0	5.04	13	PASS
Band48	10MHz	16QAM	56690	50RB#0	6.26	13	PASS
Band48	10MHz	64QAM	55290	1RB#0	6.81	13	PASS
Band48	10MHz	64QAM	55290	50RB#0	6.85	13	PASS
Band48	10MHz	64QAM	55990	1RB#0	6.94	13	PASS
Band48	10MHz	64QAM	55990	50RB#0	6.93	13	PASS
Band48	10MHz	64QAM	56690	1RB#0	7.41	13	PASS
Band48	10MHz	64QAM	56690	50RB#0	6.90	13	PASS
Band48	15MHz	QPSK	55315	1RB#0	4.30	13	PASS
Band48	15MHz	QPSK	55315	75RB#0	5.53	13	PASS
Band48	15MHz	QPSK	55990	1RB#0	3.99	13	PASS
Band48	15MHz	QPSK	55990	75RB#0	5.42	13	PASS
Band48	15MHz	QPSK	56665	1RB#0	4.05	13	PASS
Band48	15MHz	QPSK	56665	75RB#0	5.29	13	PASS




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF10


Band48	15MHz	16QAM	55315	1RB#0	5.82	13	PASS
Band48	15MHz	16QAM	55315	75RB#0	6.26	13	PASS
Band48	15MHz	16QAM	55990	1RB#0	5.60	13	PASS
Band48	15MHz	16QAM	55990	75RB#0	7.64	13	PASS
Band48	15MHz	16QAM	56665	1RB#0	5.58	13	PASS
Band48	15MHz	16QAM	56665	75RB#0	6.20	13	PASS
Band48	15MHz	64QAM	55315	1RB#0	7.16	13	PASS
Band48	15MHz	64QAM	55315	75RB#0	7.13	13	PASS
Band48	15MHz	64QAM	55990	1RB#0	6.79	13	PASS
Band48	15MHz	64QAM	55990	75RB#0	6.91	13	PASS
Band48	15MHz	64QAM	56665	1RB#0	6.80	13	PASS
Band48	15MHz	64QAM	56665	75RB#0	6.86	13	PASS
Band48	20MHz	QPSK	55340	1RB#0	3.66	13	PASS
Band48	20MHz	QPSK	55340	100RB#0	5.29	13	PASS
Band48	20MHz	QPSK	55990	1RB#0	3.79	13	PASS
Band48	20MHz	QPSK	55990	100RB#0	5.13	13	PASS
Band48	20MHz	QPSK	56640	1RB#0	4.01	13	PASS
Band48	20MHz	QPSK	56640	100RB#0	5.08	13	PASS
Band48	20MHz	16QAM	55340	1RB#0	5.50	13	PASS
Band48	20MHz	16QAM	55340	100RB#0	6.10	13	PASS
Band48	20MHz	16QAM	55990	1RB#0	5.62	13	PASS
Band48	20MHz	16QAM	55990	100RB#0	6.02	13	PASS
Band48	20MHz	16QAM	56640	1RB#0	5.69	13	PASS
Band48	20MHz	16QAM	56640	100RB#0	6.00	13	PASS
Band48	20MHz	64QAM	55340	1RB#0	7.42	13	PASS
Band48	20MHz	64QAM	55340	100RB#0	6.78	13	PASS
Band48	20MHz	64QAM	55990	1RB#0	6.73	13	PASS
Band48	20MHz	64QAM	55990	100RB#0	6.75	13	PASS
Band48	20MHz	64QAM	56640	1RB#0	6.81	13	PASS
Band48	20MHz	64QAM	56640	100RB#0	6.83	13	PASS

TEST GRAPHS

Band48-5MHz-QPSK-55265-1RB#0



Band48-5MHz-QPSK-55265-25RB#0



Band48-5MHz-QPSK-55990-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-5MHz-QPSK-55990-25RB#0



Band48-5MHz-QPSK-56715-1RB#0



Band48-5MHz-QPSK-56715-25RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-5MHz-16QAM-55265-1RB#0



Band48-5MHz-16QAM-55265-25RB#0




Band48-5MHz-16QAM-55990-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-5MHz-16QAM-55990-25RB#0



Band48-5MHz-16QAM-56715-1RB#0



Band48-5MHz-16QAM-56715-25RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-5MHz-64QAM-55265-1RB#0



Band48-5MHz-64QAM-55265-25RB#0



Band48-5MHz-64QAM-55990-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-5MHz-64QAM-55990-25RB#0



Band48-5MHz-64QAM-56715-1RB#0



Band48-5MHz-64QAM-56715-25RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-10MHz-QPSK-55290-1RB#0



Band48-10MHz-QPSK-55290-50RB#0



Band48-10MHz-QPSK-55990-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-10MHz-QPSK-55990-50RB#0



Band48-10MHz-QPSK-56690-1RB#0



Band48-10MHz-QPSK-56690-50RB#0




BUREAU
VERITAS

Test Report No.: W7L-P22110036RF10



Band48-10MHz-16QAM-55290-1RB#0



Band48-10MHz-16QAM-55290-50RB#0



Band48-10MHz-16QAM-55990-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22110036RF10



Band48-10MHz-16QAM-55990-50RB#0



Band48-10MHz-16QAM-56690-1RB#0



Band48-10MHz-16QAM-56690-50RB#0

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com