



BLE 125K Ant1 2440




BLE 125K Ant1 2480




BLE 500K Ant1 2402



BLE 500K Ant1 2440



BLE 500K Ant1 2480




MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT


TestMode	Antenna	Channel	Average power [dBm]	Peak power [dBm]	Peak power [mw]	Conducted Limit [dBm]	Verdict	Power Setting
BLE_1M	Ant1	2402	5.74	7.1	5.13	≤30	PASS	Default
		2440	6.71	8.1	6.46	≤30	PASS	Default
		2480	5.45	6.8	4.79	≤30	PASS	Default
BLE_2M	Ant1	2404	6.27	8.7	7.41	≤30	PASS	Default
		2440	7.28	9.72	9.38	≤30	PASS	Default
		2478	5.87	8.28	6.73	≤30	PASS	Default
BLE_125k	Ant1	2402	5.87	6.08	4.06	≤30	PASS	Default
		2440	6.85	7.02	5.04	≤30	PASS	Default
		2480	5.59	5.87	3.86	≤30	PASS	Default
BLE_500K	Ant1	2402	5.77	6.12	4.09	≤30	PASS	Default
		2440	6.73	7.06	5.08	≤30	PASS	Default
		2480	5.46	5.87	3.86	≤30	PASS	Default


MAXIMUM POWER SPECTRAL DENSITY TEST RESULT


TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-9.54	≤8.00	PASS
		2440	-9.35	≤8.00	PASS
		2480	-10.02	≤8.00	PASS
BLE_2M	Ant1	2404	-12.27	≤8.00	PASS
		2440	-11.17	≤8.00	PASS
		2478	-12.78	≤8.00	PASS
BLE_125K	Ant1	2402	0.17	≤8.00	PASS
		2440	0.40	≤8.00	PASS
		2480	-0.14	≤8.00	PASS
BLE_500K	Ant1	2402	0.03	≤8.00	PASS
		2440	0.31	≤8.00	PASS
		2480	-0.51	≤8.00	PASS


TEST GRAPHS













BAND EDGE MEASUREMENTS TEST RESULT


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	6.22	-44.22	≤-13.78	PASS
		High	2480	5.67	-44.13	≤-14.33	PASS
BLE_2M	Ant1	Low	2404	5.66	-45.5	≤-14.34	PASS
		High	2478	4.05	-43.18	≤-15.95	PASS
BLE_125K	Ant1	Low	2402	2.86	-45.24	≤-17.14	PASS
		High	2480	2.39	-44.8	≤-17.61	PASS
BLE_500K	Ant1	Low	2402	5.78	-45.91	≤-14.22	PASS
		High	2480	5.35	-44.92	≤-14.65	PASS

TEST GRAPHS







BLE 2M Ant1 High 2478




BLE 125K Ant1 Low 2402




BLE 125K Ant1 High 2480



BLE 500K Ant1 Low 2402




BLE 500K Ant1 High 2480



CONDUCTED SPURIOUS EMISSION TEST RESULT

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	4.74	4.74	---	PASS
			30~1000	4.74	-64.17	≤-15.26	PASS
			1000~26500	4.74	-43.97	≤-15.26	PASS
		2440	Reference	5.63	5.63	---	PASS
			30~1000	5.63	-63.76	≤-14.37	PASS
			1000~26500	5.63	-45.14	≤-14.37	PASS
		2480	Reference	4.34	4.34	---	PASS
			30~1000	4.34	-64.09	≤-15.66	PASS
			1000~26500	4.34	-44.65	≤-15.66	PASS
BLE_2M	Ant1	2404	Reference	2.94	2.94	---	PASS
			30~1000	2.94	-64.13	≤-17.06	PASS
			1000~26500	2.94	-45.16	≤-17.06	PASS
		2440	Reference	6.23	6.23	---	PASS
			30~1000	6.23	-64.31	≤-13.77	PASS
			1000~26500	6.23	-44.78	≤-13.77	PASS
		2478	Reference	2.82	2.82	---	PASS
			30~1000	2.82	-64.46	≤-17.18	PASS
			1000~26500	2.82	-43.9	≤-17.18	PASS
BLE_125K	Ant1	2402	Reference	2.83	2.83	---	PASS
			30~1000	2.83	-63.62	≤-17.17	PASS
			1000~26500	2.83	-45.42	≤-17.17	PASS
		2440	Reference	2.92	2.92	---	PASS
			30~1000	2.92	-64.41	≤-17.08	PASS
			1000~26500	2.92	-45.25	≤-17.08	PASS
		2480	Reference	2.34	2.34	---	PASS
			30~1000	2.34	-63.73	≤-17.66	PASS
			1000~26500	2.34	-44.3	≤-17.66	PASS
BLE_500K	Ant1	2402	Reference	4.92	4.92	---	PASS
			30~1000	4.92	-64.37	≤-15.08	PASS
			1000~26500	4.92	-44.88	≤-15.08	PASS
		2440	Reference	5.16	5.16	---	PASS
			30~1000	5.16	-63.69	≤-14.84	PASS
			1000~26500	5.16	-45.19	≤-14.84	PASS
		2480	Reference	4.04	4.04	---	PASS
			30~1000	4.04	-63.12	≤-15.96	PASS
			1000~26500	4.04	-44.77	≤-15.96	PASS

TEST GRAPHS





BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 1M Ant1 2440 0~Reference




BLE 1M Ant1 2440 30~1000




BUREAU
VERITAS


Reference No.: W7L-P24050018RF02



BLE 1M Ant1 2440 1000~26500



BLE 1M Ant1 2480 0~Reference





BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2404 0~Reference




BLE 2M Ant1 2404 30~1000




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2404 1000~26500



BLE 2M Ant1 2440 0~Reference




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2440 30~1000



BLE 2M Ant1 2440 1000~26500



BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2478 0~Reference




BLE 2M Ant1 2478 30~1000




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2478 1000~26500



BLE 125K Ant1 2402 0~Reference




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE_125K_Ant1_2402_30~1000




BLE_125K_Ant1_2402_1000~26500



BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 125K Ant1 2440 0~Reference



BLE 125K Ant1 2440 30~1000




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE_125K_Ant1_2440_1000~26500



BLE_125K_Ant1_2480_0~Reference




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 125K Ant1 2480 30~1000



BLE 125K Ant1 2480 1000~26500



BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE_500K_Ant1_2402_0~Reference




BLE_500K_Ant1_2402_30~1000




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE_500K_Ant1_2402_1000~26500



BLE_500K_Ant1_2440_0~Reference




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE_500K_Ant1_2440_30~1000




BLE_500K_Ant1_2440_1000~26500



BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 500K Ant1 2480 0~Reference




BLE 500K Ant1 2480 30~1000




BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 500K Ant1 2480 1000~26500





DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	2.13	2.50	85.20	0.70
		2440	2.13	2.50	85.20	0.70
		2480	2.13	2.50	85.20	0.70
BLE_2M	Ant1	2404	1.08	1.88	57.45	2.41
		2440	1.08	1.88	57.45	2.41
		2478	1.08	1.88	57.45	2.41
BLE_125K	Ant1	2402	17.05	17.50	97.43	0.11
		2440	17.05	17.50	97.43	0.11
		2480	17.05	17.50	97.43	0.11
BLE_500K	Ant1	2402	4.56	5.01	91.02	0.41
		2440	4.56	5.01	91.02	0.41
		2480	4.56	5.01	91.02	0.41


Reference No.: W7L-P24050018RF02

TEST GRAPHS





BLE 2M Ant1 2404




BLE 2M Ant1 2440




BUREAU
VERITAS


Reference No.: W7L-P24050018RF02



BLE 2M Ant1 2478




BLE 125K Ant1 2402






BUREAU
VERITAS

Reference No.: W7L-P24050018RF02



BLE 500K Ant1 2402



BLE 500K Ant1 2440