






11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755



11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795



11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A-CDD	Ant1	5180	2.09	2.11	99.05
	Ant2	5180	2.09	2.11	99.05
	Ant1	5260	2.10	2.12	99.06
	Ant2	5260	2.10	2.12	99.06
	Ant1	5500	2.10	2.12	99.06
	Ant2	5500	2.09	2.11	99.05
	Ant1	5745	2.10	2.12	99.06
	Ant2	5745	2.10	2.12	99.06
11N20MIMO	Ant1	5180	5.33	5.34	99.81
	Ant2	5180	5.33	5.35	99.63
	Ant1	5260	5.33	5.35	99.63
	Ant2	5260	5.33	5.34	99.81
	Ant1	5500	5.33	5.35	99.63
	Ant2	5500	5.33	5.35	99.63
	Ant1	5745	5.32	5.34	99.63
	Ant2	5745	5.33	5.35	99.63
11N40MIMO	Ant1	5190	5.41	5.43	99.63
	Ant2	5190	5.41	5.43	99.63
	Ant1	5270	5.41	5.43	99.63
	Ant2	5270	5.41	5.43	99.63
	Ant1	5510	5.41	5.43	99.63
	Ant2	5510	5.41	5.43	99.63
	Ant1	5755	5.41	5.43	99.63
	Ant2	5755	5.41	5.43	99.63
11AC80MIMO	Ant1	5210	5.40	5.42	99.63
	Ant2	5210	5.40	5.41	99.82
	Ant1	5290	5.39	5.41	99.63
	Ant2	5290	5.39	5.41	99.63
	Ant1	5530	5.39	5.41	99.63
	Ant2	5530	5.40	5.42	99.63
	Ant1	5775	5.39	5.41	99.63
	Ant2	5775	5.40	5.42	99.63
11AX20MIMO	Ant1	5180	5.34	5.36	99.63
	Ant2	5180	5.33	5.35	99.63
	Ant1	5260	5.33	5.35	99.63
	Ant2	5260	5.33	5.35	99.63
	Ant1	5500	5.34	5.36	99.63
	Ant2	5500	5.34	5.35	99.81
	Ant1	5745	5.34	5.36	99.63
	Ant2	5745	5.34	5.35	99.81
11AX40MIMO	Ant1	5190	5.40	5.41	99.82
	Ant2	5190	5.39	5.40	99.81
	Ant1	5270	5.39	5.41	99.63
	Ant2	5270	5.39	5.41	99.63





BUREAU
VERITAS

Reference No.: W7L-P24050018RF03


	Ant1	5510	5.39	5.41	99.63
	Ant2	5510	5.39	5.41	99.63
	Ant1	5755	5.39	5.41	99.63
	Ant2	5755	5.39	5.40	99.81
11AX80MIMO	Ant1	5210	5.26	5.28	99.62
	Ant2	5210	5.26	5.28	99.62
	Ant1	5290	5.27	5.28	99.81
	Ant2	5290	5.26	5.28	99.62
	Ant1	5530	5.26	5.28	99.62
	Ant2	5530	5.27	5.29	99.62
	Ant1	5775	5.26	5.28	99.62
	Ant2	5775	5.26	5.28	99.62

TEST GRAPHS






11A-CDD Ant2 5500




11A-CDD Ant1 5745






Reference No.: W7L-P24050018RF03




11N20MIMO Ant2 5180




11N20MIMO Ant1 5260









11N20MIMO Ant2 5500




11N20MIMO Ant1 5745













Reference No.: W7L-P24050018RF03







11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290








Reference No.: W7L-P24050018RF03






BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX20MIMO_Ant2_5180




11AX20MIMO_Ant1_5260




BUREAU
VERITAS


Reference No.: W7L-P24050018RF03




11AX20MIMO_Ant2_5260




11AX20MIMO_Ant1_5500





11AX20MIMO_Ant2_5500





11AX20MIMO_Ant1_5745














11AX40MIMO_Ant2_5755




11AX80MIMO_Ant1_5210





11AX80MIMO_Ant2_5210



11AX80MIMO_Ant1_5290







MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT CHANNEL POWER

BV Power Table For U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5180	Ant1	11.96	≤24.00	----	12.66	≤22.19	Pass	13
			Ant2	11.67	≤24.00	----	12.37	≤22.19	Pass	13
			Total	14.83	≤24.00	----	15.53	≤22.19	Pass	13
		5200	Ant1	11.96	≤24.00	----	12.66	≤22.18	Pass	13
			Ant2	11.63	≤24.00	----	12.33	≤22.18	Pass	13
			Total	14.81	≤24.00	----	15.51	≤22.18	Pass	13
		5240	Ant1	11.95	≤24.00	----	12.65	≤22.18	Pass	13
			Ant2	11.68	≤24.00	----	12.38	≤22.18	Pass	13
			Total	14.83	≤24.00	----	15.53	≤22.18	Pass	13
11N20	MIMO	5180	Ant1	9.54	≤24.00	----	10.24	≤22.49	Pass	11
			Ant2	9.22	≤24.00	----	9.92	≤22.49	Pass	11
			Total	12.39	≤24.00	----	13.09	≤22.49	Pass	11
		5200	Ant1	9.60	≤24.00	----	10.30	≤22.49	Pass	11
			Ant2	9.29	≤24.00	----	9.99	≤22.49	Pass	11
			Total	12.46	≤24.00	----	13.16	≤22.49	Pass	11
		5240	Ant1	9.31	≤24.00	----	10.01	≤22.49	Pass	11
			Ant2	9.26	≤24.00	----	9.96	≤22.49	Pass	11
			Total	12.30	≤24.00	----	13.00	≤22.49	Pass	11
11N40	MIMO	5190	Ant1	9.62	≤24.00	----	10.32	≤23.01	Pass	11
			Ant2	9.46	≤24.00	----	10.16	≤23.01	Pass	11
			Total	12.55	≤24.00	----	13.25	≤23.01	Pass	11
		5230	Ant1	9.53	≤24.00	----	10.23	≤23.01	Pass	11
			Ant2	9.45	≤24.00	----	10.15	≤23.01	Pass	11
			Total	12.50	≤24.00	----	13.20	≤23.01	Pass	11
11AC20	MIMO	5180	Ant1	8.21	≤24.00	----	8.91	≤22.49	Pass	10
			Ant2	8.10	≤24.00	----	8.80	≤22.49	Pass	10
			Total	11.17	≤24.00	----	11.87	≤22.49	Pass	10
		5200	Ant1	8.26	≤24.00	----	8.96	≤22.49	Pass	10
			Ant2	8.15	≤24.00	----	8.85	≤22.49	Pass	10
			Total	11.22	≤24.00	----	11.92	≤22.49	Pass	10
		5240	Ant1	8.25	≤24.00	----	8.95	≤22.49	Pass	10
			Ant2	8.21	≤24.00	----	8.91	≤22.49	Pass	10

			Total	11.24	≤24.00	----	11.94	≤22.49	Pass	10
11AC40	MIMO	5190	Ant1	8.66	≤24.00	----	9.36	≤23.01	Pass	10
			Ant2	8.35	≤24.00	----	9.05	≤23.01	Pass	10
			Total	11.52	≤24.00	----	12.22	≤23.01	Pass	10
		5230	Ant1	8.56	≤24.00	----	9.26	≤23.01	Pass	10
			Ant2	8.51	≤24.00	----	9.21	≤23.01	Pass	10
			Total	11.55	≤24.00	----	12.25	≤23.01	Pass	10
11AC80 11AX20	MIMO	5210	Ant1	7.34	≤24.00	----	8.04	≤23.01	Pass	9
			Ant2	7.17	≤24.00	----	7.87	≤23.01	Pass	9
			Total	10.27	≤24.00	----	10.97	≤23.01	Pass	9
	MIMO	5180	Ant1	8.45	≤24.00	----	9.15	≤23.01	Pass	10
			Ant2	8.39	≤24.00	----	9.09	≤23.01	Pass	10
			Total	11.43	≤24.00	----	12.13	≤23.01	Pass	10
		5200	Ant1	8.47	≤24.00	----	9.17	≤23.01	Pass	10
			Ant2	8.40	≤24.00	----	9.10	≤23.01	Pass	10
			Total	11.45	≤24.00	----	12.15	≤23.01	Pass	10
		5240	Ant1	8.54	≤24.00	----	9.24	≤23.01	Pass	10
			Ant2	8.40	≤24.00	----	9.10	≤23.01	Pass	10
			Total	11.48	≤24.00	----	12.18	≤23.01	Pass	10
11AX40	MIMO	5190	Ant1	8.24	≤24.00	----	8.94	≤23.01	Pass	10
			Ant2	8.18	≤24.00	----	8.88	≤23.01	Pass	10
			Total	11.22	≤24.00	----	11.92	≤23.01	Pass	10
		5230	Ant1	8.21	≤24.00	----	8.91	≤23.01	Pass	10
			Ant2	8.08	≤24.00	----	8.78	≤23.01	Pass	10
			Total	11.16	≤24.00	----	11.86	≤23.01	Pass	10
11AX80 11ax20 FULL_RU	MIMO	5210	Ant1	7.06	≤24.00	----	7.76	≤23.01	Pass	9
			Ant2	6.94	≤24.00	----	7.64	≤23.01	Pass	9
			Total	10.01	≤24.00	----	10.71	≤23.01	Pass	9
	MIMO	5180	Ant1	8.43	≤24.00	----	9.13	≤23.01	Pass	10
			Ant2	8.36	≤24.00	----	9.06	≤23.01	Pass	10
			Total	11.41	≤24.00	----	12.11	≤23.01	Pass	10
		5200	Ant1	8.44	≤24.00	----	9.14	≤23.01	Pass	10
			Ant2	8.36	≤24.00	----	9.06	≤23.01	Pass	10
			Total	11.41	≤24.00	----	12.11	≤23.01	Pass	10
		5240	Ant1	8.51	≤24.00	----	9.21	≤23.01	Pass	10
			Ant2	8.37	≤24.00	----	9.07	≤23.01	Pass	10
			Total	11.45	≤24.00	----	12.15	≤23.01	Pass	10
11ax40 FULL_RU	MIMO	5190	Ant1	8.16	≤24.00	----	8.86	≤23.01	Pass	10
			Ant2	8.11	≤24.00	----	8.81	≤23.01	Pass	10
			Total	11.15	≤24.00	----	11.85	≤23.01	Pass	10
		5230	Ant1	8.16	≤24.00	----	8.86	≤23.01	Pass	10
			Ant2	7.99	≤24.00	----	8.69	≤23.01	Pass	10



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

			Total	11.09	≤24.00	----	11.79	≤23.01	Pass	10
11ax80 FULL_RU	MIMO	5210	Ant1	7.04	≤24.00	----	7.74	≤23.01	Pass	9
			Ant2	6.90	≤24.00	----	7.60	≤23.01	Pass	9
			Total	9.98	≤24.00	----	10.68	≤23.01	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant1	11.97	≤24.00	≤23.18	12.67	≤30.00	≤29.18	Pass	13
			Ant2	11.80	≤24.00	≤23.18	12.50	≤30.00	≤29.18	Pass	13
			Total	14.90	≤24.00	≤23.18	15.60	≤30.00	≤29.18	Pass	13
		5300	Ant1	12.06	≤24.00	≤23.18	12.76	≤30.00	≤29.18	Pass	13
			Ant2	11.94	≤24.00	≤23.18	12.64	≤30.00	≤29.18	Pass	13
			Total	15.01	≤24.00	≤23.18	15.71	≤30.00	≤29.18	Pass	13
		5320	Ant1	12.12	≤24.00	≤23.18	12.82	≤30.00	≤29.18	Pass	13
			Ant2	12.02	≤24.00	≤23.18	12.72	≤30.00	≤29.18	Pass	13
			Total	15.08	≤24.00	≤23.18	15.78	≤30.00	≤29.18	Pass	13
11N20	MIMO	5260	Ant1	9.55	≤24.00	≤23.49	10.25	≤30.00	≤29.49	Pass	11
			Ant2	9.21	≤24.00	≤23.49	9.91	≤30.00	≤29.49	Pass	11
			Total	12.39	≤24.00	≤23.49	13.09	≤30.00	≤29.49	Pass	11
		5300	Ant1	9.92	≤24.00	≤23.49	10.62	≤30.00	≤29.49	Pass	11
			Ant2	9.25	≤24.00	≤23.49	9.95	≤30.00	≤29.49	Pass	11
			Total	12.61	≤24.00	≤23.49	13.31	≤30.00	≤29.49	Pass	11
		5320	Ant1	10.36	≤24.00	≤23.49	11.06	≤30.00	≤29.49	Pass	11
			Ant2	9.28	≤24.00	≤23.49	9.98	≤30.00	≤29.49	Pass	11
			Total	12.86	≤24.00	≤23.49	13.56	≤30.00	≤29.49	Pass	11
11N40	MIMO	5270	Ant1	9.98	≤24.00	≤24.00	10.68	≤30.00	≤30.00	Pass	11
			Ant2	9.37	≤24.00	≤24.00	10.07	≤30.00	≤30.00	Pass	11
			Total	12.70	≤24.00	≤24.00	13.40	≤30.00	≤30.00	Pass	11
		5310	Ant1	10.15	≤24.00	≤24.00	10.85	≤30.00	≤30.00	Pass	11
			Ant2	9.29	≤24.00	≤24.00	9.99	≤30.00	≤30.00	Pass	11
			Total	12.75	≤24.00	≤24.00	13.45	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5260	Ant1	8.47	≤24.00	≤23.49	9.17	≤30.00	≤29.49	Pass	10
			Ant2	8.01	≤24.00	≤23.49	8.71	≤30.00	≤29.49	Pass	10
			Total	11.26	≤24.00	≤23.49	11.96	≤30.00	≤29.49	Pass	10
		5300	Ant1	8.69	≤24.00	≤23.49	9.39	≤30.00	≤29.49	Pass	10
			Ant2	8.18	≤24.00	≤23.49	8.88	≤30.00	≤29.49	Pass	10
			Total	11.45	≤24.00	≤23.49	12.15	≤30.00	≤29.49	Pass	10
		5320	Ant1	8.72	≤24.00	≤23.49	9.42	≤30.00	≤29.49	Pass	10

			Ant2	7.99	≤24.00	≤23.49	8.69	≤30.00	≤29.49	Pass	10
			Total	11.38	≤24.00	≤23.49	12.08	≤30.00	≤29.49	Pass	10
11AC40	MIMO	5270	Ant1	8.83	≤24.00	≤24.00	9.53	≤30.00	≤30.00	Pass	10
			Ant2	8.46	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
			Total	11.66	≤24.00	≤24.00	12.36	≤30.00	≤30.00	Pass	10
		5310	Ant1	9.05	≤24.00	≤24.00	9.75	≤30.00	≤30.00	Pass	10
			Ant2	8.44	≤24.00	≤24.00	9.14	≤30.00	≤30.00	Pass	10
			Total	11.77	≤24.00	≤24.00	12.47	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5210	Ant1	7.54	≤24.00	≤24.00	8.24	≤30.00	≤30.00	Pass	9
			Ant2	7.27	≤24.00	≤24.00	7.97	≤30.00	≤30.00	Pass	9
			Total	10.42	≤24.00	≤24.00	11.12	≤30.00	≤30.00	Pass	9
	MIMO	5260	Ant1	8.67	≤24.00	≤24.00	9.37	≤30.00	≤30.00	Pass	10
			Ant2	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Total	11.52	≤24.00	≤24.00	12.22	≤30.00	≤30.00	Pass	10
		5300	Ant1	8.90	≤24.00	≤24.00	9.60	≤30.00	≤30.00	Pass	10
			Ant2	8.55	≤24.00	≤24.00	9.25	≤30.00	≤30.00	Pass	10
			Total	11.74	≤24.00	≤24.00	12.44	≤30.00	≤30.00	Pass	10
		5320	Ant1	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
			Ant2	8.32	≤24.00	≤24.00	9.02	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
11AX40	MIMO	5270	Ant1	8.41	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
			Ant2	8.21	≤24.00	≤24.00	8.91	≤30.00	≤30.00	Pass	10
			Total	11.32	≤24.00	≤24.00	12.02	≤30.00	≤30.00	Pass	10
		5310	Ant1	8.41	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
			Ant2	8.21	≤24.00	≤24.00	8.91	≤30.00	≤30.00	Pass	10
			Total	11.38	≤24.00	≤24.00	12.08	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5290	Ant1	7.34	≤24.00	≤24.00	8.04	≤30.00	≤30.00	Pass	9
			Ant2	7.08	≤24.00	≤24.00	7.78	≤30.00	≤30.00	Pass	9
			Total	10.22	≤24.00	≤24.00	10.92	≤30.00	≤30.00	Pass	9
	MIMO	5260	Ant1	8.62	≤24.00	≤24.00	9.32	≤30.00	≤30.00	Pass	10
			Ant2	8.30	≤24.00	≤24.00	9.00	≤30.00	≤30.00	Pass	10
			Total	11.47	≤24.00	≤24.00	12.17	≤30.00	≤30.00	Pass	10
		5300	Ant1	8.87	≤24.00	≤24.00	9.57	≤30.00	≤30.00	Pass	10
			Ant2	8.53	≤24.00	≤24.00	9.23	≤30.00	≤30.00	Pass	10
			Total	11.71	≤24.00	≤24.00	12.41	≤30.00	≤30.00	Pass	10
		5320	Ant1	8.90	≤24.00	≤24.00	9.60	≤30.00	≤30.00	Pass	10
			Ant2	8.29	≤24.00	≤24.00	8.99	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
11ax40 FULL_RU	MIMO	5270	Ant1	8.33	≤24.00	≤24.00	9.03	≤30.00	≤30.00	Pass	10
			Ant2	8.14	≤24.00	≤24.00	8.84	≤30.00	≤30.00	Pass	10
			Total	11.25	≤24.00	≤24.00	11.95	≤30.00	≤30.00	Pass	10
		5310	Ant1	8.53	≤24.00	≤24.00	9.23	≤30.00	≤30.00	Pass	10



Reference No.: W7L-P24050018RF03

11ax80 FULL_RU	MIMO	5290	Ant2	8.12	≤24.00	≤24.00	8.82	≤30.00	≤30.00	Pass	10
			Total	11.34	≤24.00	≤24.00	12.04	≤30.00	≤30.00	Pass	10
			Ant1	7.30	≤24.00	≤24.00	8.00	≤30.00	≤30.00	Pass	9
			Ant2	7.08	≤24.00	≤24.00	7.78	≤30.00	≤30.00	Pass	9
			Total	10.20	≤24.00	≤24.00	10.90	≤30.00	≤30.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2C

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant1	12.56	≤24.00	≤23.16	13.26	≤30.00	≤29.16	Pass	13
			Ant2	12.34	≤24.00	≤23.16	13.04	≤30.00	≤29.16	Pass	13
			Total	15.46	≤24.00	≤23.16	16.16	≤30.00	≤29.16	Pass	13
		5580	Ant1	12.52	≤24.00	≤23.16	13.22	≤30.00	≤29.16	Pass	13
			Ant2	12.08	≤24.00	≤23.16	12.78	≤30.00	≤29.16	Pass	13
			Total	15.32	≤24.00	≤23.16	16.02	≤30.00	≤29.16	Pass	13
		5700	Ant1	12.21	≤24.00	≤23.19	12.91	≤30.00	≤29.19	Pass	13
			Ant2	12.19	≤24.00	≤23.19	12.89	≤30.00	≤29.19	Pass	13
			Total	15.21	≤24.00	≤23.19	15.91	≤30.00	≤29.19	Pass	13
		5720	Ant1	12.35	≤24.00	≤23.19	13.05	≤30.00	≤29.19	Pass	13
			Ant2	12.24	≤24.00	≤23.19	12.94	≤30.00	≤29.19	Pass	13
			Total	15.31	≤24.00	≤23.19	16.01	≤30.00	≤29.19	Pass	13
11N20	MIMO	5500	Ant1	9.72	≤24.00	≤23.49	10.42	≤30.00	≤29.52	Pass	11
			Ant2	9.56	≤24.00	≤23.49	10.26	≤30.00	≤29.52	Pass	11
			Total	12.65	≤24.00	≤23.49	13.35	≤30.00	≤29.52	Pass	11
		5580	Ant1	9.54	≤24.00	≤23.48	10.24	≤30.00	≤29.51	Pass	11
			Ant2	9.19	≤24.00	≤23.48	9.89	≤30.00	≤29.51	Pass	11
			Total	12.38	≤24.00	≤23.48	13.08	≤30.00	≤29.51	Pass	11
		5700	Ant1	9.40	≤24.00	≤23.48	10.10	≤30.00	≤29.48	Pass	11
			Ant2	9.18	≤24.00	≤23.48	9.88	≤30.00	≤29.48	Pass	11
			Total	12.30	≤24.00	≤23.48	13.00	≤30.00	≤29.48	Pass	11
		5720	Ant1	9.47	≤24.00	≤23.47	10.17	≤30.00	≤29.47	Pass	11
			Ant2	9.14	≤24.00	≤23.47	9.84	≤30.00	≤29.47	Pass	11
			Total	12.32	≤24.00	≤23.47	13.02	≤30.00	≤29.47	Pass	11
11N40	MIMO	5510	Ant1	10.01	≤24.00	≤24.00	10.71	≤30.00	≤30.00	Pass	11
			Ant2	9.83	≤24.00	≤24.00	10.53	≤30.00	≤30.00	Pass	11
			Total	12.93	≤24.00	≤24.00	13.63	≤30.00	≤30.00	Pass	11
		5550	Ant1	9.80	≤24.00	≤24.00	10.50	≤30.00	≤30.00	Pass	11
			Ant2	9.73	≤24.00	≤24.00	10.43	≤30.00	≤30.00	Pass	11
			Total	12.78	≤24.00	≤24.00	13.48	≤30.00	≤30.00	Pass	11

		5670	Ant1	9.63	≤24.00	≤24.00	10.33	≤30.00	≤30.00	Pass	11
			Ant2	9.42	≤24.00	≤24.00	10.12	≤30.00	≤30.00	Pass	11
			Total	12.54	≤24.00	≤24.00	13.24	≤30.00	≤30.00	Pass	11
		5710	Ant1	9.62	≤24.00	≤24.00	10.32	≤30.00	≤30.00	Pass	11
			Ant2	9.54	≤24.00	≤24.00	10.24	≤30.00	≤30.00	Pass	11
			Total	12.59	≤24.00	≤24.00	13.29	≤30.00	≤24.00	Pass	11
11AC20	MIMO	5500	Ant1	8.77	≤24.00	≤23.49	9.47	≤30.00	≤29.52	Pass	10
			Ant2	8.70	≤24.00	≤23.49	9.40	≤30.00	≤29.52	Pass	10
			Total	11.75	≤24.00	≤23.49	12.45	≤30.00	≤29.52	Pass	10
		5580	Ant1	8.63	≤24.00	≤23.48	9.33	≤30.00	≤29.51	Pass	10
			Ant2	8.14	≤24.00	≤23.48	8.84	≤30.00	≤29.51	Pass	10
			Total	11.40	≤24.00	≤23.48	12.10	≤30.00	≤29.51	Pass	10
		5700	Ant1	8.47	≤24.00	≤23.48	9.17	≤30.00	≤29.48	Pass	10
			Ant2	8.19	≤24.00	≤23.48	8.89	≤30.00	≤29.48	Pass	10
			Total	11.34	≤24.00	≤23.48	12.04	≤30.00	≤29.48	Pass	10
		5720	Ant1	8.45	≤24.00	≤23.47	9.15	≤30.00	≤29.47	Pass	10
			Ant2	8.11	≤24.00	≤23.47	8.81	≤30.00	≤29.47	Pass	10
			Total	11.29	≤24.00	≤23.47	11.99	≤30.00	≤29.47	Pass	10
11AC40	MIMO	5510	Ant1	9.14	≤24.00	≤24.00	9.84	≤30.00	≤30.00	Pass	10
			Ant2	8.84	≤24.00	≤24.00	9.54	≤30.00	≤30.00	Pass	10
			Total	12.00	≤24.00	≤24.00	12.70	≤30.00	≤30.00	Pass	10
		5550	Ant1	8.80	≤24.00	≤24.00	9.50	≤30.00	≤30.00	Pass	10
			Ant2	8.76	≤24.00	≤24.00	9.46	≤30.00	≤30.00	Pass	10
			Total	11.79	≤24.00	≤24.00	12.49	≤30.00	≤30.00	Pass	10
		5670	Ant1	8.81	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	10
			Ant2	8.39	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
		5710	Ant1	8.66	≤24.00	≤24.00	9.36	≤30.00	≤30.00	Pass	10
			Ant2	8.60	≤24.00	≤24.00	9.30	≤30.00	≤30.00	Pass	10
			Total	11.64	≤24.00	≤24.00	12.34	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5530	Ant1	7.52	≤24.00	≤24.00	8.22	≤30.00	≤30.00	Pass	9
			Ant2	7.45	≤24.00	≤24.00	8.15	≤30.00	≤30.00	Pass	9
			Total	10.50	≤24.00	≤24.00	11.20	≤30.00	≤30.00	Pass	9
		5610	Ant1	7.32	≤24.00	≤24.00	8.02	≤30.00	≤30.00	Pass	9
			Ant2	7.24	≤24.00	≤24.00	7.94	≤30.00	≤30.00	Pass	9
			Total	10.29	≤24.00	≤24.00	10.99	≤30.00	≤30.00	Pass	9
		5690	Ant1	7.29	≤24.00	≤24.00	7.99	≤30.00	≤30.00	Pass	9
			Ant2	7.00	≤24.00	≤24.00	7.70	≤30.00	≤30.00	Pass	9
11AX20	MIMO	5500	Ant1	9.04	≤24.00	≤24.00	9.74	≤30.00	≤30.00	Pass	9
			Ant2	8.98	≤24.00	≤24.00	9.68	≤30.00	≤30.00	Pass	10
			Total	12.02	≤24.00	≤24.00	12.72	≤30.00	≤30.00	Pass	10
		5580	Ant1	8.77	≤24.00	≤24.00	9.47	≤30.00	≤30.00	Pass	10



Reference No.: W7L-P24050018RF03

			Ant2	8.50	≤24.00	≤24.00	9.20	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
		5700	Ant1	8.63	≤24.00	≤24.00	9.33	≤30.00	≤30.00	Pass	10
			Ant2	8.56	≤24.00	≤24.00	9.26	≤30.00	≤30.00	Pass	10
			Total	11.61	≤24.00	≤24.00	12.31	≤30.00	≤30.00	Pass	10
		5720	Ant1	8.60	≤24.00	≤24.00	9.30	≤30.00	≤30.00	Pass	10
			Ant2	8.51	≤24.00	≤24.00	9.21	≤30.00	≤30.00	Pass	10
			Total	11.57	≤24.00	≤24.00	12.27	≤30.00	≤30.00	Pass	10
11AX40	MIMO	5510	Ant1	8.78	≤24.00	≤24.00	9.48	≤30.00	≤30.00	Pass	10
			Ant2	8.49	≤24.00	≤24.00	9.19	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
		5550	Ant1	8.50	≤24.00	≤24.00	9.20	≤30.00	≤30.00	Pass	10
			Ant2	8.43	≤24.00	≤24.00	9.13	≤30.00	≤30.00	Pass	10
			Total	11.48	≤24.00	≤24.00	12.18	≤30.00	≤30.00	Pass	10
		5670	Ant1	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Ant2	8.08	≤24.00	≤24.00	8.78	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
		5710	Ant1	8.87	≤24.00	≤24.00	9.57	≤30.00	≤30.00	Pass	10
			Ant2	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5530	Ant1	7.38	≤24.00	≤24.00	8.08	≤30.00	≤30.00	Pass	9
			Ant2	7.27	≤24.00	≤24.00	7.97	≤30.00	≤30.00	Pass	9
			Total	10.34	≤24.00	≤24.00	11.04	≤30.00	≤30.00	Pass	9
		5690	Ant1	7.07	≤24.00	≤24.00	7.77	≤30.00	≤30.00	Pass	9
			Ant2	6.84	≤24.00	≤24.00	7.54	≤30.00	≤30.00	Pass	9
			Total	9.97	≤24.00	≤24.00	10.67	≤30.00	≤30.00	Pass	9
		5690	Ant1	6.94	≤24.00	≤24.00	7.64	≤30.00	≤30.00	Pass	9
			Ant2	6.87	≤24.00	≤24.00	7.57	≤30.00	≤30.00	Pass	9
			Total	9.92	≤24.00	≤24.00	10.62	≤30.00	≤30.00	Pass	9
		5500	Ant1	8.99	≤24.00	≤24.00	9.69	≤30.00	≤30.00	Pass	10
			Ant2	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
			Total	11.98	≤24.00	≤24.00	12.68	≤30.00	≤30.00	Pass	10
		5580	Ant1	8.74	≤24.00	≤24.00	9.44	≤30.00	≤30.00	Pass	10
			Ant2	8.46	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
			Total	11.61	≤24.00	≤24.00	12.31	≤30.00	≤30.00	Pass	10
		5700	Ant1	8.59	≤24.00	≤24.00	9.29	≤30.00	≤30.00	Pass	10
			Ant2	8.52	≤24.00	≤24.00	9.22	≤30.00	≤30.00	Pass	10
			Total	11.57	≤24.00	≤24.00	12.27	≤30.00	≤30.00	Pass	10
		5720	Ant1	8.81	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	10
			Ant2	8.27	≤24.00	≤24.00	8.97	≤30.00	≤30.00	Pass	10
			Total	11.56	≤24.00	≤24.00	12.26	≤30.00	≤30.00	Pass	10
11ax40	MIMO	5510	Ant1	8.70	≤24.00	≤24.00	9.40	≤30.00	≤30.00	Pass	10