



Reference No.: W7L-P24050018RF11

FREQUENCY STABILITY FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	VL	NT	2.000000	0.000578	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	VN	NT	4.000000	0.001156	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	VH	NT	11.000000	0.003179	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	-30	1.000000	0.000289	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	-20	11.000000	0.003179	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	-10	3.000000	0.000867	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	0	13.000000	0.003757	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	10	19.000000	0.005491	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	20	11.000000	0.003179	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	30	9.000000	0.002601	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	40	19.000000	0.005491	PASS
N77-345 0-3550	30	20	DFT-QPSK	L	Outer_Full	NV	50	6.000000	0.001734	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	VL	NT	9.000000	0.002571	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	VN	NT	11.000000	0.003143	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	VH	NT	3.000000	0.000857	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	-30	13.000000	0.003714	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	-20	1.000000	0.000286	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	-10	12.000000	0.003429	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	0	3.000000	0.000857	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	10	11.000000	0.003143	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	20	1.000000	0.000286	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	30	12.000000	0.003429	PASS



Reference No.: W7L-P24050018RF11


N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	40	3.000000	0.000857	PASS
N77-345 0-3550	30	20	DFT-QPSK	M	Outer_Full	NV	50	14.000000	0.004000	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	VL	NT	10.000000	0.002825	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	VN	NT	12.000000	0.003390	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	VH	NT	4.000000	0.001130	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	-30	14.000000	0.003955	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	-20	4.000000	0.001130	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	-10	15.000000	0.004237	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	0	3.000000	0.000847	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	10	18.000000	0.005085	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	20	10.000000	0.002825	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	30	8.000000	0.002260	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	40	12.000000	0.003390	PASS
N77-345 0-3550	30	20	DFT-QPSK	H	Outer_Full	NV	50	3.000000	0.000847	PASS

N77-3700-3980 PEAK-TO-AVERAGE RATIO(CCDF)

TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	5.58	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	5.04	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Outer_Full	5.07	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Edge_1RB_Left	5.23	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Edge_1RB_Left	4.41	≤13	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Edge_1RB_Left	5.06	≤13	PASS


TEST GRAPHS





BUREAU
VERITAS

Reference No.: W7L-P24050018RF11





Reference No.: W7L-P24050018RF11

26DB BANDWIDTH AND OCCUPIED BANDWIDTH FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N77-3700 -3980	30	10	DFT-PI2BPSK	M	Outer_Full	8.5864	9.470	PASS
N77-3700 -3980	30	10	DFT-QPSK	M	Outer_Full	8.5628	9.331	PASS
N77-3700 -3980	30	10	DFT-16QAM	M	Outer_Full	8.5808	9.373	PASS
N77-3700 -3980	30	10	DFT-64QAM	M	Outer_Full	8.5659	9.278	PASS
N77-3700 -3980	30	10	DFT-256QAM	M	Outer_Full	8.5508	9.288	PASS
N77-3700 -3980	30	100	DFT-PI2BPSK	M	Outer_Full	96.323	99.52	PASS
N77-3700 -3980	30	100	DFT-QPSK	M	Outer_Full	96.367	99.49	PASS
N77-3700 -3980	30	100	DFT-16QAM	M	Outer_Full	96.413	99.52	PASS
N77-3700 -3980	30	100	DFT-64QAM	M	Outer_Full	96.305	99.55	PASS
N77-3700 -3980	30	100	DFT-256QAM	M	Outer_Full	96.246	99.48	PASS
N77-3700 -3980	30	20	DFT-PI2BPSK	M	Outer_Full	17.789	18.80	PASS
N77-3700 -3980	30	20	DFT-QPSK	M	Outer_Full	17.775	18.88	PASS
N77-3700 -3980	30	20	DFT-16QAM	M	Outer_Full	17.858	18.75	PASS
N77-3700 -3980	30	20	DFT-64QAM	M	Outer_Full	17.805	19.03	PASS
N77-3700 -3980	30	20	DFT-256QAM	M	Outer_Full	17.812	18.91	PASS
N77-3700 -3980	30	30	DFT-PI2BPSK	M	Outer_Full	26.769	28.17	PASS
N77-3700 -3980	30	30	DFT-QPSK	M	Outer_Full	26.742	28.11	PASS
N77-3700 -3980	30	30	DFT-16QAM	M	Outer_Full	26.759	28.18	PASS
N77-3700 -3980	30	30	DFT-64QAM	M	Outer_Full	26.759	28.10	PASS
N77-3700 -3980	30	30	DFT-256QAM	M	Outer_Full	26.764	28.08	PASS
N77-3700 -3980	30	40	DFT-PI2BPSK	M	Outer_Full	35.684	37.33	PASS
N77-3700 -3980	30	40	DFT-QPSK	M	Outer_Full	35.759	36.95	PASS
N77-3700 -3980	30	40	DFT-16QAM	M	Outer_Full	35.781	37.25	PASS




**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF11


N77-3700 -3980	30	40	DFT-64QAM	M	Outer_Full	35.768	37.42	PASS
N77-3700 -3980	30	40	DFT-256QAM	M	Outer_Full	35.750	37.42	PASS
N77-3700 -3980	30	50	DFT-PI2BPSK	M	Outer_Full	45.702	47.58	PASS
N77-3700 -3980	30	50	DFT-QPSK	M	Outer_Full	45.665	47.47	PASS
N77-3700 -3980	30	50	DFT-16QAM	M	Outer_Full	45.686	47.40	PASS
N77-3700 -3980	30	50	DFT-64QAM	M	Outer_Full	45.668	47.40	PASS
N77-3700 -3980	30	50	DFT-256QAM	M	Outer_Full	45.681	47.57	PASS
N77-3700 -3980	30	60	DFT-PI2BPSK	M	Outer_Full	57.878	59.93	PASS
N77-3700 -3980	30	60	DFT-QPSK	M	Outer_Full	57.901	59.92	PASS
N77-3700 -3980	30	60	DFT-16QAM	M	Outer_Full	57.742	59.88	PASS
N77-3700 -3980	30	60	DFT-64QAM	M	Outer_Full	57.777	59.97	PASS
N77-3700 -3980	30	60	DFT-256QAM	M	Outer_Full	57.777	60.00	PASS
N77-3700 -3980	30	70	DFT-PI2BPSK	M	Outer_Full	64.166	66.68	PASS
N77-3700 -3980	30	70	DFT-QPSK	M	Outer_Full	64.254	66.81	PASS
N77-3700 -3980	30	70	DFT-16QAM	M	Outer_Full	64.233	66.78	PASS
N77-3700 -3980	30	70	DFT-64QAM	M	Outer_Full	64.192	66.60	PASS
N77-3700 -3980	30	70	DFT-256QAM	M	Outer_Full	64.175	66.68	PASS
N77-3700 -3980	30	80	DFT-PI2BPSK	M	Outer_Full	77.091	79.71	PASS
N77-3700 -3980	30	80	DFT-QPSK	M	Outer_Full	77.080	79.65	PASS
N77-3700 -3980	30	80	DFT-16QAM	M	Outer_Full	76.891	79.71	PASS
N77-3700 -3980	30	80	DFT-64QAM	M	Outer_Full	77.211	79.61	PASS
N77-3700 -3980	30	80	DFT-256QAM	M	Outer_Full	77.068	79.63	PASS
N77-3700 -3980	30	90	DFT-PI2BPSK	M	Outer_Full	86.732	89.53	PASS
N77-3700 -3980	30	90	DFT-QPSK	M	Outer_Full	86.645	89.60	PASS
N77-3700 -3980	30	90	DFT-16QAM	M	Outer_Full	86.874	89.61	PASS
N77-3700 -3980	30	90	DFT-64QAM	M	Outer_Full	86.494	89.50	PASS
N77-3700 -3980	30	90	DFT-256QAM	M	Outer_Full	86.577	89.53	PASS

TEST GRAPHS







Reference No.: W7L-P24050018RF11





Reference No.: W7L-P24050018RF11








BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11







BUREAU
VERITAS

Reference No.: W7L-P24050018RF11




00-3980-PC3-30-70-M-DFT-QPSK-
Outer Full-Ant7-PASSNTNV-N77-3700-3980-PC3-30-70-M-DFT-16QAM
-Outer Full-Ant7-PASS

NTNV-N77-3700-3980-PC3-30-70-M-DFT-256QA
M-Outer Full-Ant7-PASS



BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11



BAND EDGE FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N77-3700-3980	30	10	DFT-QPSK	L	Outer_Full	-33.23	PASS
N77-3700-3980	30	10	DFT-QPSK	L	Edge_1RB_Left	-31.93	PASS
N77-3700-3980	30	10	DFT-QPSK	H	Outer_Full	-32.01	PASS
N77-3700-3980	30	10	DFT-QPSK	H	Edge_1RB_Right	-33.79	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Outer_Full	-34.14	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Edge_1RB_Left	-36.55	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Outer_Full	-38.58	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Edge_1RB_Right	-37.24	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Outer_Full	-35.92	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Edge_1RB_Left	-33.75	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Outer_Full	-40.89	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Edge_1RB_Right	-33.61	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS

Reference No.: W7L-P24050018RF11





Reference No.: W7L-P24050018RF11

CONDUCTED SPURIOUS EMISSION FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-48.11	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.15	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.22	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.24	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-48.21	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.39	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-55.93	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.64	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-48.09	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.19	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-56.03	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-53.39	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	30	1000	-47.96	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.38	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.18	-13	PASS



Reference No.: W7L-P24050018RF11


N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.47	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	30	1000	-47.83	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.42	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-56.32	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.52	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	30	1000	-47.97	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.29	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-56.30	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-55.21	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	30	1000	-48.10	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.23	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.00	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.14	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	30	1000	-48.19	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.00	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-55.67	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.35	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	30	1000	-48.01	-13	PASS



Reference No.: W7L-P24050018RF11

N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.19	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-55.72	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-55.25	-13	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11






BUREAU
VERITAS

Reference No.: W7L-P24050018RF11






Reference No.: W7L-P24050018RF11





BUREAU
VERITAS


Reference No.: W7L-P24050018RF11





BUREAU
VERITAS

Reference No.: W7L-P24050018RF11





Reference No.: W7L-P24050018RF11

FREQUENCY STABILITY FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	VL	NT	14.000000	0.003774	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	VN	NT	19.000000	0.005121	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	VH	NT	7.000000	0.001887	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-30	16.000000	0.004313	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-20	8.000000	0.002156	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-10	18.000000	0.004852	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	0	10.000000	0.002695	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	10	17.000000	0.004582	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	20	19.000000	0.005121	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	30	11.000000	0.002965	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	40	2.000000	0.000539	PASS
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	NV	50	13.000000	0.003504	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	VL	NT	1.000000	0.000260	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	VN	NT	3.000000	0.000781	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	VH	NT	14.000000	0.003646	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-30	12.000000	0.003125	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-20	8.000000	0.002083	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-10	18.000000	0.004688	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	0	10.000000	0.002604	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	10	1.000000	0.000260	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	20	2.000000	0.000521	PASS
N77-370	30	20	DFT-QPSK	M	Outer_Full	NV	30	13.000000	0.003385	PASS



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF11

0-3980										
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	40	4.000000	0.001042	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	50	15.000000	0.003906	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VL	NT	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VN	NT	4.000000	0.001008	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VH	NT	14.000000	0.003526	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-30	6.000000	0.001511	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-20	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-10	10.000000	0.002519	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	0	17.000000	0.004282	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	10	9.000000	0.002267	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	20	16.000000	0.004029	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	30	7.000000	0.001763	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	40	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	50	9.000000	0.002267	PASS

N78_UL_MIMO-3450-3550

PEAK-TO-AVERAGE RATIO FOR MIMO PEAK-TO-AVERAGE RATIO(CCDF)

TEST RESULT-ANT7

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N78-3450-3550	30	20	CP-QPSK	L	Outer_Full	6.50	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	L	Edge_1RB_Left	6.32	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Outer_Full	6.86	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Edge_1RB_Left	6.40	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Outer_Full	6.40	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Edge_1RB_Left	6.64	≤13	PASS

TEST RESULT-ANT4

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N78-3450-3550	30	20	CP-QPSK	L	Outer_Full	5.38	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	L	Edge_1RB_Left	5.38	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Outer_Full	6.78	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Edge_1RB_Left	5.46	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Outer_Full	5.28	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Edge_1RB_Left	5.66	≤13	PASS