




BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10





BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008

BAND EDGE FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N77-3700-3980	30	10	DFT-QPSK	L	Outer_Full	-33.23	PASS
N77-3700-3980	30	10	DFT-QPSK	L	Edge_1RB_Left	-31.93	PASS
N77-3700-3980	30	10	DFT-QPSK	H	Outer_Full	-32.01	PASS
N77-3700-3980	30	10	DFT-QPSK	H	Edge_1RB_Right	-33.79	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Outer_Full	-34.14	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Edge_1RB_Left	-36.55	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Outer_Full	-38.58	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Edge_1RB_Right	-37.24	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Outer_Full	-35.92	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Edge_1RB_Left	-33.75	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Outer_Full	-40.89	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Edge_1RB_Right	-33.61	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10





BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10





Reference No.: PSU-QSU2509050111RF10

CONDUCTED SPURIOUS EMISSION FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-48.11	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.15	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.22	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.24	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-48.21	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.39	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-55.93	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.64	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-48.09	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.19	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-56.03	-13	PASS
N77-3 700-39 80	30	10	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-53.39	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	30	1000	-47.96	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.38	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.18	-13	PASS



**BUREAU
VERITAS**

Reference No.: PSU-QSU2509050111RF10

N77-3 700-39 80	30	50	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.47	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	30	1000	-47.83	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.42	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-56.32	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.52	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	30	1000	-47.97	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.29	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-56.30	-13	PASS
N77-3 700-39 80	30	50	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-55.21	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	30	1000	-48.10	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	1000	10000	-39.23	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	10000	20000	-56.00	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-55.14	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	30	1000	-48.19	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	1000	10000	-39.00	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	10000	20000	-55.67	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-55.35	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	30	1000	-48.01	-13	PASS




BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10

N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	1000	10000	-39.19	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	10000	20000	-55.72	-13	PASS
N77-3 700-39 80	30	100	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-55.25	-13	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10





BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10





BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10





BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10





Reference No.: PSU-QSU2509050111RF10

FREQUENCY STABILITY FOR SA TEST RESULT

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	VL	NT	14.000000	0.003774	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	VN	NT	19.000000	0.005121	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	VH	NT	7.000000	0.001887	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-30	16.000000	0.004313	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-20	8.000000	0.002156	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	-10	18.000000	0.004852	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	0	10.000000	0.002695	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	10	17.000000	0.004582	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	20	19.000000	0.005121	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	30	11.000000	0.002965	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	40	2.000000	0.000539	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	NV	50	13.000000	0.003504	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	VL	NT	1.000000	0.000260	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	VN	NT	3.000000	0.000781	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	VH	NT	14.000000	0.003646	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-30	12.000000	0.003125	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-20	8.000000	0.002083	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	-10	18.000000	0.004688	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	0	10.000000	0.002604	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	10	1.000000	0.000260	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	NV	20	2.000000	0.000521	PASS
N77-370	30	20	DFT-QPSK	M	Outer_Full	NV	30	13.000000	0.003385	PASS



**BUREAU
VERITAS**

Reference No.: PSU-QSU2509050111RF10

0-3980										
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	40	4.000000	0.001042	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	NV	50	15.000000	0.003906	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VL	NT	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VN	NT	4.000000	0.001008	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	VH	NT	14.000000	0.003526	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-30	6.000000	0.001511	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-20	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	-10	10.000000	0.002519	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	0	17.000000	0.004282	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	10	9.000000	0.002267	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	20	16.000000	0.004029	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	30	7.000000	0.001763	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	40	18.000000	0.004534	PASS
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	NV	50	9.000000	0.002267	PASS

N78_UL_MIMO-3450-3550

PEAK-TO-AVERAGE RATIO FOR MIMO PEAK-TO-AVERAGE RATIO(CCDF)


TEST RESULT-ANT7

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N78-3450-3550	30	20	CP-QPSK	L	Outer_Full	6.50	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	L	Edge_1RB_Left	6.32	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Outer_Full	6.86	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Edge_1RB_Left	6.40	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Outer_Full	6.40	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Edge_1RB_Left	6.64	≤13	PASS

TEST RESULT-ANT4

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N78-3450-3550	30	20	CP-QPSK	L	Outer_Full	5.38	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	L	Edge_1RB_Left	5.38	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Outer_Full	6.78	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	M	Edge_1RB_Left	5.46	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Outer_Full	5.28	≤13	PASS
N78-3450-3550	30	20	CP-QPSK	H	Edge_1RB_Left	5.66	≤13	PASS

TEST GRAPHS-ANT7






BUREAU
VERITAS

Reference No.: PSU-QSU2509050111RF10

TEST GRAPHS-ANT4





Reference No.: PSU-QSU2509050111RF10

26DB BANDWIDTH AND OCCUPIED BANDWIDTH FOR MIMO TEST RESULT-ANT7

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N78-3450-3550	30	10	CP-QPSK	M	Outer_Full	8.593	9.57	PASS
N78-3450-3550	30	10	CP-16QAM	M	Outer_Full	8.558	9.53	PASS
N78-3450-3550	30	10	CP-64QAM	M	Outer_Full	8.571	9.41	PASS
N78-3450-3550	30	10	CP-256QAM	M	Outer_Full	8.589	9.41	PASS
N78-3450-3550	30	20	CP-QPSK	M	Outer_Full	18.215	19.66	PASS
N78-3450-3550	30	20	CP-16QAM	M	Outer_Full	18.266	19.86	PASS
N78-3450-3550	30	20	CP-64QAM	M	Outer_Full	18.208	19.70	PASS
N78-3450-3550	30	20	CP-256QAM	M	Outer_Full	18.204	19.66	PASS
N78-3450-3550	30	30	CP-QPSK	M	Outer_Full	27.882	29.43	PASS
N78-3450-3550	30	30	CP-16QAM	M	Outer_Full	27.848	29.37	PASS
N78-3450-3550	30	30	CP-64QAM	M	Outer_Full	27.894	29.49	PASS
N78-3450-3550	30	30	CP-256QAM	M	Outer_Full	27.927	29.37	PASS
N78-3450-3550	30	40	CP-QPSK	M	Outer_Full	37.898	39.80	PASS
N78-3450-3550	30	40	CP-16QAM	M	Outer_Full	37.933	39.80	PASS
N78-3450-3550	30	40	CP-64QAM	M	Outer_Full	37.838	39.64	PASS
N78-3450-3550	30	40	CP-256QAM	M	Outer_Full	37.910	39.80	PASS
N78-3450-3550	30	50	CP-QPSK	M	Outer_Full	47.557	49.65	PASS
N78-3450-3550	30	50	CP-16QAM	M	Outer_Full	47.460	49.45	PASS
N78-3450-3550	30	50	CP-64QAM	M	Outer_Full	47.549	49.45	PASS
N78-3450-3550	30	50	CP-256QAM	M	Outer_Full	47.542	49.45	PASS
N78-3450-3550	30	60	CP-QPSK	M	Outer_Full	57.888	60.78	PASS
N78-3450-3550	30	60	CP-16QAM	M	Outer_Full	58.066	60.66	PASS
N78-3450	30	60	CP-64QAM	M	Outer_Full	57.934	60.78	PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



**BUREAU
VERITAS**

Reference No.: PSU-QSU2509050111RF10

-3550								
N78-3450 -3550	30	60	CP-256QAM	M	Outer_Full	57.946	60.66	PASS
N78-3450 -3550	30	70	CP-QPSK	M	Outer_Full	67.594	70.49	PASS
N78-3450 -3550	30	70	CP-16QAM	M	Outer_Full	67.555	70.49	PASS
N78-3450 -3550	30	70	CP-64QAM	M	Outer_Full	67.590	70.49	PASS
N78-3450 -3550	30	70	CP-256QAM	M	Outer_Full	67.544	70.63	PASS
N78-3450 -3550	30	80	CP-QPSK	M	Outer_Full	77.578	80.72	PASS
N78-3450 -3550	30	80	CP-16QAM	M	Outer_Full	77.492	80.40	PASS
N78-3450 -3550	30	80	CP-64QAM	M	Outer_Full	77.503	80.40	PASS
N78-3450 -3550	30	80	CP-256QAM	M	Outer_Full	77.577	80.56	PASS
N78-3450 -3550	30	90	CP-QPSK	M	Outer_Full	87.530	90.63	PASS
N78-3450 -3550	30	90	CP-16QAM	M	Outer_Full	87.407	90.63	PASS
N78-3450 -3550	30	90	CP-64QAM	M	Outer_Full	87.639	90.81	PASS
N78-3450 -3550	30	90	CP-256QAM	M	Outer_Full	87.519	90.81	PASS
N78-3450 -3550	30	100	CP-QPSK	M	Outer_Full	97.377	100.70	PASS
N78-3450 -3550	30	100	CP-16QAM	M	Outer_Full	97.266	100.70	PASS
N78-3450 -3550	30	100	CP-64QAM	M	Outer_Full	97.322	100.90	PASS
N78-3450 -3550	30	100	CP-256QAM	M	Outer_Full	97.329	100.90	PASS

TEST RESULT-ANT4

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N78-3450 -3550	30	10	CP-QPSK	M	Outer_Full	8.588	9.51	PASS
N78-3450 -3550	30	10	CP-16QAM	M	Outer_Full	8.588	9.63	PASS
N78-3450 -3550	30	10	CP-64QAM	M	Outer_Full	8.576	9.41	PASS
N78-3450 -3550	30	10	CP-256QAM	M	Outer_Full	8.575	9.41	PASS
N78-3450 -3550	30	20	CP-QPSK	M	Outer_Full	18.242	19.66	PASS
N78-3450 -3550	30	20	CP-16QAM	M	Outer_Full	18.220	19.66	PASS
N78-3450 -3550	30	20	CP-64QAM	M	Outer_Full	18.238	19.66	PASS
N78-3450	30	20	CP-256QAM	M	Outer_Full	18.273	19.70	PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



**BUREAU
VERITAS**

Reference No.: PSU-QSU2509050111RF10

-3550								
N78-3450 -3550	30	30	CP-QPSK	M	Outer_Full	27.809	29.43	PASS
N78-3450 -3550	30	30	CP-16QAM	M	Outer_Full	27.815	29.49	PASS
N78-3450 -3550	30	30	CP-64QAM	M	Outer_Full	27.882	29.31	PASS
N78-3450 -3550	30	30	CP-256QAM	M	Outer_Full	27.883	29.43	PASS
N78-3450 -3550	30	40	CP-QPSK	M	Outer_Full	37.810	39.80	PASS
N78-3450 -3550	30	40	CP-16QAM	M	Outer_Full	37.773	39.80	PASS
N78-3450 -3550	30	40	CP-64QAM	M	Outer_Full	37.838	39.72	PASS
N78-3450 -3550	30	40	CP-256QAM	M	Outer_Full	37.873	39.80	PASS
N78-3450 -3550	30	50	CP-QPSK	M	Outer_Full	47.417	49.55	PASS
N78-3450 -3550	30	50	CP-16QAM	M	Outer_Full	47.461	49.45	PASS
N78-3450 -3550	30	50	CP-64QAM	M	Outer_Full	47.428	49.45	PASS
N78-3450 -3550	30	50	CP-256QAM	M	Outer_Full	47.492	49.55	PASS
N78-3450 -3550	30	60	CP-QPSK	M	Outer_Full	57.766	60.78	PASS
N78-3450 -3550	30	60	CP-16QAM	M	Outer_Full	57.933	60.90	PASS
N78-3450 -3550	30	60	CP-64QAM	M	Outer_Full	57.950	60.90	PASS
N78-3450 -3550	30	60	CP-256QAM	M	Outer_Full	57.925	60.90	PASS
N78-3450 -3550	30	70	CP-QPSK	M	Outer_Full	67.498	70.35	PASS
N78-3450 -3550	30	70	CP-16QAM	M	Outer_Full	67.665	70.91	PASS
N78-3450 -3550	30	70	CP-64QAM	M	Outer_Full	67.546	70.63	PASS
N78-3450 -3550	30	70	CP-256QAM	M	Outer_Full	67.698	70.49	PASS
N78-3450 -3550	30	80	CP-QPSK	M	Outer_Full	77.615	80.56	PASS
N78-3450 -3550	30	80	CP-16QAM	M	Outer_Full	77.433	80.72	PASS
N78-3450 -3550	30	80	CP-64QAM	M	Outer_Full	77.502	80.56	PASS
N78-3450 -3550	30	80	CP-256QAM	M	Outer_Full	77.509	80.72	PASS
N78-3450 -3550	30	90	CP-QPSK	M	Outer_Full	87.471	90.63	PASS
N78-3450 -3550	30	90	CP-16QAM	M	Outer_Full	87.296	90.63	PASS
N78-3450	30	90	CP-64QAM	M	Outer_Full	87.338	90.63	PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




BUREAU
VERITAS


Reference No.: PSU-QSU2509050111RF10

-3550								
N78-3450 -3550	30	90	CP-256QAM	M	Outer_Full	87.365	90.63	PASS
N78-3450 -3550	30	100	CP-QPSK	M	Outer_Full	97.299	100.70	PASS
N78-3450 -3550	30	100	CP-16QAM	M	Outer_Full	97.365	100.90	PASS
N78-3450 -3550	30	100	CP-64QAM	M	Outer_Full	97.493	100.70	PASS
N78-3450 -3550	30	100	CP-256QAM	M	Outer_Full	97.371	100.90	PASS

TEST GRAPHS-ANT7


OCCUPIED BANDWIDTH







Reference No.: PSU-QSU2509050111RF10



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008