

APPENDIX 3: Photographs of test setup


Radiated emission

Below 1 GHz

Front




Rear



Above 1 GHz

Front



Rear



AE



UL Japan, Inc.

Shonan EMC Lab.


1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400


Facsimile: +81 463 50 6401

Pre-check of Worst Case Position


X-axis



Y-axis



Z-axis



UL Japan, Inc.


Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

APPENDIX 4: Configuration and peripherals



* Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and support equipment

No.	Item	Model No.	Serial No.	Manufacturer	Remarks
A1	RF glow-stick receiver	FFS-RP	No.1	Sony Engineering Corporation	EUT (902.2 MHz)
A2	RF glow-stick receiver	FFS-RP	No.2	Sony Engineering Corporation	EUT (914.2 MHz)
A3	RF glow-stick receiver	FFS-RP	No.3	Sony Engineering Corporation	EUT (926.7 MHz)
A4	RF glow-stick receiver	FFS-RP	No.4	Sony Engineering Corporation	EUT (Hopping)
B	Transmitter	FFS-TH	0011	Sony Engineering Corporation	-
C	AC adapter	SPU10-102	S01780741425	Sinpro Electronics	-
D	Antenna	-	-	-	-

List of cables used

No.	Cable name	Length (m)	Shielded (cable)	Shielded (connector)	Remarks
1	RF Cable	3.0	Shielded	Shielded	-
2	DC	1.8	Unshielded	Unshielded	-

End of Report

UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401