

RF EXPOSURE REPORT

OF

Applicant: Barco NV
Barco NV President Kennedypark 35, 8500 Kortrijk, Belgium

Product Name: ClickShare CSE-200+, ClickShare

Brand Name: Barco

Model No. / Type No.: CSE-200+, C 5010S

Model Difference: For the detail, please refer to product diversity table in page 4.

Report Number: ER/2019/60052

FCC ID 2AAED-R9861521

FCC Rule Part Part 2.1091

Issue Date: Dec. 05, 2019

Date of Test: Jun. 18, 2019 ~ Nov. 11, 2019

Date of EUT Received: Jun. 18, 2019

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation in this report is in compliance with FCC Rules Part 2.
The test results of this report relate only to the tested sample identified in this report.

Approved By:

John Teh

John Yeh / Assistant Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Revision	Description	Issue Date	Remark
Rev.00	Original.	Dec. 05, 2019	Revised By: Karen Huang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table of Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
1.1	MULTIPLE MODEL NUMBERS	4
1.2	DISCLAIMER	4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	7
2.1	FCC STANDARD APPLICABLE	7
2.2	POWER DENSITY CALCULATION (WORST CASE)	8
2.3	COLLOCATED POWER DENSITY CALCULATION	8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

General:

Product Name:	ClickShare CSE-200+, ClickShare	
Brand Name:	Barco	
Model No. / Type No.:	CSE-200+, C 5010S	
Model Difference:	For the detail, please refer to product diversity table below	
Product SW/HW Version:	N/A / EVT2	
WLAN Module:	Model No.: WCBN807A	
WLAN Module:	Model No.: WCBN811A	
Power Supply:	120Vac input / 12Vdc output from AC/DC adapter	
	Adapter:	1. Model No.: BA070-120417GXX, Supplier: BILLION 2. Model No.: ATS050T-A121, Supplier: Adapter Technology

Product Diversity Description Table:

Product Name:	Product name for CSE-200+ us ClickShare CSE-200+; Product name for C 5010S is ClickShare.
PCB and Hardware changes:	- USB audio codec IC - Stereo class-D audio amplifier - USB2.0 hub controller IC - 1 watt speaker through wire connection

1.1 Multiple Model numbers

The variant model numbers are assess as identical in hardware and software to each other, hence all variants are fully covered by the test results in this test report without further verification test.

1.2 Disclaimer

Variant information between model numbers is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna Information:

Module Model No.: WCBN807A

Antenna Type	Supplier	Ant 1 / Ant 2	Antenna Part No.	Frequency (MHz)	Peak Antenna Gain (dBi)	MIMO Antenna Gain (dBi)	Worst Antenna Gain
PCB	INPAQ TECHNOLOGY CO., LTD	Antenna 1	WA-P-LB-02-531	5250~5350	0.64	3.01	
				5470~5725	1.19	3.29	V
		Antenna 2	WA-P-LB-02-534	5250~5350	-0.1	3.74	V
				5470~5725	0.24	3.01	

Module Model No.: WCBN811A

Antenna Type	Supplier	Ant 1 / Ant 2	Antenna Part No.	Frequency (MHz)	Peak Antenna Gain (dBi)	Worst Antenna Gain
PCB	INPAQ TECHNOLOGY CO., LTD	Antenna 1	WA-P-LB-02-531	5250~5350	1.16	V
				5470~5725	1.19	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134, Wukung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 / 新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Module Model No.: WCBN807A

Wi-Fi	Freq. Range (MHz)	Modulation Technology	Module	Max. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Worst Case
11a	5250~5350	OFDM	WCBN807A	17.96	3.74	21.7	
	5470~5725			18.00	3.29	21.29	
n_HT ac_VHT 20M	5250~5350			18.19	3.74	21.93	V
	5470~5725			18.24	3.29	21.53	
n_HT ac_VHT 40M	5250~5350			17.25	3.74	20.99	
	5470~5725			17.01	3.29	20.3	
ac_VHT 80M	5250~5350			12.93	3.74	16.67	
	5470~5725			16.63	3.29	19.92	
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only					

Module Model No.: WCBN811A

Wi-Fi	Freq. Range (MHz)	Modulation Technology	Module	Max. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Worst Case
11a	5250~5350	OFDM	WCBN811A	17.28	1.16	18.44	
	5470~5725			17.21	1.19	18.4	
n_HT ac_VHT 20M	5250~5350			17.13	1.16	18.29	
	5470~5725			17.28	1.19	18.47	V
n_HT ac_VHT 40M	5250~5350			14.85	1.16	16.01	
	5470~5725			14.81	1.19	16	
ac_VHT 80M	5250~5350			10.84	1.16	12	
	5470~5725			11.00	1.19	12.19	
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2 FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-15000	/	/	1.0	30

f = frequency in MHz

* = Plane-wave equipment power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134, Wukung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

2.2 Power Density Calculation (Worst Case)

FCC								
Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. output Power (dBm)	Antenna Gain (dBi)	Max. output Power EIRP (mW)	Power Density (mW/cm ²)	Limit (mW/cm ²)	Pass / Fail
WLAN 5G (807 module)	5250.00	20	18.19	3.74	155.96	0.031	1.000	Pass
WLAN 5G (811 module)	5470.00	20	17.28	1.19	70.31	0.014	1.000	Pass

Note: For conservativeness, the lowest uplink frequency of each band is used to determine the MPE limit of that band.

2.3 Collocated Power Density Calculation

FCC				
Operation Mode	Power Density (mW/cm ²)	Limit (mW/cm ²)	Power Density / Limit	Σ(E- Field Strength / Limit)
WLAN 5G (807 module)	0.031	1.00	0.031	0.0450
WLAN 5G (811 module)	0.014	1.00	0.014	

Note:

1. Σ(E- Field Strength / Limit): This is a summation of [(E- Field Strength for each transmitter/antenna included in the simultaneous transmission) / (corresponding MPE limit)], for WLAN + Bluetooth + WWAN + RFID.
2. Considering the WLAN and Bluetooth transmitter, the aggregated (E- Field Strength /limit) is smaller than 1, and MPE of 2 collocated transmitters is compliant

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.